

Date: February 22, 2008

U.S. Nuclear Regulatory Commission  
Radioisotopes Licensing Division  
Region III  
2443 Warrenville Road, Suite 210  
Lisle, Illinois 60532-4352

RE: **As additional information to control number 316629**  
Amendment to NRC Radioactive Materials License #13-16558-01  
Methodist Hospitals, Inc, Merrillville, Indiana

Dear Sir/Madam:


As per your letter dated January 15, 2008, we are submitting additional information for Donald R Anderson, M.D.

NRC Form 313A (AUD) for use of 10 CFR 35.100 and 35.200 Material  
NRC Form 313A (AUT) for use of 10 CFR 35.300 material  
A copy of the American Board of Nuclear Medicine Certificate.

The Forms 313A (AUD & AUT) are signed by his preceptor from Northwest Memorial Hospital, Chicago, IL-01037-02 Material License.

We thank you for your expedite review of this amendment.

Sincerely



Bashir Pothiawala, RSO



Northlake Campus  
600 Grant Street  
Gary, Indiana 46402

Midlake Campus  
2269 West 25th Avenue  
Gary, Indiana 46404

Southlake Campus  
8701 Broadway  
Merrillville, Indiana 46410

RECEIVED FEB 25 2008

**AUTHORIZED USER TRAINING AND EXPERIENCE  
AND PRECEPTOR ATTESTATION**  
(for uses defined under 35.300)  
[10 CFR 35.390, 35.392, 35.394, and 35.396]

APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 10/31/2008

Name of Proposed Authorized User State or Territory Where Licensed

Donald R. Anderson, MD. Indiana

Requested Authorization(s) (check all that apply):

- 35.300 Use of unsealed byproduct material for which a written directive is required
- OR**
- 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- 35.300 Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)
- 35.300 Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- 35.300 Parenteral administration of any other radionuclide for which a written directive is required

**PART I -- TRAINING AND EXPERIENCE**  
(Select one of the three methods below)

\* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

**1. Board Certification**

- a. Provide a copy of the board certification.
- b. For 35.390, provide documentation on supervised clinical case experience. The table in section 3.c. may be used to document this experience.
- c. For 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience.
- d. Skip to and complete Part II Preceptor Attestation.

**2. Current 35.300, 35.400, or 35.600 Authorized User Seeking Additional Authorization**

a. Authorized User on Materials License \_\_\_\_\_ under the requirements below or equivalent Agreement State requirements (check all that apply):

- 35.390     35.392     35.394     35.490     35.690

- b. If currently authorized for a subset of clinical uses under 35.300, provide documentation on additional required supervised case experience. The table in section 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.
- c. If currently authorized under 35.490 or 35.690 and requesting authorization for 35.396, provide documentation on classroom and laboratory training, supervised work experience, and supervised clinical case experience. The tables in sections 3.a., 3.b., and 3.c. may be used to document this experience. Also provide completed Part II Preceptor Attestation.

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training  35.390  35.392  35.394  35.396

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use			
Radiation biology			

**Total Hours of Training:**

b. Supervised Work Experience  35.390  35.392  35.394  35.396

*If more than one supervising individual is necessary to document supervised training, provide multiple copies of this page.*

**Supervised Work Experience**

**Total Hours of Experience:**

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User (continued)**

**b. Supervised Work Experience (continued)**

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements (check all that apply)\*\*:

- 35.390 With experience administering dosages of:
- 35.392  Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- 35.394  Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- 35.396  Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

\*\* Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

**c. Supervised Clinical Case Experience**

If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this page.

Description of Experience	Number of Cases Involving Personal Participation	Location of Experience/License or Permit Number of Facility	Dates of Experience*
Oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)	59	Northwestern Mem'l Hospital CHICAGO IL Lic# IL - 01037-02	7/1/02 - 6/30/04
Oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries)	57	Northwestern Mem'l Hospital Chicago IL Lic# IL - 01037-02	7/1/02 - 6/30/04
Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required			
Parenteral administration of any other radionuclide for which a written directive is required			

(List radionuclides)

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User (continued)**

c. Supervised Clinical Case Experience (continued)

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervising individual meets the requirements below, or equivalent Agreement State requirements (check all that apply)\*\*:

- 35.390 With experience administering dosages of:
- 35.392  Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- 35.394  Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- 35.396  Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

\*\* Supervising Authorized User must have experience in administering dosages in the same dosage category or categories as the individual requesting authorized user status.

d. Provide completed Part II Preceptor Attestation.

**PART II – PRECEPTOR ATTESTATION**

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each.

**First Section**

Check one of the following for each requested authorization:

**For 35.390:**

**Board Certification**

I attest that Donald Anderson has satisfactorily completed the training and experience requirements in 35.390(a)(1).  
Name of Proposed Authorized User

**OR**

**Training and Experience**

I attest that \_\_\_\_\_ has satisfactorily completed the 700 hours of training and experience, including a minimum of 200 hours of classroom and laboratory training, as required by 10 CFR 35.390 (b)(1).  
Name of Proposed Authorized User

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**Preceptor Attestation** (continued)

**First Section** (continued)

**For 35.392 (Identical Attestation Statement Regardless of Training and Experience Pathway):**

I attest that \_\_\_\_\_ has satisfactorily completed the 80 hours of classroom  
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.392(c)(1), and the supervised work and clinical case experience required in 35.392(c)(2).

**For 35.394 (Identical Attestation Statement Regardless of Training and Experience Pathway):**

I attest that \_\_\_\_\_ has satisfactorily completed the 80 hours of classroom  
Name of Proposed Authorized User

and laboratory training, as required by 10 CFR 35.394 (c)(1), and the supervised work and clinical case experience required in 35.394(c)(2).

**Second Section**

I attest that Dorcas Amberson has satisfactorily completed the required clinical case  
Name of Proposed Authorized User

experience required in 35.390(b)(1)(ii)G listed below:

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

**Third Section**

I attest that Dorcas Amberson has satisfactorily achieved a level of competency to  
Name of Proposed Authorized User

function independently as an authorized user for:

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**Fourth Section**

**For 35.396:**

**Current 35.490 or 35.690 authorized user:**

I attest that \_\_\_\_\_ is an authorized user under 10 CFR 35.490 or 35.690  
Name of Proposed Authorized User

or equivalent Agreement State requirements, has satisfactorily completed the 80 hours of classroom and laboratory training, as required by 10 CFR 35.396 (d)(1), and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

- Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- Parenteral administration of any other radionuclide for which a written directive is required

**OR**

**Board Certification:**

I attest that \_\_\_\_\_ has satisfactorily completed the board certification  
Name of Proposed Authorized User

requirements of 35.396(c), has satisfactorily completed the 80 hours of classroom and laboratory training required by 10 CFR 35.396 (d)(1) and the supervised work and clinical case experience required by 35.396(d)(2), and has achieved a level of competency sufficient to function independently as an authorized user for:

- Parenteral administration of any beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV for which a written directive is required
- Parenteral administration of any other radionuclide for which a written directive is required

**Fifth Section**

**Complete the following for preceptor attestation and signature:**

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.390       35.392       35.394       35.396

I have experience administering dosages in the following categories for which the proposed Authorized User is requesting authorization.

- Oral NaI-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries)
- Oral NaI-131 in quantities greater than 1.22 gigabecquerels (33 millicuries)
- Parenteral administration of beta-emitter, or photon-emitting radionuclide with a photon energy less than 150 keV requiring a written directive is required
- Parenteral administration of any other radionuclide requiring a written directive

Name of Preceptor: William G. Spies, MD      Signature: [Handwritten Signature]      Telephone Number: (321) 926-6441      Date: 2/8/08  
 License/Permit Number/Facility Name: 1L-01037-02      NORTHWESTERN MEMORIAL HOSPITAL

**AUTHORIZED USER TRAINING AND EXPERIENCE  
AND PRECEPTOR ATTESTATION**  
(for uses defined under 35.100, 35.200, and 35.500)  
[10 CFR 35.190, 35.290, and 35.590]

APPROVED BY OMB: NO. 3150-0120  
EXPIRES: 10/31/2008

Name of Proposed Authorized User State or Territory Where Licensed

Donald R. Anderson, MD. Indiana

Requested Authorization(s) (check all that apply)

- 35.100 Uptake, dilution, and excretion studies
- 35.200 Imaging and localization studies
- 35.500 Sealed sources for diagnosis (specify device )

**PART I -- TRAINING AND EXPERIENCE**  
(Select one of the three methods below)

\* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.

**1. Board Certification**

- a. Provide a copy of the board certification.
- b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.

**2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization**

- a. Authorized user on Materials License \_\_\_\_\_ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.
- b. Supervised Work Experience.  
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

Description of Experience	Location of Experience/License or Permit Number of Facility	Clock Hours	Dates of Experience*
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs			

**Total Hours of Experience:**

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).

- 35.290
- 35.390 + generator experience in 32.290(c)(1)(ii)(G)

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User**

a. Classroom and Laboratory Training.

Description of Training	Location of Training	Clock Hours	Dates of Training*
Radiation physics and instrumentation			
Radiation protection			
Mathematics pertaining to the use and measurement of radioactivity			
Chemistry of byproduct material for medical use <i>(not required for 35.590)</i>			
Radiation biology			

**Total Hours of Training:**

b. Supervised Work Experience (completion of this table is not required for 35.590).  
*(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)*

Supervised Work Experience		Total Hours of Experience:	
Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters		<input type="checkbox"/> Yes <input type="checkbox"/> No	

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**3. Training and Experience for Proposed Authorized User (continued)**

b. Supervised Work Experience. (continued)

Description of Experience Must Include:	Location of Experience/License or Permit Number of Facility	Confirm	Dates of Experience*
Calculating, measuring, and safely preparing patient or human research subject dosages		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using administrative controls to prevent a medical event involving the use of unsealed byproduct material		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Using procedures to contain spilled byproduct material safely and using proper decontamination procedures		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Administering dosages of radioactive drugs to patients or human research subjects		<input type="checkbox"/> Yes <input type="checkbox"/> No	
Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs		<input type="checkbox"/> Yes <input type="checkbox"/> No	

Supervising Individual

License/Permit Number listing supervising individual as an authorized user

Supervisor meets the requirements below, or equivalent Agreement State requirements (*check one*).

- 35.190     35.290     35.390     35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

Device	Type of Training	Location and Dates

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

**AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

**PART II – PRECEPTOR ATTESTATION**

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

**First Section**

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that Donald Anderson has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

**OR**

Training and Experience

I attest that \_\_\_\_\_ has satisfactorily completed the 60 hours of training and  
Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that Donald Anderson has satisfactorily completed the requirements in  
Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

**OR**

Training and Experience

I attest that \_\_\_\_\_ has satisfactorily completed the 700 hours of training  
Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

**Second Section**

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

- 35.190
- 35.290
- 35.390
- 35.390 + generator experience

Name of Preceptor	Signature	Telephone Number	Date
William G. Spies, MD	<i>William G. Spies, MD</i>	(312) 926-6441	2/7/08
License/Permit Number/Facility Name			
IL-01037-02	NORTHWESTERN MEMORIAL HOSPITAL		

# *The American Board of Nuclear Medicine*

*Incorporated 1971*


*Certifies that*

*Donald R Anderson*

*has met the requirements of this Board and is qualified  
during the period of 2006 through 2016 to practice as a Specialist  
in all aspects of Clinical and Laboratory*

*Nuclear Medicine*

*including but not limited to Radiobioassay, Nuclear Imaging,  
In Vivo Measurements & Therapy with Unsealed Radionuclides*

  
\_\_\_\_\_  
*Christopher J. Palestro, M.D.*  
*Chairman*

  
\_\_\_\_\_  
*Marcelo F. DiCarli, M.D.*  
*Secretary-Treasurer*

07554

*Number*


*United States*

**Place Labels in This Space**

- Options:**  **1** UPS Tracking Label and your address label
- 2** UPS Air Shipping Document
- 3** UPS Worldwide Waybill

**FROM:**  
 MAULTY JEWELL  
 (219) 738-4088  
 METHODIST HOSIPTALS  
 1 HOSPITAL DR  
 MERRILLVILLE IN 46410

LTR 1 OF 1



**IL 603 9-03**




**SHIP TO:**

RADIOISOTOPES LICENSING DIVISION  
 US NUCLEAR REGULATORY COMMISSION  
 REGION III  
 STE 210  
 2443 WARRENVILLE RD  
**LISLE IL 60532-4352**

**UPS 2ND DAY AIR**

TRACKING #: 1Z 209 E5F 02 4844 8219

**2**



NUCLEAR REGULATORY COMMISSION  
 2443 WARRENVILLE RD  
 STE 210  
 LISLE IL 60532-3673

BILLING: P/P

P: **YELLOW** S: **4BB** I: **405**  
**0403-8420**  
 1Z209E5F024844 8219

UOW R 0 16 HP LaserJet 5 75 0A 01 2008



© 2008 UNITED STATES POSTAL SERVICE

International Shipping Notice - Carriage: **67345-1206** may be limited to the rules relating to liability and other terms and/or conditions established by the Convention for the Unification of Certain Rules Relating to International Carriage by Air (the "Warsaw Convention") and/or the Convention on the Contract for the International Carriage of Goods by Road (the "CMR Convention"). These commodities, technology or software were exported from the U.S. in accordance with the Export Administration Regulations. Diversion contrary to U.S. law prohibited. For stopping places, call 1-800-782-7862.

Press Here. Press Here. Press Here. Press Here. Press Here. Press Here.

This pouch is resealable.