



THOMAS P. HARRALL, JR.
Vice President, Plant Support
Nuclear Generation

Duke Energy Corporation
526 South Church Street
Charlotte, NC 28202

Mailing Address:
EC07H / P.O. Box 1006
Charlotte, NC 28201-1006

704 382 3989
704 382 6056 fax
tpharral@duke-energy.com

February 27, 2008

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555-0001

Subject: Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC
Oconee Nuclear Station, Units 1, 2, and 3
Docket Nos. 50-269, 50-270, 50-287
McGuire Nuclear Station, Units 1 and 2
Docket Nos. 50-369, 50-370
Catawba Nuclear Station, Units 1 and 2
Docket Nos. 50-413, 50-414
Fitness-For-Duty Program Performance Data Reports

Pursuant to 10 CFR 26.71(d), Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke) hereby submits the Fitness-For-Duty Program Performance Data Reports for Oconee, McGuire and Catawba Nuclear Stations and the General Office. The reporting period covered by this submittal is July 1, 2007 through December 31, 2007.

Based on quantitative analysis accumulated from the testing laboratory results, which are recorded and maintained in Duke's Fitness for Duty database, this data is considered to be complete, accurate and consistent with industry and Duke program expectations.

This correspondence contains no regulatory commitments. Questions regarding these reports should be directed to Peter R. Fowler at 704-382-6188 or Robert L. Gill at 704-382-3339.

Sincerely,

Thomas P. Harrall

Attachments

A021
NRR

xc:

V. M. McCree, Acting Region II Administrator
U.S. Nuclear Regulatory Commission
Sam Nunn Atlanta Federal Center, 23 T85
61 Forsyth St., SW
Atlanta, GA 30303-8931

L. N. Olshan, Senior Project Manager (ONS)
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Mail Stop 0-8 G9A
Rockville, MD 20852-2738

J. F. Stang, Jr., Senior Project Manager (CNS & MNS)
U. S. Nuclear Regulatory Commission
11555 Rockville Pike
Mail Stop 0-8 G9A
Rockville, MD 20852-2738

D. W. Rich
NRC Senior Resident Inspector
Oconee Nuclear Station

J. B. Brady
NRC Senior Resident Inspector
McGuire Nuclear Station

A. T. Sabisch
NRC Senior Resident Inspector
Catawba Nuclear Station

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)	12/31/07
Company	6 Month Ending
Catawba Nuclear Station	
Location	
Anita Barnette	(704) 382-4904
Contact Name	Phone (Include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10 CFR 26	
Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .011-.039 _____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1279				879	
Pre-Access	86	1			1366	7
For Cause – Post Accident	3	0			10	0
For Cause – Observed Behavior	0	0			2	2
Random	370 (2)	2			260 (2)	1
Follow-up	14	0			15	0
Other	2	0			2	0
Total	475	3			1655	10

Breakdown of Confirmed Positive Tests for Specific Substances – Catawba Nuclear Station
(for 6 Month Ending 12/31/07)

	Marijuana (1)	Cocaine	Opiates	Amphe- tamines	Phency- clidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	1	0	0	0	0	2	0						
Long-Term Contractors													
Short-Term Contractors	6	3	0	0	0	1	1						
Total	7	3	0	0	0	3	1						14 *

* One individual positive for two substances

A

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Catawba Nuclear Station)
for 6 Month Ending 12/31/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 12/31/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Summary Listing of Events Reported Under 10 CFR 26.73:

Date of Event	Position of Individual Involved	How Discovered	Substance Detected	Management Actions Taken
None during this reporting period				

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Catawba Nuclear Station)
6 Month Ending – 12/31/07**

POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	Average Number with Unescorted Access					Average Number in Random – Pre-Access Pool		
Average Number with Unescorted Access	1279					879		
Average Number in Random – Pre-Access Pool	7					61		
Categories	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Pre-Access	86	NRC	Duke			1366	NRC	Duke
For Cause – Post Accident	3	0	0			10	0	0
For Cause – Observed Behavior	0	0	0			2	2	0
Random - Badged	352	0	2			243	1	0
Random – Pre Access	18 (2)	0	0			17 (2)	0	0
Follow-up	14	0	0			15	0	0
Other	2	0	0			2	0	0
Total	475	0	3			1655	8	2

SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	1	0	0	0	0	2	0							3
Long-Term Contractors															
Short-Term Contractors	3	2	3	0	0	0	2	0	1						11
Total	3	3	3	0	0	0	2	2	1						14 *

* One individual positive for two substances

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)	12/31/07
Company	6 Month Ending
McGuire Nuclear Station	
Location	
Anita Barnette	(704) 382-4904
Contact Name	Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana	50 ng/ml / 15 ng/ml	Amphetamines	1000 ng/ml / 500 ng/ml	_____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine	25 ng/ml / 25 ng/ml	_____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (%BAC)	.011-.039	_____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1349				322	
Pre-Access	54	0			165	2
For Cause – Post Accident	0	0			2	0
For Cause – Observed Behavior	1	0			0	0
Random	382 (2)	0			120 (2)	0
Follow-up	11	0			7	0
Other	0	0			1	0
Total	448	0			295	2

Breakdown of Confirmed Positive Tests for Specific Substances – McGuire Nuclear Station
 (for 6 Month Ending 12/31/07)

	Marijuana (1)	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0						
Long-Term Contractors													
Short-Term Contractors	2	0	0	0	0	0	0						
Total	2	0	0	0	0	0	0						2

A

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for McGuire Nuclear Station)
for 6 Month Ending 12/31/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 12/31/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Summary Listing of Events Reported Under 10 CFR 26.73:

Date of Event	Position of Individual Involved	How Discovered	Substance Detected	Management Actions Taken
None during this reporting period				

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for McGuire Nuclear Station)
6 Month Ending – 12/31/07**

POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	1349					322		
Average Number in Random – Pre-Access Pool	3					15		
Pre-Access	54	0	0			165	0	2
For Cause – Post Accident	0	0	0			2	0	0
For Cause – Observed Behavior	1	0	0			0	0	0
Random - Badged	364	0	0			97	0	0
Random – Pre-Access	18 (2)	0	0			23 (2)	0	0
Follow-up	11	0	0			7	0	0
Other	0	0	0			1	0	0
Total	448	0	0			295	0	2

SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	0	0							0
Long-Term Contractors															
Short-Term Contractors	0	2	0	0	0	0	0	0							2
Total	0	2	0	0	0	0	0	0							2

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)	12/31/07
Company	6 Month Ending
Oconee Nuclear Station	
Location	
Anita Barnette	(704) 382-4904
Contact Name	Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	_____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	_____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .011-.039	_____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	1405				1092	
Pre-Access	85	0			641	9
For Cause – Post Accident	0	0			5	0
For Cause – Observed Behavior	2	0			1	1
Random	487 (2) (4)	1			326 (2)	3
Follow-up	8	0			14	0
Other	3	0			2	0
Total	585	1			989	13

Breakdown of Confirmed Positive Tests for Specific Substances – Oconee Nuclear Station
 (for 6 Month Ending 12/31/07)

	Marijuana (1)	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	1	0						
Long-Term Contractors													
Short-Term Contractors	8	2	0	1	0	1	1						
Total	8	2	0	1	0	2	1						14

A

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Oconee Nuclear Station)
for 6 Month Ending 12/31/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 12/31/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Note (4): As a result of an increased amount of Amphetamine/Methamphetamine positive results in the Oconee Nuclear Security organization during the period 11/14/06 – 01/29/07, management implemented an accelerated random testing program for the Oconee Nuclear Security organization for the period of 2/5/07 – 1/31/08.

Summary Listing of Events Reported Under 10 CFR 26.73:

Date of Event	Position of Individual Involved	How Discovered	Substance Detected	Management Actions Taken
None during this reporting period.				

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Oconee Nuclear Station)
6 Month Ending – 12/31/07**

POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	1405					1092		
Average Number in Random – Pre-Access Pool	3					58		
Pre-Access	85	0	0			641	7	2
For Cause – Post Accident	0	0	0			5	0	0
For Cause – Observed Behavior	2	0	0			1	0	1
Random - Badged	470 (4)	1	0			304	3	0
Random – Pre-Access	17 (2)	0	0			22 (2)	0	0
Follow-up	8	0	0			14	0	0
Other	3	0	0			2	0	0
Total	585	1	0			989	10	3

SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	1	0	0						1
Long-Term Contractors															
Short-Term Contractors	6	2	2	0	1	0	0	1	1						13
Total	6	2	2	0	1	0	1	1	1						14

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

Duke Power Company LLC d/b/a Duke Energy Carolinas, LLC (Duke)		12/31/07
Company		6 Month Ending
General Office		
Location		
Anita Barnette		(704) 382-4904
Contact Name		Phone (Include area code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10 CFR 26		
Marijuana	50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml _____ /
Cocaine	300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml _____ /
Opiates	300 ng/ml / 300 ng/ml	Alcohol (%BAC) .011-.039 _____ /

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive (1)	# Tested	# Positive *	# Tested	# Positive (1)
Average Number with Unescorted Access	361					
Pre-Access	23	0			15 (3)	0
For Cause – Post Accident	0	0			0	0
For Cause – Observed Behavior	0	0			0	0
Random	110 (2)	0			0	0
Follow-up	2	0			0	0
Other	0	0			0	0
Total	135	0			15 (3)	0

Breakdown of Confirmed Positive Tests for Specific Substances – Duke General Office
 (for 6 Month Ending 12/31/07)

	Marijuana (1)	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol (1)	Refusal To Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0						
Long-Term Contractors													
Short-Term Contractors	0	0	0	0	0	0	0						
Total	0	0	0	0	0	0	0						0

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Duke General Office)
for 6 Month Ending 12/31/07**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

General Note:

Duke randomly tests at a rate of at least 50% of the pool population.

Note (1):

Duke has more restrictive cut-off levels for Alcohol (due to range of extrapolation) and Marijuana. In the past, Duke has shown this detail on the Performance Data Report's first sheet. Beginning with the last semi-annual report (period ending 06/30/01), Duke will provide a more detailed report that will indicate positive test results confirmed at the NRC cut-off level and Duke's cut-off level. This detailed report for the period ending 12/31/07 is attached (see Attachment B).

Note (2):

Duke has included Random Pre-Access screen numbers in the total random numbers on the initial sheet. The number of Random Pre-Access has been broken out on the detailed report (see Attachment B).

Note (3):

Duke approved the Pre-Access Testing portion of Westinghouse's Fitness for Duty Program effective August 3, 1999. The 15 Pre-Access screens reported under "Short Term Contractor Personnel" are being reported with Duke performance data as a result of accepting Westinghouse's program.

Summary Listing of Events Reported Under 10 CFR 26.73:

Date of Event	Position of Individual Involved	How Discovered	Substance Detected	Management Actions Taken
None during this reporting period				

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Duke General Office)
for 6 Month Ending 12/31/07**

POSITIVE Cut-Off Level Detail Report (NRC / Duke Level)

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive (1)		# Tested	# Positive *	# Tested	# Positive (1)	
Categories		NRC	Duke				NRC	Duke
Average Number with Unescorted Access	361							
Average Number in Random Pre-Access Pool	2							
Pre-Access	23	0	0			15 (3)	0	0
For Cause – Post Accident	0	0	0			0	0	0
For Cause – Observed Behavior	0	0	0			0	0	0
Random - Badged	96	0	0			0	0	0
Random – Pre-Access	14 (2)	0	0			0	0	0
Follow-up	2	0	0			0	0	0
Other	0	0	0			0	0	0
Total	135	0	0			15 (3)	0	0

SUBSTANCE Cut-Off Level Detail Report (NRC / Duke Level)

	Marijuana (1)		Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol (1)		Refusal to Test	1	2	3	4	5	TOTAL
	NRC	Duke					NRC	Duke							
Licensee Employees	0	0	0	0	0	0	0	0							0
Long-Term Contractors															
Short-Term Contractors	0	0	0	0	0	0	0	0							0
Total	0	0	0	0	0	0	0	0							0