

2008-088 _____ BWR Vessel & Internals Project (BWRVIP)

March 12, 2008

Document Control Desk
U. S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852

Attention: Jon Thompson

Subject: Project No. 704 – BWRVIP-87, Revision 1: BWR Vessel and Internals Project,
Testing and Evaluation of BWR Supplemental Surveillance Program Capsules D, G,
and H

Reference: Letter from William A. Eaton (BWRVIP Chairman) to Meena Khanna (NRC),
“Project No. 704 – BWRVIP-128: BWR Vessel and Internals Project, Updated
Fluence Calculations for Supplemental Surveillance Program Capsules D, G and H
Using RAMA Fluence Methodology,” dated September 24, 2004

Enclosed are five (5) copies of the report “BWRVIP-87, Revision 1: BWR Vessel and Internals
Project, Testing and Evaluation of BWR Supplemental Surveillance Program Capsules D, G, and
H,” EPRI Technical Report 1015000, September 2007. This report is being transmitted to the
NRC for information only. The information in BWRVIP-87, Revision 1, is used to support the
BWRVIP Integrated Surveillance Program (ISP) as described in BWRVIP-86-A and BWRVIP-
116.

This revision deletes the original fluence evaluation which has been superseded by the re-
evaluation reported in BWRVIP-128 that was transmitted to the NRC by the letter referenced
above. In addition, the best estimate chemistry values and Charpy V-notch reference
temperatures of some materials were updated to reflect analyses conducted since BWRVIP-87
was published.

Please note that the enclosed report contains proprietary information. A letter requesting that the
report be withheld from public disclosure and an affidavit describing the basis for withholding
this information are provided as Attachment 1.

Two (2) copies of the non-proprietary report “BWRVIP-87NP, Revision 1: BWR Vessel and
Internals Project,” EPRI Technical Report 1015000NP, September 2007, are also enclosed. This
non-proprietary report is identical to the enclosed proprietary report except that the proprietary
information has been deleted and the letters “NP” appear in the BWRVIP report number.

Together . . . Shaping the Future of Electricity

PALO ALTO OFFICE

3420 Hillview Avenue, Palo Alto, CA 94304-1395 USA • 650.855.2000 • Customer Service 800.313.3774 • www.epri.com

6004
NRC

If you have any questions on this subject please call Bob Geier (Exelon Corporation, BWRVIP Assessment Committee Technical Chairman) at 630-657-3830.

Sincerely,

A handwritten signature in cursive script that reads "Rick Libra".

Rick Libra
Exelon
Chairman, BWR Vessel and Internals Project

CHRISTIAN B. LARSEN
Vice President and
Chief Nuclear Officer

March 6, 2008

Document Control Desk
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Subject: Request for Withholding of the Following Commercial Document:

*"BWRVIP-87, Revision 1: BWR Vessel and Internals Project, Testing and Evaluation of
BWR Supplemental Surveillance Program Capsules D, G and H," EPRI Technical Report
1015000, September 2007*


To Whom It May Concern:

This is a request under 10 C.F.R. §2.390(a)(4) that the U.S. Nuclear Regulatory Commission ("NRC") withhold from public disclosure the information identified in the enclosed Affidavit consisting of the commercial information owned by Electric Power Research Institute, Inc. ("EPRI") identified above (the "Report"). Copies of the Report and the Affidavit in support of this request are enclosed.

EPRI desires to disclose the Report in confidence as a means of exchanging technical information with the NRC. The Report is not to be divulged to anyone outside of the NRC nor shall any copies be made of the Report provided herein. EPRI welcomes any discussions and/or questions relating to the information enclosed.

If you have any questions about the legal aspects of this request for withholding, please do not hesitate to contact me at (650) 855-2329. Questions on the content of the Report should be directed to Robert Carter of EPRI at (704) 595-2019.

Sincerely,



AFFIDAVIT

RE: Request for Withholding of the Following Commercial Document:

"BWRVIP-87, Revision 1: BWR Vessel and Internals Project, Testing and Evaluation of BWR Supplemental Surveillance Program Capsules D, G and H," EPRI Technical Report 1015000, September 2007

I, CHRISTIAN B. LARSEN, being duly sworn, depose and state as follows:

I am a Vice President and the Chief Nuclear Officer of Electric Power Research Institute, Inc. whose principal office is located at 3420 Hillview Avenue, Palo Alto, California ("EPRI") and I have been specifically delegated responsibility for the above-listed Report that is sought under this Affidavit to be withheld (the "Report"). I am authorized to apply to the U.S. Nuclear Regulatory Commission ("NRC") for the withholding of the Report on behalf of EPRI.

EPRI requests that the Report be withheld from the public on the following bases:


Withholding Based Upon Privileged And Confidential Trade Secrets Or Commercial Or Financial Information:

- a. The Report is owned by EPRI and constitutes commercial information which has not been placed in the public domain by EPRI.
- b. EPRI made a substantial economic investment to develop the Report and, by prohibiting public disclosure, EPRI derives an economic benefit in the form of fees charged for the sale of the Report. The Report is entitled to the protection of the United States copyright laws. If the Report was publicly available to consultants and/or other businesses providing services in the electric and/or nuclear power industry at no cost, these entities would be able to use the Report for their own commercial benefit and profit and without expending the substantial economic resources required of EPRI to develop the Report.
- c. EPRI made a substantial investment of both money and employee hours over an extended period of time in the development of the Report. As a result of such effort and cost, both in terms of dollars spent and dedicated employee time, the Report is highly valuable to EPRI.
- d. A public disclosure of the Report would be highly likely to cause substantial harm to EPRI's competitive position and the ability of EPRI to sell the Report both domestically and internationally. If a party does not purchase the Report from EPRI, it would require an investment of money, time and effort equivalent to that expended by EPRI for the party to duplicate the Report.

I have read the foregoing and the matters stated herein are true and correct to the best of my knowledge, information and belief. I make this affidavit under penalty of perjury under the laws of the United States of America and under the laws of the State of California.

Executed at 3420 Hillview Avenue, Palo Alto, California being the premises and place of business of Electric Power Research Institute, Inc.

March 6, 2008



Christian B. Larsen


Subscribed and sworn before me this day: March 6, 2008


(Please see attached California Jurat form. Y.H.)

_____, Notary Public

State of California)
County of Santa Clara)

Subscribed and sworn to (or affirmed) before me on this 6th day of March, 2008, by
Christian B. Larsen, proved to me on the basis of satisfactory
evidence to be the person(s) who appeared before me.

Signature  (Seal)



DESCRIPTION OF ATTACHED DOCUMENT

Request for Withholding of the Following Commercial Document
TITLE OR TYPE OF DOCUMENT

From: Origin ID: PAOA (650)855-2046
Amardeep Puaar
EPRI
3420 Hillview Avenue

Palo Alto, CA 94304



CLS128787/2/1/24

SHIP TO: 650-855-2046 BILL SENDER
Jon Thompson
U. S. Nuclear Regulatory Commission
11555 Rockville Pike


Rockville, MD 20852

Ship Date: 13MAR08
ActWgt: 1 LB
System#: 9082010/INET8011
Account#: S *****

Delivery Address Bar Code



Ref # 7641
Invoice #
PO #
Dept #



TRK# 7983 9577 1410
0201

FRI - 14MAR A2
PRIORITY OVERNIGHT

XC OBTA

20852
MD-US
IAD



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: Origin ID: PAOA (650)855-2046
Amardeep Puaar
EPRI
3420 Hillview Avenue

Palo Alto, CA 94304




CL8128787/2124

SHIP TO: 301-415-1467

BILL SENDER

Matt Mitchell
U. S. Nuclear Regulatory Commission
11555 Rockville Pike

Rockville, MD 20852

Ship Date: 13MAR08
ActWgt: 1 LB
System#: 9082010/INET8011
Account#: S *****

Delivery Address Bar Code




Ref # 7641
Invoice #
PO #
Dept #

TRK# 7992 8900 3346
0201

FRI - 14MAR **A2**
FIRST OVERNIGHT

X1 OBTA

20852
MD-US
IAD



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

From: Origin ID: PAOA (650)855-2046
Amardeep Puaar
EPRI
3420 Hillview Avenue

Palo Alto, CA 94304



CLS128767/2/124

SHIP TO: 301-415-1467

BILL SENDER

Document Control Desk
U. S. Nuclear Regulatory Commission
11555 Rockville Pike


Rockville, MD 20852

Ship Date: 13MAR08
ActWgt: 1 LB
System#: 9082010/INET8011
Account#: S *****

Delivery Address Bar Code



Ref # 7641
Invoice #
PO #
Dept #




TRK# 7910 2080 9792
0201

FRI - 14MAR A2
FIRST OVERNIGHT

X1 OBTA

20852
MD-US
IAD



Shipping Label: Your shipment is complete

1. Use the 'Print' feature from your browser to send this page to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.