GENERAL INFORMATION CONTENTS

1. GENERAL DESCRIPTION
   1.1 Location and Arrangement of Structures, Systems, and Components of the Geologic Repository Operations Area
      1.1.1 Physical Characteristics of Repository Site and Environs
         1.1.1.1 Site Location and Geography
         1.1.1.2 Site Geology and Hydrology
         1.1.1.3 Meteorology and Climatology
      1.1.2 Surface Facilities
         1.1.2.1 Major Surface Design Features
         1.1.2.2 Surface Facilities to Be Dismantled Prior to Decommissioning and Closure
      1.1.3 Subsurface Facilities
         1.1.3.1 Major Subsurface Design Features
         1.1.3.2 Subsurface Facilities to Be Dismantled prior to Closure
      1.1.4 Plans to Restrict Access to and Regulate Land Uses around the Geologic Repository Operations Area
      1.1.5 Radiological Monitoring and Plans for Mitigation of Radiological Impacts Associated with Construction and Operations
         1.1.5.1 Radiological Monitoring
         1.1.5.2 Plans for Mitigation of Radiological Emergency Events
   1.2 General Nature of the Geologic Repository Operations Area Activities
      1.2.1 Waste Forms to Be Disposed
      1.2.2 Routine Operations
      1.2.3 Inspection and Testing of Waste Forms and Waste Packages
      1.2.4 Waste Retrieval Requirements
      1.2.5 Repository Closure
      1.2.6 Uses of the Geologic Repository Operations Area for Purposes Other than Disposal of High-Level Radioactive Waste
      1.2.7 Plans for Emergency Responses
   1.3 Basis for U.S. Nuclear Regulatory Commission Exercise of its Licensing Authority
   1.4 GENERAL REFERENCES AND MATERIALS INCORPORATED BY REFERENCE
      1.4.1 General References
      1.4.2 Materials Incorporated by Reference
   1.5 GENERAL REFERENCES
2. PROPOSED SCHEDULES FOR CONSTRUCTION, RECEIPT, AND EMPLACEMENT OF WASTE
   2.1 Phased Construction Schedule
      2.1.1 Initial Operating Capability
         2.1.1.1 Infrastructure
         2.1.1.2 Initial Handling Facility
         2.1.1.3 Canister Receipt and Closure Facility 1, Panel 1, Initial Aging

CONTENTS (Continued)

2.1.1.4 Wet Handling Facility
2.1.1.5 Additional Facilities Supporting Initial Operation
2.1.2 Full Operating Capability
2.1.2.1 Receipt Facility
2.1.2.2 Canister Receipt and Closure Facilities 2 and 3, Additional Aging
2.2 Schedule for Waste Receipt and Emplacement
2.3 GENERAL REFERENCES
3. PHYSICAL PROTECTION PLAN
3.1 Description and Schedule for Implementation
3.2 General Performance Objectives
3.3 Protection Goal and Strategy
3.4 Security Organization
3.5 Physical Barrier Subsystems
3.6 Access Control Subsystems and Procedures
3.7 Detection, Surveillance, Alarm Subsystems, and Procedures
3.8 Communication Subsystem
3.9 Equipment Operability and Compensatory Measures
3.10 Safeguards Contingency Plan
3.11 Reporting of Safeguards Events
3.12 Records Retention
3.13 GENERAL REFERENCES
4. MATERIAL CONTROL AND ACCOUNTING PROGRAM
4.1 Material Balance, Inventory, and Record-Keeping Procedures
4.1.1 Program Provisions and Requirements
4.1.2 Item Accounting and Physical Inventories
4.1.3 Quality of Physical Inventories
4.1.4 Periodic Program Assessment
4.1.5 Procedures
4.1.6 Collusion Protection Program
4.1.7 Records
4.2 Reports of Accidental Criticality or Loss of Special Nuclear Material
4.3 Material Status Reports
4.4 Nuclear Material Transfer Reports
4.5 GENERAL REFERENCES
5. SITE CHARACTERIZATION
5.1 Site Characterization Activities
5.1.1 Site Studies Prior to Development of the Site Characterization Plan
5.1.2 Performance Allocation
5.1.3 Overview of the Site Characterization Plan

CONTENTS (Continued)

5.1.4 Role of the Semiannual Site Characterization Progress Reports
5.1.5 Description of Pre–Site Characterization and Site Characterization Activities that Resulted in Site Recommendation
5.1.5.1 Geology
5.1.5.2 Hydrology
5.1.5.3 Thermal Testing and Near Field Geochemical Characteristics
5.1.5.4 Geotechnical Properties
5.1.5.5 Meteorology and Climatology
5.1.5.6 Reference Biosphere
5.1.6 Testing and Monitoring Activities Conducted After the Conclusion of Site Characterization
5.1.6.1 Geology
5.1.6.2 Hydrology
5.1.6.3 Thermal Testing and Near Field Geochemical Characteristics
5.1.6.4 Geotechnical Properties
5.1.6.5 Meteorology and Climatology
5.1.6.6 Air Mass Loading
5.2 Summary of Site Characterization Results
5.2.1 Overview of the Geology of the Yucca Mountain Site
5.2.1.1 Physical Setting of the Repository Site
5.2.1.2 Stratigraphy
5.2.1.3 Structural Framework
5.2.1.3.1 Faults
5.2.1.3.2 Fractures
5.2.1.4 Geotechnical Properties of Stratigraphic Units
5.2.1.5 Tectonic Setting
5.2.1.5.1 Geomorphic Processes and Erosion Rates
5.2.1.5.2 Seismicity and Seismic Hazard
5.2.1.5.2.1 Probabilistic Seismic Hazard Analysis Process
5.2.1.5.2.2 Probabilistic Seismic Hazard Analysis Results
5.2.1.5.3 Volcanism and Volcanic Hazard
5.2.1.5.3.1 Location of Basaltic Volcanism in the Yucca Mountain Region
5.2.1.5.3.2 Probabilistic Volcanic Hazard Analysis Process
5.2.1.5.3.3 Probabilistic Volcanic Hazard Analysis Results
5.2.1.6 Geologic FEPs Used to Estimate Postclosure Performance
5.2.1.7 Potential Geologic Hazards during the Preclosure Phase
5.2.1.8 Developments in Geologic Data and Models During Site Characterization

CONTENTS (Continued)

5.2.2 Overview of the Hydrology of the Yucca Mountain Site
5.2.2.1 Hydrogeologic Features of the Yucca Mountain Site
5.2.2.2 Summary of Regional Groundwater Flow System
5.2.2.2.1 Regional Framework
5.2.2.2.2 Regional Hydrogeology
5.2.2.3 Site Hydrology and Conceptual Models
5.2.2.3.1 Unsaturated Zone Hydrostratigraphy and Hydrology
5.2.2.3.1.1 Unsaturated Zone Conceptual Model
5.2.2.3.2 Saturated Zone Hydrostratigraphy and Hydrology
5.2.2.3.2.1 Saturated Zone Conceptual Model
5.2.2.4 Present Climate and Controlling Influences
5.2.2.5 Water Quality and Water Use
5.2.2.6 Water Budget
5.2.2.7 Surface Water Hydrology
5.2.2.8 Hydrologic Features and Processes Used to Estimate Postclosure Performance
5.2.2.9 Potential Hydrologic Hazards during the Preclosure Phase
5.2.2.10 Developments in Hydrologic Data and Models during Site Characterization
5.2.3 Geochemical Characteristics of the Yucca Mountain Site
5.2.3.1 Hydrochemistry of Unsaturated and Saturated Zones
5.2.3.2 Radionuclide Transport in the Unsaturated and Saturated Zones
5.2.3.2.1 Solubilities of Key Radionuclides
5.2.3.2.2 Radionuclide Sorption in the Saturated and Unsaturated Zones
5.2.3.3 Colloid-Facilitated Transport
5.2.3.4 Near-Field and In-Drift Chemistry and Hydrology
5.2.3.4.1 Coupled Processes in the Near-Field Environment
5.2.3.4.2 Thermal-Hydrologic-Chemical Processes
5.2.3.4.3 Thermal Hydrology in Repository Host Rock
5.2.3.4.4 In-Drift Chemistry
5.2.3.5 Geochemical Processes and Features Used to Estimate Postclosure Performance
5.2.3.6 Developments in Geochemical Data and Models During Site Characterization
5.2.4 Overview of Geotechnical Properties of the Yucca Mountain Site
5.2.4.1 Geotechnical Investigations
5.2.4.2 Engineering Properties of Soil and Rock
5.2.4.2.1 Soil Material Properties for Surface Facilities
5.2.4.2.2 Rock Material Properties for Subsurface Facilities

CONTENTS (Continued)

5.2.4.3 Geotechnical Features and Processes Used to Estimate Postclosure Performance
5.2.4.4 Geotechnical Data from Exploratory Excavations
5.2.5 Overview of the Meteorology and Climatology of the Yucca Mountain Site
5.2.5.1 Present Climate and Controlling Influences
5.2.5.2 Description of Local and Regional Meteorological Program Results
5.2.5.2.1 Local and Regional Precipitation Characteristics
5.2.5.2.2 Local Temperature Ranges and Extremes
5.2.5.2.3 Humidity and Evaporation
5.2.5.2.4 Lightning Characteristics and Frequency
5.2.5.2.5 Local Wind Characteristics, Including Tornadoes
5.2.5.2.6 Atmospheric Stability
5.2.5.3 Paleoclimatology
5.2.5.3.1 Sequence and Nature of Past Climates
5.2.5.3.1.1 Evidence for Chronology of Climatic Sequences: Devils Hole
5.2.5.3.1.2 Additional Evidence for Climatic Sequences and Evidence for Past Climates: Owens Lake Basin
5.2.5.4 Forecast Timing and Sequence of Future Climates for Use in the TSPA
5.2.5.5 Paleoclimatology and Climate-Related Processes Used to Estimate Postclosure Performance
5.2.5.6 Developments in Meteorology and Climate Data and Models during Site Characterization
5.2.6 Overview of Reference Biosphere and the RMEI
5.2.6.1 Location and Lifestyle of the RMEI
5.2.6.2 Summary of Biosphere Pathways
5.2.6.3 Summary of Biosphere Dose Conversion Factors
5.2.6.4 Biosphere FEPs Used to Estimate Postclosure Performance
5.2.6.5 Developments in Biosphere Data and Models during Site Characterization
5.3 GENERAL REFERENCES

SAFETY ANALYSIS REPORT CONTENTS

1. REPOSITORY SAFETY BEFORE PERMANENT CLOSURE
- 1.1 SITE DESCRIPTION AS IT PERTAINS TO PRECLOSURE SAFETY ANALYSIS
  - 1.1.1 Site Geography
    - 1.1.1.1 Repository Boundaries
      - 1.1.1.1.1 Site
      - 1.1.1.1.2 Controlled Area
      - 1.1.1.1.3 General Environment
      - 1.1.1.1.4 Geologic Repository Operations Area
      - 1.1.1.1.5 Control Points
    - 1.1.1.2 Natural Features
    - 1.1.1.3 Man-Made Features
      - 1.1.1.3.1 Nevada Test Site
        - 1.1.1.3.1.1 Defense Program
        - 1.1.1.3.1.2 Waste Management Program
        - 1.1.1.3.1.3 Environmental Restoration Program
        - 1.1.1.3.1.4 Nondefense Research and Development Program
        - 1.1.1.3.1.5 Work for Others Program
        - 1.1.1.3.1.6 Miscellaneous New Missions and Facilities
        - 1.1.1.3.1.7 Missile Launches
      - 1.1.1.3.2 Airspace and Related Facilities and Activities
        - 1.1.1.3.2.1 Nevada Test Site Airspace
        - 1.1.1.3.2.2 Nevada Test and Training Range
        - 1.1.1.3.2.3 Military Training Routes and Areas
        - 1.1.1.3.2.4 R-2508 Complex
        - 1.1.1.3.2.5 R-2508 Complex Peripheral Areas
        - 1.1.1.3.2.6 Low- and High-Altitude Routes and Area Navigation Routes
      - 1.1.1.3.3 Military, Federal, and Civilian Airports and Airfields
        - 1.1.1.3.3.1 Military Airports and Airfields
        - 1.1.1.3.3.2 Federal Airports and Airfields
        - 1.1.1.3.3.3 Civilian Airports and Airfields
      - 1.1.1.3.4 Roads
      - 1.1.1.3.5 Railroads
      - 1.1.1.3.6 Potentially Hazardous Commercial Operations and Manufacturing Centers
        - 1.1.1.3.6.1 Commercial Rocket Launch and Retrieval
        - 1.1.1.3.6.2 Bureau of Land Management Activities
        - 1.1.1.3.6.3 Mining Activities
      - 1.1.1.3.7 Transmission Lines
  - 1.1.2 Regional Demography

CONTENTS (Continued)

1.1.2.1 Demographic Study Area
1.1.2.2 Population Centers
1.1.2.3 Population Projections
1.1.3 Local Meteorology and Regional Climatology
1.1.3.1 Meteorological Monitoring
1.1.3.1.1 General Site Exposure and Monitoring Stations
1.1.3.1.2 Local Instrument Exposure
1.1.3.1.3 Meteorological Sensors
1.1.3.1.4 Onsite Data Recording
1.1.3.1.5 Instrument Surveillance
1.1.3.1.6 Data Acquisition and Reduction
1.1.3.2 Data Summary
1.1.3.2.1 Precipitation
1.1.3.2.2 Wind Speed
1.1.3.2.3 Temperature
1.1.3.2.4 Atmospheric Humidity
1.1.3.2.5 Solar Radiation
1.1.3.2.6 Barometric Pressure
1.1.3.3 Atmospheric Dispersion Characteristics
1.1.3.4 Atmospheric Stability
1.1.3.5 Meteorological Summary
1.1.3.6 Severe Weather Characteristics
1.1.3.6.1 Tornadoes
1.1.3.6.2 Thunderstorms and Lightning Strikes
1.1.3.6.3 Sandstorms
1.1.3.6.4 Snowfall
1.1.4 Regional and Local Surface and Groundwater Hydrology
1.1.4.1 Surface Water Hydrology
1.1.4.1.1 Regional Surface Water Hydrology
1.1.4.1.2 Local Surface Water Hydrology
1.1.4.1.2.1 Flooding Potential
1.1.4.1.2.2 Potential Water and Debris Flows from Slopes above the North Portal
1.1.4.2 Groundwater Hydrology
1.1.4.2.1 Regional Groundwater Flow System
1.1.4.2.2 Water Use in the Region
1.1.4.2.3 Local Groundwater Hydrology
1.1.4.3 Hydrologic Engineering Studies for Surface Facilities
1.1.4.3.1 Probable Maximum Precipitation Determination

CONTENTS (Continued)

1.1.4.3.2 Probable Maximum Flood Flow Characteristics
1.1.5 Site Geology and Seismology
1.1.5.1 Site Geology
1.1.5.1.1 Site Stratigraphy
1.1.5.1.2 Site Structural Geology
1.1.5.1.2.1 Extension
1.1.5.1.2.2 Timing of Deformation
1.1.5.1.3 Fractures
1.1.5.1.3.1 Fracture Characteristics of Lithostratigraphic Units of the Repository Horizon
1.1.5.1.3.2 Fractures Associated with Faults
1.1.5.1.3.3 Fracture Hazard Summary
1.1.5.1.4 Subsurface Conditions at the Surface Geologic Repository Operations Area
1.1.5.2 Site Seismology
1.1.5.2.1 Historical Seismicity of the Yucca Mountain Region
1.1.5.2.1.1 Characteristics of the Recorded Seismicity in the Southern Great Basin
1.1.5.2.1.2 Seismicity in the Vicinity of Yucca Mountain
1.1.5.2.2 Quaternary Paleoseismic Data
1.1.5.2.3 Vibratory Ground Motion Information
1.1.5.2.4 Probabilistic Seismic Hazard Analysis
1.1.5.2.4.1 Results of the Probabilistic Seismic Hazard Analysis
1.1.5.2.5 Ground Motion Input Evaluation
1.1.5.2.5.1 Conditioning of Ground Motion Hazard at the Reference Rock Outcrop
1.1.5.2.5.2 Site-Response Modeling
1.1.5.2.5.2.1 Site Amplification Factors
1.1.5.2.5.2.2 Vertical-to-Horizontal Ratios
1.1.5.2.5.3 Development of Site-Specific Hazard Curves
1.1.5.2.5.4 Development of Design Response Spectra
1.1.5.2.5.5 Development of Design Time Histories
1.1.5.2.5.6 Development of Strain-Compatible Material Properties
1.1.5.2.6 Ground Motion Inputs
1.1.5.2.6.1 Surface Geologic Repository Operations Area Ground Motion Inputs
1.1.5.2.6.2 Repository Block Ground Motion Inputs
1.1.5.2.6.3 Summary of Ground Motions
1.1.5.2.6.4 Adequacy of Site-Response Model Inputs
1.1.5.2.7 Seismic Design Data for Preclosure Facilities

CONTENTS (Continued)

1.1.5.2.7.1 Design Methodology for Preclosure Facilities
1.1.5.2.7.2 Development of Seismic Design Data
1.1.5.2.7.3 Depth to the Reference Rock Outcrop Conditions and Comparison of the 2004 and Current Base-Case V_S Profiles
1.1.5.3 Geotechnical Properties and Conditions
1.1.5.3.1 Underground Facilities
1.1.5.3.1.1 Subsurface Conditions
1.1.5.3.1.2 Rock Properties Used in Subsurface Design Analyses
1.1.5.3.1.2.1 Geotechnical Characterization of Nonlithophysal and Lithophysal Rock Masses
1.1.5.3.1.2.2 Mechanical Properties of Nonlithophysal and Lithophysal Rocks
1.1.5.3.1.2.2.1 Intact Rock Properties
1.1.5.3.1.2.2.2 Rock Mass Strength of Nonlithophysal Rock
1.1.5.3.1.2.2.3 Rock Mass Strength of Lithophysal Rocks
1.1.5.3.1.2.3 Thermal Properties of the Rock Mass
1.1.5.3.1.2.4 In Situ Stress Conditions
1.1.5.3.1.3 Dynamic Properties
1.1.5.3.1.3.1 Seismic Velocity Profiles
1.1.5.3.1.3.1.1 Seismic Velocities from Spectral Analysis of Surface Wave Surveys near the Crest of Yucca Mountain
1.1.5.3.1.3.1.2 Seismic Velocities from Spectral Analysis of Surface Wave Surveys in the ESF Main Drift
1.1.5.3.1.3.1.3 Seismic Velocities from Downhole Seismic Surveys
1.1.5.3.1.3.1.4 Seismic Velocities from Vertical Seismic Profiling Surveys
1.1.5.3.2 Surface Facilities
1.1.5.3.2.1 Surface Conditions
1.1.5.3.2.2 Seismic Velocity Profiles
1.1.5.3.2.3 Density and Relative Density
1.1.5.3.2.4 Shear Strength of Alluvium
1.1.5.3.2.5 Poisson's Ratio
1.1.5.3.2.6 Dynamic Shear Modulus and Damping Ratio
1.1.5.3.2.6.1 Test Program from 2000 and 2001 on Specimens from Boreholes at the Surface Geologic Repository Operations Area
1.1.5.3.2.6.2 Test Program on ESF Specimens
1.1.5.3.2.6.2.1 2004 through 2006 Resonant Column and

CONTENTS (Continued)

Torsional Shear (Fixed-Free) Testing of Tuff Samples
1.1.5.3.2.6.2.1.1 Dynamic Properties in the Small-Strain Range ($\gamma < 0.001\%$)
1.1.5.3.2.6.2.1.2 Dynamic Properties in the Large-Strain Range ($\gamma > 0.001\%$)
1.1.5.3.2.6.2.2 2004 through 2006 Free-Free Laboratory Testing of Tuff Samples
1.1.5.3.2.6.3 Normalized Shear Modulus and Damping for Design
1.1.5.3.2.7 Liquefaction Potential
1.1.6 Igneous Activity
1.1.6.1 Location of Volcanism in the Yucca Mountain Region
1.1.6.1.1 Characteristics of Basaltic Volcanism in the Yucca Mountain Area
1.1.6.1.2 Simultaneous Seismic Activity and Volcanic Eruption
1.1.6.2 Probabilistic Volcanic Hazard Analysis
1.1.6.3 Potential Hazard from Ash Fall
1.1.7 Site Geomorphology
1.1.7.1 Geomorphic Information and Tectonic Activity
1.1.7.1.1 Geomorphic Information Related to Faulting
1.1.7.1.2 Geomorphic Information Related to Volcanism
1.1.7.2 Variability in Quaternary Processes
1.1.7.2.1 Erosion and Deposition in the Present Climate
1.1.7.2.2 Potential for Future Erosion and Deposition at Yucca Mountain
1.1.8 Geochemistry
1.1.8.1 Introduction
1.1.8.2 Geochemical Composition of Subsurface Waters
1.1.8.3 Geochemical Conditions in the Preclosure Emplacement Drift Environment
1.1.8.4 Geochemical Alteration to Host-Rock Properties Environment
1.1.8.4.1 Potential Geochemical Alteration Due to Heating
1.1.8.4.2 Potential Geochemical Alteration Due to Other Processes
1.1.8.4.3 Summary of Effects from Preclosure Geochemical Alteration on Host-Rock Properties
1.1.9 Land Use, Structures and Facilities, and Residual Radioactivity
1.1.9.1 Previous Land Uses within the Land Withdrawal Area
1.1.9.1.1 Mining Claims
1.1.9.1.2 MX Missile
1.1.9.1.3 Army Ballistics Research Laboratory Test Range

CONTENTS (Continued)

1.1.9.1.4 Borehole USW G-3
1.1.9.1.5 Concrete Batch Plant
1.1.9.2 Previous Land Uses in the Vicinity of the Proposed Land Withdrawal Area
1.1.9.2.1 X-Tunnel
1.1.9.2.2 Nevada Test Site Nuclear Testing
1.1.9.3 Location and Description of Existing Man-Made Structures or Facilities
1.1.9.3.1 Mining Facilities
1.1.9.3.2 Yucca Mountain Facilities Within the Land Withdrawal Area
1.1.9.3.2.1 North Portal Pad
1.1.9.3.2.2 South Portal Pad
1.1.9.3.2.3 Subdock Equipment Storage Area
1.1.9.3.2.4 Rock Storage Area
1.1.9.3.2.5 Topsoil Storage Area
1.1.9.3.2.6 Borrow Pit
1.1.9.3.2.7 Water Supply System
1.1.9.3.2.8 Surface Sanitation System
1.1.9.3.2.9 Waste Management Facility (Nonradioactive)
1.1.9.3.2.10 Terrestrial Ecosystems Yard
1.1.9.3.2.11 Heliport
1.1.9.3.2.12 Lower Muck Yard
1.1.9.3.2.13 Gate 510 (Guard Station 510)
1.1.9.3.2.14 Communications System
1.1.9.4 Identification of Residual Radiation
1.1.10 General References
1.2 SURFACE FACILITY STRUCTURES, SYSTEMS, AND COMPONENTS AND OPERATIONAL PROCESS ACTIVITIES
1.2.1 Surface Operations Overview
1.2.1.1 Overview of Transportation Casks, Waste Packages, and Canisters
1.2.1.1.1 Transportation Casks
1.2.1.1.2 Waste Forms
1.2.1.1.3 Waste Packages
1.2.1.1.4 Transportation, Aging, and Disposal Canister System
1.2.1.2 Major Surface Facility Structures and Systems
1.2.1.3 Overview of Operations
1.2.1.4 Loading Plans
1.2.1.4.1 Waste Package and Transportation, Aging, and Disposal Canister Loading Plan

CONTENTS (Continued)

1.2.1.4.2 Loading Options
1.2.1.4.2.1 Transportation Cask Type
1.2.1.4.2.2 Waste Form Type
1.2.1.4.2.3 Waste Form Criticality Control
1.2.1.4.2.4 Waste Form Thermal Power
1.2.1.4.2.5 Waste Form Condition
1.2.1.4.3 Loading Records
1.2.1.4.4 Controls
1.2.1.5 Phased Operation and Construction Activities
1.2.1.5.1 Separation of Construction Work Areas from Operating Areas
1.2.1.5.2 Geologic Repository Operations Area—Area-Wide Systems
1.2.1.5.3 Startup and Operations
1.2.1.5.4 Construction-Related Hazards
1.2.1.6 General References
1.2.2 Surface Facilities Structural, Mechanical Handling Equipment, and Heating, Ventilation, and Air-Conditioning System Design
1.2.2.1 Structural Design
1.2.2.1.1 Structural Design Description
1.2.2.1.2 Operational Processes
1.2.2.1.3 Safety Category Classification
1.2.2.1.4 Procedural Safety Controls to Prevent Event Sequences and Mitigate Their Consequences
1.2.2.1.5 Design Bases and Design Criteria
1.2.2.1.6 Design Methodologies
1.2.2.1.6.1 Wind and Tornado Design
1.2.2.1.6.1.1 Design Basis Wind
1.2.2.1.6.1.2 Design Basis Tornado
1.2.2.1.6.1.3 Determination of Forces on Structures
1.2.2.1.6.1.4 Missile Impact Load
1.2.2.1.6.2 Water Level (Flood) Design
1.2.2.1.6.2.1 Flood Elevations
1.2.2.1.6.2.2 Flood Protection
1.2.2.1.6.3 Seismic Design
1.2.2.1.6.3.1 Seismic Design Input
1.2.2.1.6.3.1.1 Design Response Spectrum
1.2.2.1.6.3.1.2 Design Time History
1.2.2.1.6.3.1.3 Damping Values
1.2.2.1.6.3.2 Structural Design Approach for Seismic
1.2.2.1.6.3.2.1 Soil–Structure Interaction

CONTENTS (Continued)

1.2.2.1.6.3.2.2 Soil Model
1.2.2.1.6.3.2.3 Structural Model for CRCF, WHF, and RF
1.2.2.1.6.3.2.4 Structural Model for IHF and Aging Pads
1.2.2.1.6.3.3 Summary of Results
1.2.2.1.6.3.3.1 Structural Responses
1.2.2.1.6.3.3.2 Overall Shears
1.2.2.1.6.3.4 Seismic Analysis of Systems and Components
1.2.2.1.6.4 Snow and Ice Design
1.2.2.1.6.5 Volcanic Ash Design
1.2.2.1.7 Consistency of Materials with Design Methodologies
1.2.2.1.8 Structural Design Codes and Standards
1.2.2.1.9 Structural Load Combinations
1.2.2.1.9.1 Design Loads
1.2.2.1.9.2 Load Combinations
1.2.2.1.9.2.1 Reinforced Concrete Structures
1.2.2.1.9.2.2 Structural Steel Design Load Combinations
1.2.2.1.9.2.3 Overturning and Sliding
1.2.2.1.10 Structural Design for Construction of the Surface Facilities
1.2.2.2 Mechanical Handling Equipment Design
1.2.2.2.1 Mechanical Handling Equipment Description
1.2.2.2.2 Operational Processes
1.2.2.2.3 Safety Classification
1.2.2.2.4 Procedural Safety Controls to Prevent Event Sequences or to Mitigate Their Consequences
1.2.2.2.5 Design Bases and Design Criteria
1.2.2.2.6 Design Methodologies
1.2.2.2.7 Consistency of Materials with Design Methodologies
1.2.2.2.8 Mechanical Handling Equipment Codes and Standards
1.2.2.2.9 Mechanical Handling Equipment Load Combinations
1.2.2.2.9.1 Design Loads
1.2.2.2.9.2 Load Combinations
1.2.2.2.9.2.1 Overhead Cranes, Canister Transfer Machine, and Spent Fuel Transfer Machine
1.2.2.2.9.2.2 Jib Cranes
1.2.2.2.9.2.3 Special Lifting Devices
1.2.2.2.9.2.4 Cask Transfer Trolley and Waste Package Transfer Trolley
1.2.2.3 HVAC Systems Design
1.2.2.3.1 HVAC Description
1.2.2.3.2 Operational Processes

CONTENTS (Continued)

1.2.2.3.3 Safety Category Classification
1.2.2.3.4 Procedural Safety Controls to Prevent Event Sequences or to Mitigate Their Consequences
1.2.2.3.5 Design Bases and Design Criteria
1.2.2.3.6 Design Methodologies
1.2.2.3.7 Consistency of Materials with Design Methodologies
1.2.2.3.8 HVAC Codes and Standards
1.2.2.3.9 HVAC Load Combinations
1.2.2.3.9.1 Design Loads
1.2.2.3.9.2 Load Combinations
1.2.2.4 Regulatory Guidance and Other Design Codes and Standards
1.2.2.5 General References
1.2.3 Initial Handling Facility
1.2.3.1 Initial Handling Facility Description
1.2.3.1.1 Facility Description
1.2.3.1.1.1 Cask Preparation Area (Room 1012)
1.2.3.1.1.2 Canister Transfer Area (Room 2005)
1.2.3.1.1.3 Waste Package Closure Area (Rooms 2002, 2004, and 2006)
1.2.3.1.1.4 Waste Package Loadout Room (Room 1005)
1.2.3.1.1.5 Canister Transfer Machine Maintenance Area (Room 1009)
1.2.3.1.1.6 Waste Package Positioning Room (Room 1006)
1.2.3.1.2 Operational Processes
1.2.3.1.2.1 Cask Handling
1.2.3.1.2.2 Canister Transfer
1.2.3.1.2.3 Waste Package Closure
1.2.3.1.2.4 Waste Package Loadout
1.2.3.1.3 Safety Category Classification
1.2.3.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.3.1.5 Design Bases and Design Criteria
1.2.3.1.6 Design Methodologies
1.2.3.1.7 Consistency of Materials with Design Methodologies
1.2.3.1.8 Design Codes and Standards
1.2.3.1.9 Design Load Combinations
1.2.3.2 Mechanical Handling Systems
1.2.3.2.1 Cask Handling Subsystem
1.2.3.2.1.1 Subsystem Description

CONTENTS (Continued)

1.2.3.2.1.1.1 Subsystem Functions
1.2.3.2.1.1.2 Subsystem Location and Functional Arrangement
1.2.3.2.1.1.3 Subsystem and Components
1.2.3.2.1.1.3.1 Cask Preparation Subsystem
1.2.3.2.1.1.3.2 Waste Package Preparation Subsystem
1.2.3.2.1.2 Operational Processes
1.2.3.2.1.2.1 Cask Preparation Subsystem
1.2.3.2.1.2.2 Waste Package Preparation Subsystem
1.2.3.2.1.3 Safety Category Classification
1.2.3.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.3.2.1.5 Design Bases and Design Criteria
1.2.3.2.1.6 Design Methodologies
1.2.3.2.1.7 Consistency of Materials with Design Methodologies
1.2.3.2.1.8 Design Codes and Standards
1.2.3.2.1.9 Design Load Combinations
1.2.3.2.2 Canister Transfer Subsystem
1.2.3.2.2.1 Subsystem Description
1.2.3.2.2.1.1 Subsystem Functions
1.2.3.2.2.1.2 Subsystem Location and Functional Arrangement
1.2.3.2.2.1.3 Subsystem and Components
1.2.3.2.2.2 Operational Processes
1.2.3.2.2.3 Safety Category Classification
1.2.3.2.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.3.2.2.5 Design Bases and Design Criteria
1.2.3.2.2.6 Design Methodologies
1.2.3.2.2.7 Consistency of Materials with Design Methodologies
1.2.3.2.2.8 Design Codes and Standards
1.2.3.2.2.9 Design Load and Combinations
1.2.3.2.3 Waste Package Closure Subsystem
1.2.3.2.4 Waste Package Loadout Subsystem
1.2.3.2.4.1 Subsystem Description
1.2.3.2.4.1.1 Subsystem Functions
1.2.3.2.4.1.2 Subsystem Location and Functional Arrangement
1.2.3.2.4.1.3 Subsystem and Components
1.2.3.2.4.2 Operational Processes

CONTENTS (Continued)

1.2.3.2.4.3 Safety Category Classification
1.2.3.2.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.3.2.4.5 Design Bases and Design Criteria
1.2.3.2.4.6 Design Methodologies
1.2.3.2.4.7 Consistency of Materials with Design Methodologies
1.2.3.2.4.8 Design Codes and Standards
1.2.3.2.4.9 Design Load and Combinations
1.2.3.3 Process Systems
1.2.3.3.1 Cask Cavity Gas Sampling Subsystem
1.2.3.3.2 Water Collection Subsystem
1.2.3.4 Initial Handling Facility Heating, Ventilation, and Air-Conditioning Systems
1.2.3.4.1 System Description
1.2.3.4.1.1 System Functions
1.2.3.4.1.2 System Location and Functional Arrangement
1.2.3.4.1.3 Systems and Components
1.2.3.4.2 Operational Processes
1.2.3.4.3 Design Codes and Standards
1.2.3.5 General References
1.2.4 Canister Receipt and Closure Facility
1.2.4.1 Canister Receipt and Closure Facility Description
1.2.4.1.1 Facility Description
1.2.4.1.1.1 Cask Receipt Area
1.2.4.1.1.1.1 Transportation Cask Vestibule and Annex (Rooms 1036 and 1036A)
1.2.4.1.1.1.2 Site Transporter Vestibule (Room 1027)
1.2.4.1.1.2 Cask Preparation Room (Room 1026)
1.2.4.1.1.3 Cask Unloading Rooms (Rooms 1023 and 1024)
1.2.4.1.1.4 Canister Transfer Room (Room 2004)
1.2.4.1.1.5 Waste Package Positioning Rooms (Rooms 1018 and 1019)
1.2.4.1.1.6 Waste Package Closure Room (Room 2007)
1.2.4.1.1.7 Waste Package Loadout Room (Room 1015) and Waste Package Loadout Vestibule (Room 1014)
1.2.4.1.2 Operational Processes
1.2.4.1.2.1 Cask Handling
1.2.4.1.2.2 Canister Transfer
1.2.4.1.2.3 Waste Package Closure
1.2.4.1.2.4 Waste Package Loadout

CONTENTS (Continued)

1.2.4.1.3 Safety Category Classification
1.2.4.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.4.1.5 Design Bases and Design Criteria
1.2.4.1.6 Design Methodologies
1.2.4.1.7 Consistency of Materials with Design Methodologies
1.2.4.1.8 Design Codes and Standards
1.2.4.1.9 Design Load Combinations
1.2.4.2 Mechanical Handling System
1.2.4.2.1 Cask Handling Subsystem
1.2.4.2.1.1 Subsystem Description
1.2.4.2.1.1.1 Subsystem Functions
1.2.4.2.1.1.2 Subsystem Location and Functional Arrangement
1.2.4.2.1.1.3 Subsystem and Components
1.2.4.2.1.1.3.1 Cask Preparation Subsystem
1.2.4.2.1.1.3.2 Waste Package Preparation Subsystem
1.2.4.2.1.2 Operational Processes
1.2.4.2.1.2.1 Cask Preparation Subsystem
1.2.4.2.1.2.2 Waste Package Preparation Subsystem
1.2.4.2.1.3 Safety Category Classification
1.2.4.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.4.2.1.5 Design Bases and Design Criteria
1.2.4.2.1.6 Design Methodologies
1.2.4.2.1.7 Consistency of Materials with Design Methodologies
1.2.4.2.1.8 Design Codes and Standards
1.2.4.2.1.9 Design Load Combinations
1.2.4.2.2 Canister Transfer Subsystem
1.2.4.2.2.1 Subsystem Description
1.2.4.2.2.1.1 Subsystem Functions
1.2.4.2.2.1.2 Subsystem Location and Functional Arrangement
1.2.4.2.2.1.3 Subsystem and Components
1.2.4.2.2.2 Operational Processes
1.2.4.2.2.3 Safety Category Classification
1.2.4.2.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.4.2.2.5 Design Bases and Design Criteria
1.2.4.2.2.6 Design Methodologies

CONTENTS (Continued)

1.2.4.2.2.7 Consistency of Materials with Design Methodologies
1.2.4.2.2.8 Design Codes and Standards
1.2.4.2.2.9 Design Load and Combinations
1.2.4.2.3 Waste Package Closure Subsystem
1.2.4.2.3.1 Subsystem Description
1.2.4.2.3.1.1 Subsystem Functions
1.2.4.2.3.1.2 Subsystem Location and Functional Arrangement
1.2.4.2.3.1.3 Subsystem and Components
1.2.4.2.3.2 Operational Processes
1.2.4.2.3.3 Design Codes and Standards
1.2.4.2.4 Waste Package Loadout Subsystem
1.2.4.2.4.1 Subsystem Description
1.2.4.2.4.1.1 Subsystem Functions
1.2.4.2.4.1.2 Subsystem Location and Functional Arrangement
1.2.4.2.4.1.3 Subsystem and Components
1.2.4.2.4.2 Operational Processes
1.2.4.2.4.3 Safety Category Classification
1.2.4.2.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.4.2.4.5 Design Bases and Design Criteria
1.2.4.2.4.6 Design Methodologies
1.2.4.2.4.7 Consistency of Materials with Design Methodologies
1.2.4.2.4.8 Design Codes and Standards
1.2.4.2.4.9 Design Load and Combinations
1.2.4.3 Process Systems
1.2.4.3.1 Cask Cavity Gas Sampling Subsystem
1.2.4.3.1.1 Subsystem Description
1.2.4.3.1.1.1 Subsystem Functions
1.2.4.3.1.1.2 Subsystem Location and Functional Arrangement
1.2.4.3.1.1.3 Components
1.2.4.3.1.2 Operational Processes
1.2.4.3.1.3 Design Codes and Standards
1.2.4.3.2 Water Collection Subsystem
1.2.4.3.2.1 Subsystem Description
1.2.4.3.2.2 Operational Processes
1.2.4.3.2.3 Design Codes and Standards

CONTENTS (Continued)

1.2.4.4 Canister Receipt and Closure Facility Heating, Ventilation, and Air-Conditioning Systems
1.2.4.4.1 System Description
1.2.4.4.1.1 System Functions
1.2.4.4.1.2 System Location and Functional Arrangement
1.2.4.4.1.3 Systems and Components
1.2.4.4.2 Operational Processes
1.2.4.4.3 Safety Category Classification
1.2.4.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.4.4.5 Design Bases and Design Criteria
1.2.4.4.6 Design Methodologies
1.2.4.4.7 Consistency of Materials with Design Methodologies
1.2.4.4.8 Design Codes and Standards
1.2.4.4.9 Design Load Combinations
1.2.4.5 General References
1.2.5 Wet Handling Facility
1.2.5.1 Wet Handling Facility Description
1.2.5.1.1 Facility Description
1.2.5.1.1.1 Cask Receipt Area
1.2.5.1.1.1.1 Transportation Cask Vestibule (Room 1001)
1.2.5.1.1.1.2 Site Transporter Vestibule (Room 1023)
1.2.5.1.1.2 Cask Preparation Area (Room 1016)
1.2.5.1.1.3 Canister Transfer Area
1.2.5.1.2 Operational Processes
1.2.5.1.2.1 Cask Handling
1.2.5.1.2.2 Spent Nuclear Fuel Assembly Transfer
1.2.5.1.2.3 Dual-Purpose Canister Cutting
1.2.5.1.2.4 Transportation, Aging, and Disposal Canister Closure
1.2.5.1.2.5 Canister Transfer
1.2.5.1.2.6 Pool
1.2.5.1.3 Safety Category Classification
1.2.5.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.1.5 Design Bases and Design Criteria
1.2.5.1.6 Design Methodologies
1.2.5.1.7 Consistency of Materials with Design Methodologies
1.2.5.1.8 Design Codes and Standards
1.2.5.1.9 Design Load Combinations

CONTENTS (Continued)

1.2.5.2 Mechanical Handling System
1.2.5.2.1 Cask Handling Subsystem
1.2.5.2.1.1 Subsystem Description
1.2.5.2.1.1.1 Subsystem Functions
1.2.5.2.1.1.2 Subsystem Location and Functional Arrangement
1.2.5.2.1.1.3 Subsystem and Components
1.2.5.2.1.2 Operational Processes
1.2.5.2.1.3 Safety Category Classification
1.2.5.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.2.1.5 Design Bases and Design Criteria
1.2.5.2.1.6 Design Methodologies
1.2.5.2.1.7 Consistency of Materials with Design Methodologies
1.2.5.2.1.8 Design Codes and Standards
1.2.5.2.1.9 Design Load Combinations
1.2.5.2.2 Spent Nuclear Fuel Assembly Transfer Subsystem
1.2.5.2.2.1 Subsystem Description
1.2.5.2.2.1.1 Subsystem Functions
1.2.5.2.2.1.2 Subsystem Location and Functional Arrangement
1.2.5.2.2.1.3 Subsystem and Components
1.2.5.2.2.2 Operational Processes
1.2.5.2.2.3 Safety Category Classification
1.2.5.2.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.2.2.5 Design Bases and Design Criteria
1.2.5.2.2.6 Design Methodologies
1.2.5.2.2.7 Consistency of Materials with Design Methodologies
1.2.5.2.2.8 Design Codes and Standards
1.2.5.2.2.9 Design Load Combinations
1.2.5.2.3 Dual-Purpose Canister Cutting Subsystem
1.2.5.2.3.1 Subsystem Description
1.2.5.2.3.1.1 Subsystem Functions
1.2.5.2.3.1.2 Subsystem Location and Functional Arrangement
1.2.5.2.3.1.3 Subsystem and Components
1.2.5.2.3.1.3.1 Dual-Purpose Canister Cutting Subsystem
1.2.5.2.3.2 Operational Processes
1.2.5.2.3.3 Safety Category Classification

CONTENTS (Continued)

1.2.5.2.3.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.2.3.5 Design Bases and Design Criteria
1.2.5.2.3.6 Design Methodologies
1.2.5.2.3.7 Consistency of Materials with Design Methodologies
1.2.5.2.3.8 Design Codes and Standards
1.2.5.2.3.9 Design Load Combinations
1.2.5.2.4 Transportation, Aging, and Disposal Canister Closure Subsystem
1.2.5.2.4.1 Subsystem Description
1.2.5.2.4.1.1 Subsystem Functions
1.2.5.2.4.1.2 Subsystem Location and Functional Arrangement
1.2.5.2.4.1.3 Subsystem and Components
1.2.5.2.4.1.3.1 TAD Canister Closure Subsystem
1.2.5.2.4.2 Operational Processes
1.2.5.2.4.3 Safety Category Classification
1.2.5.2.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.2.4.5 Design Bases and Design Criteria
1.2.5.2.4.6 Design Methodologies
1.2.5.2.4.7 Consistency of Materials with Design Methodologies
1.2.5.2.4.8 Design Codes and Standards
1.2.5.2.4.9 Design Load Combinations
1.2.5.2.5 Canister Transfer Subsystem
1.2.5.2.5.1 Subsystem Description
1.2.5.2.5.1.1 Subsystem Functions
1.2.5.2.5.1.2 Subsystem Location and Functional Arrangement
1.2.5.2.5.1.3 Subsystem and Components
1.2.5.2.5.2 Operational Processes
1.2.5.2.5.3 Safety Category Classification
1.2.5.2.5.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.2.5.5 Design Bases and Design Criteria
1.2.5.2.5.6 Design Methodologies
1.2.5.2.5.7 Consistency of Materials with Design Methodologies
1.2.5.2.5.8 Design Codes and Standards
1.2.5.2.5.9 Design Load Combinations
1.2.5.3 Process Systems

CONTENTS (Continued)

1.2.5.3.1 Cask Cavity Gas Sampling Subsystem
1.2.5.3.2 Pool Water Treatment and Cooling System
1.2.5.3.2.1 System Description
1.2.5.3.2.1.1 System Functions
1.2.5.3.2.1.2 System Location and Functional Arrangement
1.2.5.3.2.1.3 Components
1.2.5.3.2.1.3.1 Pool Water Treatment Subsystem
1.2.5.3.2.1.3.2 Pool Water Cooling Subsystem
1.2.5.3.2.1.3.3 Boric Acid Makeup Subsystem
1.2.5.3.2.1.3.4 Pool Water Makeup Subsystem
1.2.5.3.2.1.3.5 Leak Detection Subsystem
1.2.5.3.2.1.4 Maintenance Considerations
1.2.5.3.2.2 Operational Processes
1.2.5.3.2.3 Design Codes and Standards
1.2.5.3.3 Cask Decontamination Subsystem
1.2.5.3.3.1 Subsystem Description
1.2.5.3.3.1.1 Subsystem Functions
1.2.5.3.3.1.2 Subsystem Location and Functional Arrangement
1.2.5.3.3.1.3 Components
1.2.5.3.3.2 Operational Processes
1.2.5.3.3.3 Design Codes and Standards
1.2.5.3.4 Cask Cooling and Filling Subsystem
1.2.5.3.4.1 Subsystem Description
1.2.5.3.4.1.1 Subsystem Functions
1.2.5.3.4.1.2 Subsystem Location and Functional Arrangement
1.2.5.3.4.1.3 Components
1.2.5.3.4.2 Operational Processes
1.2.5.3.4.3 Design Codes and Standards
1.2.5.3.5 Transportation, Aging, and Disposal Canister Drying and Inerting Subsystem
1.2.5.3.5.1 Subsystem Description
1.2.5.3.5.1.1 Subsystem Functions
1.2.5.3.5.1.2 Subsystem Location and Functional Arrangement
1.2.5.3.5.1.3 Components
1.2.5.3.5.2 Operational Processes
1.2.5.3.5.3 Design Codes and Standards
1.2.5.3.6 Water Collection Subsystem

CONTENTS (Continued)

1.2.5.4 Shielded Transfer Cask
1.2.5.4.1 System Description
1.2.5.4.1.1 System Functions
1.2.5.4.1.2 System Location and Functional Arrangement
1.2.5.4.1.3 System and Components
1.2.5.4.2 Operational Processes
1.2.5.4.2.1 Aging Facility Operations
1.2.5.4.2.2 Wet Handling Facility Operations
1.2.5.4.3 Safety Category Classification
1.2.5.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.4.5 Design Bases and Design Criteria
1.2.5.4.6 Design Methodologies
1.2.5.4.7 Consistency of Materials with Design Methodologies
1.2.5.4.8 Design Codes and Standards
1.2.5.4.9 Design Load Combinations
1.2.5.5 Wet Handling Facility Heating, Ventilation, and Air-Conditioning System
1.2.5.5.1 System Description
1.2.5.5.1.1 System Functions
1.2.5.5.1.2 System Location and Functional Arrangement
1.2.5.5.1.3 System and Components
1.2.5.5.2 Operational Processes
1.2.5.5.3 Safety Category Classification
1.2.5.5.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.5.5.5 Design Bases and Design Criteria
1.2.5.5.6 Design Methodologies
1.2.5.5.7 Consistency of Materials with Design Methodologies
1.2.5.5.8 Design Codes and Standards
1.2.5.5.9 Design Load Combinations
1.2.5.6 General References
1.2.6 Receipt Facility
1.2.6.1 Receipt Facility Description
1.2.6.1.1 Facility Description
1.2.6.1.1.1 Cask Receipt Area
1.2.6.1.1.1.1 Transportation Cask Vestibules and Annex (Rooms 1021 and 1021A)
1.2.6.1.1.1.2 Site Transporter Vestibule (Room 1001)

CONTENTS (Continued)

1.2.6.1.1.2 Cask Preparation Room (Room 1017) and Annex (Room 1017A)
1.2.6.1.1.3 Cask Unloading Room (Room 1015) and Loading Room (Room 1013)
1.2.6.1.1.4 Canister Transfer Room (Room 2007)
1.2.6.1.1.5 Lid Bolting Room (Room 1002)
1.2.6.1.2 Operational Processes
1.2.6.1.2.1 Cask Handling
1.2.6.1.2.2 Canister Transfer
1.2.6.1.3 Safety Category Classification
1.2.6.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.6.1.5 Design Bases and Design Criteria
1.2.6.1.6 Design Methodologies
1.2.6.1.7 Consistency of Materials with Design Methodologies
1.2.6.1.8 Design Codes and Standards
1.2.6.1.9 Design Load Combinations
1.2.6.2 Mechanical Handling System
1.2.6.2.1 Cask Handling Subsystem
1.2.6.2.1.1 Subsystem Description
1.2.6.2.1.1.1 Subsystem Functions
1.2.6.2.1.1.2 Subsystem Location and Functional Arrangement
1.2.6.2.1.1.3 Subsystem and Components
1.2.6.2.1.2 Operational Processes
1.2.6.2.1.3 Safety Category Classification
1.2.6.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.6.2.1.5 Design Bases and Design Criteria
1.2.6.2.1.6 Design Methodologies
1.2.6.2.1.7 Consistency of Materials with Design Methodologies
1.2.6.2.1.8 Design Codes and Standards
1.2.6.2.1.9 Design Load Combinations
1.2.6.2.2 Canister Transfer Subsystem
1.2.6.2.2.1 Subsystem Description
1.2.6.2.2.1.1 Subsystem Functions
1.2.6.2.2.1.2 Subsystem Location and Functional Arrangement
1.2.6.2.2.1.3 Subsystem and Components
1.2.6.2.2.2 Operational Processes

CONTENTS (Continued)

1.2.6.2.2.3 Safety Category Classification
1.2.6.2.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.6.2.2.5 Design Bases and Design Criteria
1.2.6.2.2.6 Design Methodologies
1.2.6.2.2.7 Consistency of Materials with Design Methodologies
1.2.6.2.2.8 Design Codes and Standards
1.2.6.2.2.9 Design Load Combinations
1.2.6.3 Process Systems
1.2.6.3.1 Cask Cavity Gas Sampling Subsystem
1.2.6.3.2 Water Collection Subsystem
1.2.6.4 Receipt Facility HVAC System
1.2.6.4.1 System Description
1.2.6.4.1.1 System Functions
1.2.6.4.1.2 System Location and Functional Arrangement
1.2.6.4.1.3 Systems and Components
1.2.6.4.2 Operational Processes
1.2.6.4.3 Design Codes and Standards
1.2.6.5 General References
1.2.7 Aging Facility
1.2.7.1 Aging Facility Description
1.2.7.1.1 Functions
1.2.7.1.2 Location and Functional Arrangement
1.2.7.1.3 Major Components
1.2.7.1.3.1 Aging Pad
1.2.7.1.3.2 Aging Overpack
1.2.7.1.3.2.1 Vertical Aging Overpacks for DPCs and TAD Canisters
1.2.7.1.3.2.2 Horizontal Aging Modules for Dual-Purpose Canisters
1.2.7.1.3.3 Overpack Transfer
1.2.7.2 Operational Processes
1.2.7.2.1 Aging and Staging in Vertical Orientation
1.2.7.2.2 Aging in Horizontal Orientation
1.2.7.3 Safety Category Classification
1.2.7.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.7.5 Design Bases and Design Criteria
1.2.7.6 Design Methodologies

CONTENTS (Continued)

1.2.7.6.1 Seismic Design
1.2.7.6.2 Structural Design
1.2.7.6.3 Shielding Design
1.2.7.6.4 Criticality Design
1.2.7.6.5 As Low as is Reasonably Achievable Design
1.2.7.6.6 Thermal Design
1.2.7.7 Consistency of Materials with Design Methodologies
1.2.7.8 Design Codes and Standards
1.2.7.9 Design Load Combinations
1.2.7.10 General References
1.2.8 Balance of Plant Facilities
1.2.8.1 Balance of Plant Facility Descriptions
1.2.8.1.1 Facility Descriptions
1.2.8.1.1.1 Emergency Diesel Generator Facility
1.2.8.1.1.2 Administration Facility (Area 620)
1.2.8.1.1.3 Security Facilities (Areas 30A, 30B, 30C, 65A, and 65B)
1.2.8.1.1.4 Central Control Center Facility (Area 240)
1.2.8.1.1.5 Low-Level Waste Facility (Area 160)
1.2.8.1.1.6 Warehouse and Non-Nuclear Receipt Facility (Area 230)
1.2.8.1.1.7 Facilities for Utilities (Areas 25A, 25B, 25C, 26B, 27A, 27B, 28A, 28B, 28E, and 90A)
1.2.8.1.1.8 Fire, Rescue, and Medical Facility (Area 63A)
1.2.8.1.1.9 Materials and Consumables Facilities (Areas 68A, 68B, and 71B)
1.2.8.1.1.10 Maintenance and Repair Facilities (Areas 71A and 220)
1.2.8.1.1.11 Aging Overpack Staging Facility (Area 290)
1.2.8.1.1.12 Other Facilities and Areas
1.2.8.1.2 Facilities Operations
1.2.8.1.3 Design Codes and Standards
1.2.8.2 ITS Diesel Generator Mechanical Support Systems
1.2.8.2.1 ITS Diesel Generator Fuel Oil System
1.2.8.2.1.1 System Description
1.2.8.2.1.2 Operational Processes
1.2.8.2.1.3 Safety Category Classification
1.2.8.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.2.1.5 Design Bases and Design Criteria
1.2.8.2.1.6 Design Methodologies

CONTENTS (Continued)

1.2.8.2.1.7 Consistency of Materials with Design Methodologies
1.2.8.2.1.8 Design Codes and Standards
1.2.8.2.1.9 Design Load Combinations
1.2.8.2.2 ITS Diesel Generator Air Start System
1.2.8.2.2.1 System Description
1.2.8.2.2.2 Operational Processes
1.2.8.2.2.3 Safety Category Classification
1.2.8.2.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.2.2.5 Design Bases and Design Criteria
1.2.8.2.2.6 Design Methodologies
1.2.8.2.2.7 Consistency of Materials with Design Methodologies
1.2.8.2.2.8 Design Codes and Standards
1.2.8.2.2.9 Design Load Combinations
1.2.8.2.3 ITS Diesel Generator Jacket Water Cooling System
1.2.8.2.3.1 System Description
1.2.8.2.3.2 Operational Processes
1.2.8.2.3.3 Safety Category Classification
1.2.8.2.3.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.2.3.5 Design Bases and Design Criteria
1.2.8.2.3.6 Design Methodologies
1.2.8.2.3.7 Consistency of Materials with Design Methodologies
1.2.8.2.3.8 Design Codes and Standards
1.2.8.2.3.9 Design Load Combinations
1.2.8.2.4 ITS Diesel Generator Lubricating Oil System
1.2.8.2.4.1 System Description
1.2.8.2.4.2 Operational Processes
1.2.8.2.4.3 Safety Category Classification
1.2.8.2.4.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.2.4.5 Design Bases and Design Criteria
1.2.8.2.4.6 Design Methodologies
1.2.8.2.4.7 Consistency of Materials with Design Methodologies
1.2.8.2.4.8 Design Codes and Standards
1.2.8.2.4.9 Design Load Combinations
1.2.8.2.5 ITS Diesel Generator Air Intake and Exhaust System
1.2.8.2.5.1 System Description
1.2.8.2.5.2 Operational Processes

CONTENTS (Continued)

1.2.8.2.5.3 Safety Category Classification
1.2.8.2.5.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.2.5.5 Design Bases and Design Criteria
1.2.8.2.5.6 Design Methodologies
1.2.8.2.5.7 Consistency of Materials with Design Methodologies
1.2.8.2.5.8 Design Codes and Standards
1.2.8.2.5.9 Design Load Combinations
1.2.8.3 Balance of Plant Facilities Heating, Ventilation, and Air-Conditioning
1.2.8.3.1 Emergency Diesel Generator Facility Heating, Ventilation, and Air-Conditioning Systems
1.2.8.3.1.1 System Description
1.2.8.3.1.1.1 System Functions
1.2.8.3.1.1.2 System Location and Functional Arrangement
1.2.8.3.1.1.3 Systems and Components
1.2.8.3.1.2 Operational Processes
1.2.8.3.1.3 Safety Classification
1.2.8.3.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.3.1.5 Design Bases and Design Criteria
1.2.8.3.1.6 Design Methodologies
1.2.8.3.1.7 Consistency of Materials with Design Methodologies
1.2.8.3.1.8 Design Codes and Standards
1.2.8.3.1.9 Design Load Combinations
1.2.8.3.2 Facilities HVAC
1.2.8.3.2.1 System Description
1.2.8.3.2.1.1 System Functions
1.2.8.3.2.1.2 System Location and Functional Arrangement
1.2.8.3.2.1.3 Systems and Components
1.2.8.3.2.1.3.1 Low-Level Waste Facility and Central Control Center Facility HVAC Systems
1.2.8.3.2.1.3.2 Low-Level Waste Facility HVAC System
1.2.8.3.2.1.3.3 Central Control Center Facility HVAC System
1.2.8.3.2.2 Operational Processes
1.2.8.3.2.2.1 Facilities HVAC Systems
1.2.8.3.2.2.2 Central Control Center Facility HVAC System
1.2.8.3.2.2.3 Low-Level Waste Facility HVAC System
1.2.8.3.2.3 Design Codes and Standards
1.2.8.4 Surface Transportation

CONTENTS (Continued)

1.2.8.4.1 Site Transporter
1.2.8.4.1.1 Description
1.2.8.4.1.2 Operational Processes
1.2.8.4.1.3 Safety Category Classification
1.2.8.4.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.4.1.5 Design Bases and Design Criteria
1.2.8.4.1.6 Design Methodologies
1.2.8.4.1.7 Consistency of Materials with Design Methodologies
1.2.8.4.1.8 Design Codes and Standards
1.2.8.4.1.9 Design Load Combinations
1.2.8.4.2 Cask Tractor and Cask Transfer Trailers
1.2.8.4.2.1 Description
1.2.8.4.2.2 Operational Processes
1.2.8.4.2.3 Safety Category Classification
1.2.8.4.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.4.2.5 Design Bases and Design Criteria
1.2.8.4.2.6 Design Methodologies
1.2.8.4.2.7 Consistency of Material with Design Methodologies
1.2.8.4.2.8 Design Codes and Standards
1.2.8.4.2.9 Design Load Combinations
1.2.8.4.3 Site Prime Movers
1.2.8.4.3.1 Description
1.2.8.4.3.2 Operational Processes
1.2.8.4.3.3 Safety Category Classification
1.2.8.4.3.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.4.3.5 Design Bases and Design Criteria
1.2.8.4.3.6 Design Methodologies
1.2.8.4.3.7 Consistency of Material with Design Methodologies
1.2.8.4.3.8 Design Codes and Standards
1.2.8.4.3.9 Design Load Combinations
1.2.8.4.4 Roads and Rails
1.2.8.4.4.1 Surface Roads
1.2.8.4.4.1.1 System Description
1.2.8.4.4.1.2 Operational Processes
1.2.8.4.4.1.3 Design Codes and Standards
1.2.8.4.4.2 Surface Rails

CONTENTS (Continued)

1.2.8.4.4.2.1 System Description
1.2.8.4.4.2.2 Operational Processes
1.2.8.4.4.2.3 Design Codes and Standards
1.2.8.4.5 Transportation Casks
1.2.8.4.5.1 System Description
1.2.8.4.5.2 Operational Processes
1.2.8.4.5.3 Safety Category Classification
1.2.8.4.5.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.2.8.4.5.5 Design Bases and Design Criteria
1.2.8.4.5.6 Design Methodologies
1.2.8.4.5.7 Consistency of Material with Design Methodologies
1.2.8.4.5.8 Design Codes and Standards
1.2.8.4.5.9 Design Load Combinations
1.2.8.5 General References
1.3 SUBSURFACE STRUCTURES, SYSTEMS, AND COMPONENTS AND OPERATIONAL PROCESS ACTIVITIES
1.3.1 Subsurface Operations Overview
1.3.1.1 Major Subsurface Facility Structures and Equipment
1.3.1.2 Subsurface Facility Operations
1.3.1.2.1 Support Operations in the Subsurface Facility
1.3.1.2.1.1 Access Control Operations
1.3.1.2.1.2 Personnel
1.3.1.2.1.3 Task-Specific Activities
1.3.1.2.1.4 Personnel Transportation
1.3.1.2.1.5 Maintenance Activities
1.3.1.2.1.6 Monitoring Activities
1.3.1.2.1.7 Off-Normal Response Activities
1.3.1.2.2 Waste Package Transportation
1.3.1.2.3 Waste Package Emplacement
1.3.1.2.4 Subsurface Facility Ventilation Operations
1.3.1.2.5 Thermal Management
1.3.1.2.6 Repository Performance Monitoring
1.3.1.2.7 Concurrent Development and Emplacement Operations
1.3.1.2.7.1 Sequence of Development and Operations
1.3.1.2.7.2 Separation of Development from Operations
1.3.1.2.7.3 Development of the Initial Operating Capability
1.3.1.2.7.4 Concurrent Development Hazards
1.3.1.2.8 Waste Retrieval Operations

CONTENTS (Continued)

1.3.1.2.9 Repository Closure Operations
1.3.1.3 Subsurface Facility Interfaces with Facilities and Systems
1.3.1.3.1 Facilities
1.3.1.3.2 Major Systems
1.3.1.3.3 Infrastructure Systems
1.3.1.3.4 Interfaces During Repository Development
1.3.1.4 Conformance of Design to Criteria and Bases
1.3.1.5 General References
1.3.2 General Subsurface Design Considerations
1.3.2.1 General Design Approach
1.3.2.2 Design Considerations
1.3.2.2.1 General Layout of the Subsurface Facility
1.3.2.2.2 Thermal Design Considerations
1.3.2.2.3 Equipment Qualification
1.3.2.3 Design of Subsurface Mechanical Handling Equipment
1.3.2.3.1 Nuclear Safety Design Basis Requirements
1.3.2.3.2 Design, Operational and Environmental Requirements
1.3.2.4 Design of Subsurface Facility Structures, Systems, and Components
1.3.2.4.1 Subsurface Electrical Distribution Criteria and Design Considerations
1.3.2.4.2 Subsurface Facility Communications Criteria and Design Considerations
1.3.2.4.3 Mining
1.3.2.4.3.1 Criteria and Design Considerations for Sizing of Emplacement Areas
1.3.2.4.3.2 Faulting
1.3.2.4.3.3 Standoffs
1.3.2.4.3.4 Excavation Stability
1.3.2.4.3.5 Emplacement Drift Configuration
1.3.2.4.3.6 Portal Flood Protection
1.3.2.4.4 Design of Geotechnical Structures, Systems, and Components
1.3.2.4.4.1 Ground Support
1.3.2.4.4.2 Ground Support Design Methods
1.3.2.4.4.3 Ground Support General Requirements
1.3.2.4.5 Ventilation
1.3.2.4.5.1 Ventilation Pressures
1.3.2.4.5.2 Thermal
1.3.2.4.6 Design of Civil and Structural Structures, Systems, and Components

CONTENTS (Continued)

1.3.2.4.6.1 Groundwater
1.3.2.4.6.2 Frost Line
1.3.2.4.6.3 Seismic Design Bases
1.3.2.4.6.4 Materials
1.3.2.4.6.5 Corrosion Effects
1.3.2.4.6.6 Reinforced Concrete Structures
1.3.2.4.6.7 Steel Structures
1.3.2.4.6.8 Permanent Subsurface Railway Design
1.3.2.4.6.9 Surface Structures That Are Part of Subsurface Facility
1.3.2.4.7 Design of Fire Protection Systems, Structures, and Components
1.3.2.4.8 Design for Waste Retrieval
1.3.2.4.9 Construction in Phases: Panel Sequencing
1.3.2.4.10 Design for Repository Closure
1.3.2.5 Design Methodologies for Subsurface Structures, Systems, and Components
1.3.2.5.1 Seismic Design
1.3.2.5.2 Criticality Design
1.3.2.5.3 Shielding Design
1.3.2.5.4 As Low as is Reasonably Achievable Design Methodology
1.3.2.5.5 Consistency of Materials with Design Methodologies
1.3.2.6 Performance and Documentation of Design Analyses
1.3.2.7 Design Codes and Standards
1.3.2.8 Design Loads and Load Combinations
1.3.2.8.1 Dead Loads
1.3.2.8.2 Live Loads
1.3.2.8.3 Seismic Loads
1.3.2.8.4 Transport and Emplacement Vehicle Loads
1.3.2.8.5 Waste Package Loads
1.3.2.8.6 Drip Shield Loads
1.3.2.8.7 Ventilation Pressure Loads
1.3.2.8.8 Temperature Loads
1.3.2.8.9 Load Combinations
1.3.2.8.9.1 Structural Steel Structures
1.3.2.8.9.2 Reinforced Concrete Structures
1.3.2.8.9.3 Equipment
1.3.2.9 Conformance of Design to Criteria and Bases
1.3.2.10 General References
1.3.3 Nonemplacement Areas of the Subsurface Facility
1.3.3.1 Nonemplacement Areas Design Description

CONTENTS (Continued)

1.3.3.1.1 Portals and Ramps
1.3.3.1.2 Access Mains
1.3.3.1.3 Exhaust Mains
1.3.3.1.4 Turnouts
1.3.3.1.5 Shafts
1.3.3.1.6 Performance Confirmation Openings
1.3.3.1.7 Alcoves and Niches
1.3.3.1.8 Electrical Service Distribution
1.3.3.1.9 Subsurface Equipment Communications and Controls
1.3.3.2 Excavation
1.3.3.3 Ground Support System
1.3.3.3.1 System Description
1.3.3.3.1.1 Ground Support for Portals
1.3.3.3.1.2 Ground Support for Ramps
1.3.3.3.1.3 Ground Support at Drift Intersections
1.3.3.3.1.4 Ground Support for Access Mains, Exhaust Mains, and Turnouts
1.3.3.3.1.5 Ground Support for Shafts
1.3.3.3.1.6 Ground Support for Miscellaneous Openings
1.3.3.3.2 Operational Processes
1.3.3.3.3 Design Codes and Standards
1.3.3.4 Invert System
1.3.3.4.1 System Description
1.3.3.4.2 Operational Processes
1.3.3.4.3 Design Codes and Standards
1.3.3.5 Waste Package Transportation System
1.3.3.5.1 System Description
1.3.3.5.1.1 Transport and Emplacement Vehicle Description
1.3.3.5.1.2 Subsurface Rail and Invert System
1.3.3.5.1.3 Mechanical Handling Sequences and Operations
1.3.3.5.1.4 Fire Protection
1.3.3.5.1.5 Radiation Shielding
1.3.3.5.2 Operational Processes
1.3.3.5.2.1 Operational Overview
1.3.3.5.2.2 Operating Condition Monitoring
1.3.3.5.2.3 Operational Control
1.3.3.5.2.4 Transportation Routes and Operational Interfaces
1.3.3.5.3 Safety Category Classification

CONTENTS (Continued)

1.3.3.5.4 Administrative or Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.3.5.5 Design Criteria and Design Bases
1.3.3.5.6 Design Methodologies
1.3.3.5.7 Consistency of Materials with Design Methodologies
1.3.3.5.8 Design Codes and Standards
1.3.3.5.9 Design Load Combinations
1.3.3.6 Conformance of Design to Criteria and Bases
1.3.3.7 General References
1.3.4 Emplacement Areas of the Subsurface Facility
1.3.4.1 Description of Subsurface Facility Emplacement Areas
1.3.4.2 Emplacement Areas Design Description
1.3.4.2.1 Design Considerations for Location of the Emplacement Areas
1.3.4.2.2 Design Considerations on Faulting
1.3.4.2.3 Summary of Emplacement Area Design Features
1.3.4.3 Excavation
1.3.4.4 Ground Support System
1.3.4.4.1 System Description
1.3.4.4.1.1 Design Criteria
1.3.4.4.1.2 Model Selection for Ground Support Analysis
1.3.4.4.1.3 Summary of Ground Support Analyses
1.3.4.4.2 Operational Processes
1.3.4.4.3 Design Codes and Standards
1.3.4.5 Invert System
1.3.4.5.1 System Description
1.3.4.5.2 Operational Processes
1.3.4.5.3 Safety Category Classification
1.3.4.5.4 Administrative or Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.4.5.5 Design Criteria and Design Bases
1.3.4.5.6 Design Methodologies
1.3.4.5.7 Consistency of Materials with Design Methodologies
1.3.4.5.8 Design Codes and Standards
1.3.4.5.9 Design Load Combinations
1.3.4.5.9.1 Loads
1.3.4.5.9.2 Load Combinations
1.3.4.6 Waste Package Emplacement Pallet System
1.3.4.6.1 System Description
1.3.4.6.2 Operational Processes

CONTENTS (Continued)

1.3.4.6.3 Safety Category Classification
1.3.4.6.4 Administrative or Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.4.6.5 Design Criteria and Design Bases
1.3.4.6.5.1 Preclosure Requirements for the Waste Package Emplacement Pallet
1.3.4.6.5.2 Postclosure Requirements for the Waste Package Emplacement Pallet
1.3.4.6.6 Design Methodologies
1.3.4.6.7 Consistency of Materials with Design Methodologies
1.3.4.6.8 Design Codes and Standards
1.3.4.6.9 Design Load Combinations
1.3.4.7 Drip Shield System
1.3.4.7.1 System Description
1.3.4.7.2 Operational Processes
1.3.4.7.3 Safety Category Classification
1.3.4.7.4 Administrative or Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.4.7.5 Design Criteria and Design Bases
1.3.4.7.6 Design Methodologies
1.3.4.7.7 Consistency of Materials with Design Methodologies
1.3.4.7.8 Design Codes and Standards
1.3.4.7.9 Design Load Combinations
1.3.4.8 Waste Package Emplacement System
1.3.4.8.1 System Description
1.3.4.8.1.1 Transport and Emplacement Vehicle Design Description
1.3.4.8.1.2 Fire Protection
1.3.4.8.2 Operational Processes
1.3.4.8.2.1 Operational Overview
1.3.4.8.2.2 Operational Sequence
1.3.4.8.2.3 Transport and Emplacement Vehicle Operational Controls
1.3.4.8.2.4 Monitoring Processes
1.3.4.8.2.5 In-Drift Positioning of Waste Packages
1.3.4.8.3 Safety Category Classification
1.3.4.8.4 Administrative or Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.4.8.5 Design Criteria and Design Bases
1.3.4.8.6 Design Methodologies
1.3.4.8.7 Consistency of Materials with Design Methodologies

CONTENTS (Continued)

1.3.4.8.8 Design Codes and Standards
1.3.4.8.9 Design Load Combinations
1.3.4.9 Conformance of Design to Criteria and Bases
1.3.4.10 General References
1.3.5 Subsurface Facility Ventilation
1.3.5.1 System Description
1.3.5.1.1 System Function
1.3.5.1.2 System Location and Functional Arrangement
1.3.5.1.3 Subsystems and Major Components
1.3.5.1.3.1 Fan Installations
1.3.5.1.3.2 Isolation Barriers
1.3.5.1.3.3 Turnout Bulkheads, Emplacement Access Doors, and Airflow Regulators
1.3.5.1.4 System Interfaces
1.3.5.1.5 System Maintenance Considerations
1.3.5.2 Operational Processes and Procedures
1.3.5.2.1 Emplacement Access Door Operation
1.3.5.2.2 Airflow Regulator Operation
1.3.5.3 Safety Category Classification
1.3.5.3.1 Events Leading to Ventilation Shutdown
1.3.5.3.2 Analysis of Thermal Effects from a Ventilation Shutdown
1.3.5.3.2.1 Complete Ventilation System Shutdown without Natural Convection Cooling
1.3.5.3.2.2 Complete Ventilation System Shutdown with Natural Convection Cooling
1.3.5.3.2.3 Ventilating Partially Obstructed Emplacement Drifts
1.3.5.3.3 Summary of Ventilation Loss Analyses Results
1.3.5.3.4 Considerations for Potential Radioactive Releases from the Subsurface Facility
1.3.5.4 Design Codes and Standards
1.3.5.5 Conformance of Design to Criteria and Bases
1.3.5.6 General References
1.3.6 Subsurface Facility Closure
1.3.6.1 Closure Processes
1.3.6.1.1 Final Inspection of Waste Packages
1.3.6.1.2 Installation of Drip Shields
1.3.6.1.3 Removal of Noncommitted Materials from the Subsurface
1.3.6.1.4 Placement of Backfill
1.3.6.1.4.1 Placement of Backfill in Ramps

CONTENTS (Continued)

1.3.6.1.4.2 Placement of Backfill in Shafts
1.3.6.1.5 Regrading and Site Restoration
1.3.6.2 Operational Processes
1.3.6.3 Safety Category Classification
1.3.6.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.3.6.5 Design Criteria and Design Bases
1.3.6.6 Design Methodologies
1.3.6.7 Consistency of Materials with Design Methodologies
1.3.6.8 Design Codes and Standards
1.3.6.9 Design Load Combinations
1.3.6.10 Conformance of Design to Criteria and Bases
1.3.6.11 General References
1.4 INFRASTRUCTURE STRUCTURES, SYSTEMS, COMPONENTS, EQUIPMENT, AND OPERATIONAL PROCESS ACTIVITIES
1.4.1 Electric Power
1.4.1.1 Normal Electrical Power
1.4.1.1.1 System Description
1.4.1.1.1.1 Switchyard
1.4.1.1.1.2 Normal Power
1.4.1.1.1.3 Standby Diesel Generators
1.4.1.1.1.4 Normal DC Electrical Power
1.4.1.1.1.5 Normal Uninterruptible Power Supply Power Subsystem
1.4.1.1.2 Normal Electrical Power Operational Processes
1.4.1.1.3 Normal Electrical Power Codes and Standards
1.4.1.2 ITS Power
1.4.1.2.1 System Description
1.4.1.2.2 Operational Processes
1.4.1.2.3 Safety Category Classification
1.4.1.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.4.1.2.5 Design Bases and Design Criteria
1.4.1.2.6 Design Methodologies
1.4.1.2.7 Consistency of Materials with Design Methodologies
1.4.1.2.8 Design Codes and Standards for AC and DC ITS Electrical Power
1.4.1.2.9 Load Combinations Used for Normal and Category 1 and Category 2 Event Sequence Conditions
1.4.1.3 ITS DC Electrical Power and Uninterruptible Power Supply

CONTENTS (Continued)

1.4.1.3.1 System Description
1.4.1.3.2 Operational Processes
1.4.1.3.3 Safety Category Classification
1.4.1.3.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.4.1.3.5 Design Bases and Design Criteria
1.4.1.3.6 Design Methodologies
1.4.1.3.7 Consistency of Materials with Design Methodologies
1.4.1.3.8 Design Codes and Standards
1.4.1.3.9 Load Combinations Used for Normal and Category 1 and Category 2 Event Sequence Conditions
1.4.1.4 Electrical Support Subsystems
1.4.1.4.1 Lighting
1.4.1.4.1.1 Normal Lighting Subsystem
1.4.1.4.1.2 Essential Lighting Subsystem
1.4.1.4.1.3 Emergency Lighting Subsystem
1.4.1.4.2 Grounding
1.4.1.4.3 Lightning Protection
1.4.1.4.4 Cathodic Protection
1.4.1.4.5 Heat Tracing
1.4.1.4.6 Cable Raceway
1.4.1.4.7 Design Codes and Standards
1.4.1.5 General References
1.4.2 Controls and Monitoring
1.4.2.1 Digital Control and Management Information
1.4.2.1.1 System Description
1.4.2.1.2 Operational Processes
1.4.2.1.3 Design Codes and Standards
1.4.2.2 Radiation/Radiological Monitoring
1.4.2.2.1 System Description
1.4.2.2.2 Design Codes and Standards
1.4.2.3 Environmental/Meteorological Monitoring System
1.4.2.3.1 System Description
1.4.2.3.2 Operational Processes
1.4.2.3.3 Design Codes and Standards
1.4.2.4 Communications
1.4.2.4.1 System Description
1.4.2.4.1.1 Data Subsystem
1.4.2.4.1.2 Video Subsystem

CONTENTS (Continued)

1.4.2.4.1.3 Voice Subsystem
1.4.2.4.1.4 Network Subsystem
1.4.2.4.1.5 Transport Subsystem
1.4.2.4.1.6 Security
1.4.2.4.1.7 Facilities
1.4.2.4.1.8 System Interfaces
1.4.2.4.2 Communications Processes
1.4.2.4.2.1 Communications with Transport and Emplacement Vehicle
1.4.2.4.2.2 Emergency Communications
1.4.2.4.3 Design Codes and Standards
1.4.2.5 Postevent Monitoring
1.4.2.5.1 Description
1.4.2.5.2 Operational Processes
1.4.2.5.3 Design Codes and Standards
1.4.2.6 General References
1.4.3 Fire Protection
1.4.3.1 Fire Hazard Analyses
1.4.3.1.1 Scope
1.4.3.1.2 Analysis Methodology
1.4.3.2 Fire Protection System Description
1.4.3.2.1 Fire Protection System for Surface Facilities
1.4.3.2.1.1 Fire Water Subsystem for Surface Facilities
1.4.3.2.1.2 Fire Suppression Subsystem for Surface Facilities
1.4.3.2.1.3 Fire Detection and Alarm Subsystems for Surface Facilities
1.4.3.2.1.4 Fire Barrier Subsystem in Surface Facilities
1.4.3.2.2 Fire Protection System for the Subsurface Emplacement Area
1.4.3.2.2.1 Fire Suppression Subsystem for Subsurface Emplacement Areas
1.4.3.2.2.2 Fire Detection and Alarm Subsystems for Subsurface Emplacement Area
1.4.3.2.2.3 Fire Barrier Subsystem in the Subsurface
1.4.3.2.2.4 Subsurface Layout Description
1.4.3.2.2.5 Subsurface Life Safety Considerations
1.4.3.3 Operational Processes
1.4.3.3.1 Surface Fire Protection
1.4.3.3.2 Subsurface Fire Protection
1.4.3.4 Design Codes and Standards

CONTENTS (Continued)

1.4.3.5 Fire Protection Program
1.4.3.5.1 Purpose
1.4.3.5.2 Organization
1.4.3.5.3 Qualifications for Fire Protection during Operations
1.4.3.5.4 System Design
1.4.3.5.5 Inspection, Testing, and Maintenance
1.4.3.5.6 Operability Requirements, Impairments, and Compensatory Measures
1.4.3.5.7 Fire Prevention
1.4.3.5.8 Emergency Response
1.4.3.6 General References
1.4.4 Plant Services
1.4.4.1 General Purpose and Instrument Air Subsystems
1.4.4.1.1 System Description
1.4.4.1.2 Operational Processes
1.4.4.1.3 Design Codes and Standards
1.4.4.2 Service Gases Subsystems
1.4.4.2.1 System Description
1.4.4.2.2 Operational Processes
1.4.4.2.3 Design Codes and Standards
1.4.4.3 Fuel Oil Subsystem
1.4.4.3.1 System Description
1.4.4.3.2 Operational Processes
1.4.4.3.3 Design Codes and Standards
1.4.4.4 Raw, Potable, and Deionized Water Subsystems
1.4.4.4.1 System Description
1.4.4.4.2 Operational Processes
1.4.4.4.3 Design Codes and Standards
1.4.4.5 Hot Water Heating and Chilled Water Cooling Subsystems
1.4.4.5.1 System Description
1.4.4.5.2 Operational Processes
1.4.4.5.3 Design Codes and Standards
1.4.4.6 General References
1.4.5 Waste Management
1.4.5.1 Low-Level Radioactive Waste Management
1.4.5.1.1 Description
1.4.5.1.1.1 Solid Low-Level Radioactive Waste Management
1.4.5.1.1.2 Liquid Low-Level Radioactive Waste Management
1.4.5.1.1.3 Gaseous Low-Level Radioactive Waste Management

CONTENTS (Continued)

1.4.5.1.1.4 Mixed Waste Management
1.4.5.1.2 Operational Processes
1.4.5.1.3 Design Codes and Standards
1.4.5.2 Nonradiological Waste Management
1.4.5.2.1 Description
1.4.5.2.2 Operational Processes
1.4.5.2.3 Design Codes and Standards
1.4.5.3 General References
1.5 WASTE FORM AND WASTE PACKAGE
1.5.1 Characteristics of Spent Nuclear Fuel and High-Level Radioactive Waste
1.5.1.1 Commercial SNF
1.5.1.1.1 Physical Characteristics of Commercial SNF and Canisters
1.5.1.1.1.1 Physical Characteristics of Commercial SNF
1.5.1.1.1.2 Physical Characteristics of Commercial SNF Canisters
1.5.1.1.1.2.1 Commercial SNF Canister Description
1.5.1.1.1.2.1.1 Damaged-Fuel Cans
1.5.1.1.1.2.1.2 Dual-Purpose Canisters
1.5.1.1.1.2.1.3 Transportation, Aging, and Disposal Canisters
1.5.1.1.1.2.1.4 TAD Canister General Characteristics
1.5.1.1.1.2.2 TAD Canister Operational Processes
1.5.1.1.1.2.2.1 TAD Canister Thermal Controls
1.5.1.1.1.2.2.2 TAD Canister Criticality Controls
1.5.1.1.1.2.3 Structures, Systems, and Components Important to Safety and Important to Waste Isolation
1.5.1.1.1.2.4 Procedural Safety Controls to Prevent Event Sequences and Mitigate Their Effects
1.5.1.1.1.2.5 Design Criteria and Design Bases
1.5.1.1.1.2.5.1 Structural Design Criteria and Design Basis
1.5.1.1.1.2.5.2 Criticality Safety Design Criteria and Design Basis
1.5.1.1.1.2.5.3 Thermal Design Criteria and Design Basis
1.5.1.1.1.2.6 Design Methodologies
1.5.1.1.1.2.6.1 Structural Design
1.5.1.1.1.2.6.1.1 TAD Canister Structural Characteristics
1.5.1.1.1.2.6.1.2 TAD Canister Containment Characteristics
1.5.1.1.1.2.6.1.3 TAD Canister Characteristics as Developed in the SAR or at Vendor
1.5.1.1.1.2.6.2 Thermal Design
1.5.1.1.1.2.6.3 Nuclear Criticality Safety of Commercial

CONTENTS (Continued)

SNF
1.5.1.1.1.2.6.4 TAD Canister Dose and Shielding Characteristics
1.5.1.1.1.2.7 Consistency of Materials with Design Basis
1.5.1.1.1.2.8 Design Codes and Standards
1.5.1.1.2 Thermal Characteristics of Commercial SNF
1.5.1.1.3 Nuclear Characteristics of Commercial SNF
1.5.1.1.4 Source-Term Characteristics of Commercial SNF
1.5.1.1.5 TAD Canister and DPC Conformance of Design to Criteria and Bases
1.5.1.2 High-Level Radioactive Waste
1.5.1.2.1 Physical Characteristics of HLW and HLW Canisters
1.5.1.2.1.1 Physical Characteristics of HLW
1.5.1.2.1.2 Physical Characteristics of HLW Canister
1.5.1.2.1.2.1 HLW Canister Description
1.5.1.2.1.2.2 HLW Canister Operational Processes
1.5.1.2.1.2.3 Canister Thermal Controls
1.5.1.2.1.2.4 Canister Criticality Controls
1.5.1.2.1.3 Structures, Systems, and Components Important to Safety and Important to Waste Isolation
1.5.1.2.1.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effect
1.5.1.2.1.5 Design Criteria and Design Bases
1.5.1.2.1.6 Consistency of Materials with Design Methodologies
1.5.1.2.1.7 Design Codes and Standards
1.5.1.2.2 Thermal Characteristics of HLW
1.5.1.2.3 Nuclear Characteristics of HLW
1.5.1.2.4 Source-Term Characteristics of HLW
1.5.1.2.5 Conformance of Design to Criteria and Bases
1.5.1.3 DOE SNF
1.5.1.3.1 Physical Characteristics of DOE SNF and Disposal Canisters
1.5.1.3.1.1 Physical Characteristics of DOE SNF
1.5.1.3.1.1.1 First Tier Grouping of DOE SNF
1.5.1.3.1.1.2 Preclosure Releases Grouping of DOE SNF
1.5.1.3.1.1.3 Criticality Evaluation Grouping of DOE SNF
1.5.1.3.1.1.4 TSPA Grouping of DOE SNF
1.5.1.3.1.2 Physical Characteristics of DOE SNF Canisters
1.5.1.3.1.2.1 Canister Description
1.5.1.3.1.2.1.1 Standardized Canister Shell
1.5.1.3.1.2.1.2 Standardized Canister Internals

CONTENTS (Continued)

1.5.1.3.1.2.1.3 Multicanister Overpack Shell
1.5.1.3.1.2.1.4 Multicanister Overpack Internals
1.5.1.3.1.2.2 Operational Processes
1.5.1.3.1.2.2.1 Standardized Canisters
1.5.1.3.1.2.2.2 Multicanister Overpack
1.5.1.3.1.2.3 SSCs Important to Safety and Important to Waste Isolation
1.5.1.3.1.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.5.1.3.1.2.5 Design Criteria and Design Bases
1.5.1.3.1.2.5.1 Structural Design Criteria
1.5.1.3.1.2.5.2 Criticality Control Design Criteria
1.5.1.3.1.2.6 Design Methodologies
1.5.1.3.1.2.6.1 Structural Design
1.5.1.3.1.2.6.2 Criticality Design
1.5.1.3.1.2.7 Consistency of Materials with Design Methodologies
1.5.1.3.1.2.8 Design Codes and Standards
1.5.1.3.1.2.8.1 Standardized Canisters
1.5.1.3.1.2.8.2 Multicanister Overpacks
1.5.1.3.1.2.9 Design Load Combinations
1.5.1.3.1.2.10 Weld and Material Flaws and Degraded Canisters
1.5.1.3.2 Thermal Characteristics of DOE SNF
1.5.1.3.3 Nuclear Characteristics of DOE SNF
1.5.1.3.4 Source-Term Characteristics of DOE SNF
1.5.1.3.5 Conformance of Design to Criteria and Bases
1.5.1.4 Naval SNF
1.5.1.4.1 Physical Characteristics of Naval SNF and Canisters
1.5.1.4.1.1 Physical Characteristics of Naval SNF
1.5.1.4.1.2 Physical Characteristics of Naval SNF Canisters
1.5.1.4.1.2.1 Naval SNF Canister Description
1.5.1.4.1.2.2 Operational Processes for Naval SNF Canisters
1.5.1.4.1.2.2.1 Naval SNF Canister Thermal Controls
1.5.1.4.1.2.2.2 Naval SNF Canister Criticality Controls
1.5.1.4.1.2.3 Structures, Systems, and Components Important to Safety and Important to Waste Isolation
1.5.1.4.1.2.4 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.5.1.4.1.2.5 Design Criteria and Design Bases
1.5.1.4.1.2.5.1 Structural Design Criteria and Design Bases

CONTENTS (Continued)

1.5.1.4.1.2.5.2 Criticality Safety Design Criteria and Design Bases
1.5.1.4.1.2.5.3 Thermal Design Criteria and Design Bases
1.5.1.4.1.2.6 Design Methodologies
1.5.1.4.1.2.6.1 Structural Design
1.5.1.4.1.2.6.2 Thermal Design
1.5.1.4.1.2.6.3 Criticality Safety Design
1.5.1.4.1.2.6.4 Radiation Sources
1.5.1.4.1.2.7 Consistency of Materials with Design Methodologies
1.5.1.4.1.2.8 Design Codes and Standards
1.5.1.4.2 Thermal Characteristics of Naval SNF
1.5.1.4.3 Nuclear Characteristics of Naval SNF
1.5.1.4.4 Source Term Characteristics of Naval SNF
1.5.1.4.5 Naval SNF Canister Conformance of Design to Criteria and Bases
1.5.1.5 General References
1.5.2 Waste Packages and Their Components
1.5.2.1 Waste Package Description
1.5.2.1.1 Waste Package Configurations
1.5.2.1.2 Waste Package Configurations for Commercial SNF
1.5.2.1.2.1 Internal Design
1.5.2.1.2.2 Transportation, Aging, and Disposal Waste Package Specifications
1.5.2.1.3 Waste Package Configurations for HLW and DOE SNF
1.5.2.1.3.1 Internal Design
1.5.2.1.3.2 HLW and DOE SNF Waste Package Specifications
1.5.2.1.4 Waste Package Configurations for Naval SNF
1.5.2.1.4.1 Internal Design
1.5.2.1.4.2 Naval SNF Waste Package Specifications
1.5.2.2 Operational Processes and Procedures
1.5.2.2.1 Waste Package Loading to Satisfy Thermal Requirements
1.5.2.2.2 Waste Package Loading to Satisfy Criticality Requirements
1.5.2.2.3 Inerting
1.5.2.3 Considerations Important to Safety and Important to Waste Isolation
1.5.2.3.1 Structures, Systems, and Components Important to Safety
1.5.2.3.2 Structures, Systems, and Components Important to Waste Isolation
1.5.2.4 Design Bases and Design Criteria

CONTENTS (Continued)

1.5.2.5 Procedural Safety Controls to Prevent Event Sequences or Mitigate Their Effects
1.5.2.6 Design Methodologies
1.5.2.6.1 Structural Design
1.5.2.6.1.1 Structural Design Methodology
1.5.2.6.1.2 Structural Analysis Software
1.5.2.6.1.3 Finite-Element Mesh Discretization
1.5.2.6.1.4 Load Combinations
1.5.2.6.1.5 Basis for Acceptance Criteria
1.5.2.6.1.6 Acceptance Criteria
1.5.2.6.1.7 Cases
1.5.2.6.1.8 Structural Analysis Results for Normal Loads
1.5.2.6.1.9 Structural Analysis Results for Event Sequences
1.5.2.6.2 Radiation Shielding Methodology
1.5.2.6.3 Waste Package Prototype Program
1.5.2.7 Consistency of Materials with Design Methodologies
1.5.2.7.1 Fabrication Materials and Process
1.5.2.7.2 Lid Closure Processes
1.5.2.7.2.1 Welding Requirements
1.5.2.7.2.2 Stress Mitigation of Closure Welds
1.5.2.7.3 Nondestructive Examination
1.5.2.7.3.1 Fabrication Nondestructive Examination
1.5.2.7.3.2 Closure Weld Nondestructive Examination
1.5.2.7.4 Fabrication Pressure Testing
1.5.2.7.5 Fabrication Helium Leakage Test for Inner Vessel
1.5.2.8 Design Codes and Standards
1.5.2.9 General References
1.6 IDENTIFICATION OF HAZARDS AND INITIATING EVENTS
1.6.1 Overview of Preclosure Safety Analysis
1.6.1.1 Internal and External Event Identification
1.6.1.2 Internal and External Initiating Event Screening
1.6.1.3 Event Sequence Development
1.6.1.4 Event Sequence Quantification and Categorization
1.6.1.5 Dose Consequence Analysis
1.6.1.6 Criticality Safety Analysis
1.6.1.7 Identification of Structures, Systems, and Components Important to Safety and Waste Isolation and Nuclear Safety Design Bases
1.6.2 Applications of Preclosure Safety Analyses
1.6.3 Identification and Screening of Initiating Events

CONTENTS (Continued)

1.6.3.1 Identification of Internal Initiating Events
1.6.3.1.1 Master Logic Diagrams
1.6.3.1.2 Process Flow Diagrams
1.6.3.1.3 Hazard and Operability Evaluation
1.6.3.1.4 Interrelationship between Hazard and Operability Evaluation and Master Logic Diagram
1.6.3.2 Identification of External Initiating Events
1.6.3.3 Results of Internal and External Initiating Event Identification
1.6.3.4 Methodology and Results of External Initiating Event Screening
1.6.3.4.1 Aircraft Impact
1.6.3.4.2 Nonseismic Geologic Activity
1.6.3.4.3 Volcanic Activity
1.6.3.4.4 High Winds and Tornadoes
1.6.3.4.5 External Floods
1.6.3.4.6 Lightning
1.6.3.4.7 Loss of Cooling Capability
1.6.3.4.8 Nearby Industrial or Military Facility Accidents
1.6.3.4.9 Onsite Hazardous Material Release
1.6.3.4.10 External Fires
1.6.3.4.11 Extraterrestrial Activity
1.6.3.5 Construction Hazard Event Screening
1.6.4 Summary of Initiating Events Included in Event Sequence Analysis
1.6.5 General References
1.7 EVENT SEQUENCE ANALYSIS
1.7.1 Event Sequence Development and Categorization Methodology
1.7.1.1 Event Sequence Diagrams and Event Trees
1.7.1.2 Internal Events
1.7.1.2.1 Event Sequences Initiated by Internal Random Initiating Events
1.7.1.2.2 Event Sequences Initiated by Fire Events
1.7.1.2.3 Event Sequences Initiated by Flooding Events
1.7.1.3 External Events
1.7.1.4 Seismic Events
1.7.2 Reliability Methods
1.7.2.1 Fault Tree Analysis
1.7.2.2 Active System or Component Reliability
1.7.2.3 Passive Structure, System, or Component Reliability
1.7.2.3.1 Loss of Containment of Waste Form Container by Structural Challenge

CONTENTS (Continued)

1.7.2.3.2 Degradation or Loss of Shielding of Structure, System or Component by Structural Challenge
1.7.2.3.3 Loss of Containment of Waste Form Container by Thermal Challenge
1.7.2.3.3.1 Loss of Containment by Fire
1.7.2.3.3.2 Loss of Containment by Other Thermal Events
1.7.2.3.4 Degradation or Loss of Shielding of Structure, System or Component by Thermal Challenge
1.7.2.4 Seismic Fragilities
1.7.2.5 Human Reliability Analysis
1.7.3 Event Sequence Quantification
1.7.4 Event Sequence Grouping
1.7.5 Event Sequence Categorization
1.7.5.1 Initial Handling Facility
1.7.5.2 Receipt Facility
1.7.5.3 Canister Receipt and Closure Facility
1.7.5.4 Wet Handling Facility
1.7.5.5 Intrasite Operations and Balance of Plant
1.7.5.6 Subsurface
1.7.6 General References
1.8 CONSEQUENCE ANALYSIS
1.8.1 Methodology for Dose Estimates
1.8.1.1 Dose Estimate Methodology
1.8.1.2 Dose Aggregation
1.8.1.3 Source-Term Released Inputs
1.8.1.3.1 Material at Risk
1.8.1.3.2 Damage Ratio
1.8.1.3.3 Release and Respirable Fractions
1.8.1.3.4 Release Fractions for a Seismic Event
1.8.1.3.5 Release Fractions for a Fire Event
1.8.1.3.6 Leak Path Factors
1.8.1.4 Other Dose Estimate Inputs
1.8.1.4.1 Dose Coefficients
1.8.1.4.2 Atmospheric Dispersion Factors
1.8.1.4.3 Location of Maximum Offsite and Onsite Dose Receptors
1.8.1.4.4 Site-Specific Input Parameters
1.8.2 Potential Releases and Direct Radiation from Normal Operations and Category 1 and Category 2 Event Sequences
1.8.2.1 Repository Operations

CONTENTS (Continued)

1.8.2.2 Normal Operations
1.8.2.2.1 Potential Releases from Normal Surface Operations
1.8.2.2.2 Potential Releases from Normal Subsurface Operations
1.8.2.2.3 Potential Direct Radiation from Normal Operations
1.8.2.3 Description of Category 1 Event Sequences
1.8.2.4 Description of Category 2 Event Sequences
1.8.3 Potential Dose to Members of the Public from Normal Operations and Category 1 and Category 2 Event Sequences
1.8.3.1 Public Dose Methodology
1.8.3.1.1 Computer Code Used in Public Dose Calculations for Airborne Releases
1.8.3.1.2 Public Airborne Release Dose Methodology
1.8.3.1.3 Public Direct Radiation Methodology
1.8.3.2 Potential Public Dose Results
1.8.3.2.1 Potential Doses to Members of the Public from Normal Operations and Category 1 Event Sequences
1.8.3.2.2 Potential Doses to Members of the Public from Category 2 Event Sequences
1.8.3.2.3 Potential Doses to Members of the Public Being As Low As Is Reasonably Achievable
1.8.4 Potential Doses to Radiation Workers from Normal Operations and Category 1 Event Sequences
1.8.4.1 Radiation Worker Dose Methodology
1.8.4.1.1 Potential Radiation Worker Dose from Airborne Releases
1.8.4.1.2 Potential Radiation Worker Dose from Resuspension of Surface Contamination
1.8.4.1.3 Potential Radiation Worker Dose from Direct Radiation
1.8.4.2 Potential Worker Dose Results
1.8.4.2.1 Normal Operations
1.8.4.2.1.1 Potential Radiation Worker Doses outside Facilities in the GROA
1.8.4.2.1.2 Potential Radiation Worker Dose from Direct Radiation
1.8.4.2.2 Category 1 Event Sequences
1.8.4.2.2.1 Potential Surface Facility Radiation Worker Dose
1.8.4.2.2.2 Potential Subsurface Facility Radiation Worker Dose
1.8.4.2.3 Sum of Potential Radiation Worker Doses from Normal Operations and Category 1 Event Sequences
1.8.5 Uncertainty Analysis
1.8.5.1 Use of Conservative or Bounding Input Parameters
1.8.5.1.1 Normal Operations

CONTENTS (Continued)

1.8.5.1.2 Category 1 and Category 2 Event Sequences
1.8.5.1.3 Common Conservatism or Bounding Inputs
1.8.5.2 Uncertainty Analysis with GENII
1.8.5.3 Radionuclide and Input Parameter Screening
1.8.5.3.1 Radionuclide Screening
1.8.5.3.2 Input Parameter Screening
1.8.5.3.2.1 Pathway Analysis for Input Parameter Screening
1.8.5.3.2.2 Input Parameters Selected for Uncertainty Analysis
1.8.5.4 Uncertainty Analysis for a Chronic Release
1.8.5.4.1 Radionuclide Dose Uncertainty for Chronic Release
1.8.5.4.2 Input Parameter Rank Correlation Coefficients for Chronic Release
1.8.5.4.3 Uncertainty Analysis for Chronic Release
1.8.5.5 Uncertainty Analysis for an Acute Release
1.8.5.5.1 Radionuclide Dose Uncertainty for Acute Release
1.8.5.5.2 Input Parameter Rank Correlation Coefficients for Acute Release
1.8.5.5.3 Uncertainty Analysis for Acute Releases
1.8.5.6 Conclusions
1.8.6 Summary of Potential Public and Worker Dose Consequences and Compliance Confirmation
1.8.7 General References
1.9 STRUCTURES, SYSTEMS, AND COMPONENTS IMPORTANT TO SAFETY; NATURAL AND ENGINEERED BARRIERS IMPORTANT TO WASTE ISOLATION; SAFETY CONTROLS; AND MEASURES TO ENSURE AVAILABILITY OF THE SAFETY SYSTEMS
1.9.1 Structures, Systems, and Components Classified as Important to Safety
1.9.1.1 Means to Limit Concentration of Radioactive Material in Air
1.9.1.2 Means to Limit Time Required to Perform Work in Radiological Areas
1.9.1.3 Suitable Shielding
1.9.1.4 Means to Monitor and Control Dispersal of Radioactive Contamination
1.9.1.5 Means to Control Access to High Radiation Areas or Airborne Radioactivity Areas
1.9.1.6 Means to Prevent and Control Criticality
1.9.1.7 Radiation Alarm System
1.9.1.8 Ability of Structures, Systems, and Components to Perform Their Intended Safety Functions
1.9.1.9 Explosion and Fire Detection and Suppression Systems

CONTENTS (Continued)

1.9.1.10 Means to Control Radioactive Waste and Effluents and to Permit Prompt Termination of Operations and Evacuation of Personnel during an Emergency
1.9.1.11 Electrical Power
1.9.1.12 Redundant Systems and Inherent Reliability
1.9.1.13 Inspection, Test, and Maintenance Programs
1.9.1.14 ITS Structure, System, or Component/Non-ITS Structure, System, or Component Interactions
1.9.2 Identifying Postclosure Performance Assessment Design Control Parameters and Classifying ITWI Structures, Systems, and Components
1.9.3 Procedural Safety Controls
1.9.4 Risk Significance Categorization
1.9.5 General References
1.10 MEETING THE AS LOW AS IS REASONABLY ACHIEVABLE REQUIREMENTS FOR NORMAL OPERATIONS AND CATEGORY 1 EVENT SEQUENCES
1.10.1 Management Commitment to Maintain Doses As Low As Is Reasonably Achievable
1.10.1.1 Design and Construction
1.10.1.2 Operation
1.10.1.3 Decommissioning
1.10.2 As Low As Is Reasonably Achievable Principles in Design
1.10.2.1 General Considerations
1.10.2.1.1 Design Objectives
1.10.2.1.2 Design Considerations
1.10.2.1.3 Implementation
1.10.2.1.3.1 Policy and Procedures
1.10.2.1.3.2 Training
1.10.2.1.3.3 Design Reviews
1.10.2.1.3.4 Cost–Benefit Analysis
1.10.2.1.3.5 Self-Assessments
1.10.2.2 Facility Layout Considerations
1.10.2.2.1 Design Objectives
1.10.2.2.2 Design Considerations
1.10.2.2.3 Facility ALARA Features
1.10.2.3 Equipment Design Considerations
1.10.2.3.1 Design Objectives
1.10.2.3.2 Design Considerations
1.10.2.3.3 Features for Maintenance and Inspection
1.10.2.3.4 Features of Shield Doors, Slide Gates, and Viewing Windows
1.10.2.4 Access Control Considerations

CONTENTS (Continued)

1.10.2.5 Radiation Zones
1.10.2.6 Contamination Control
1.10.2.7 Ventilation Considerations
1.10.2.7.1 Design Objectives
1.10.2.7.2 Design Considerations
1.10.2.7.3 HVAC Equipment
1.10.2.8 Radiation and Airborne Radioactivity Monitoring Instrumentation
1.10.2.8.1 Design Objectives
1.10.2.9 Event Sequence Considerations
1.10.2.10 Decommissioning
1.10.2.11 Dose Assessment Considerations
1.10.2.11.1 Radiation Workers
1.10.2.11.2 Construction Workers
1.10.2.11.3 Public
1.10.3 Surface and Subsurface Shielding Design
1.10.3.1 Shielding Design Objectives
1.10.3.1.1 Shielding Design Considerations
1.10.3.2 Calculation Methodology and Computer Codes
1.10.3.3 Radiation Sources
1.10.3.3.1 Spent Nuclear Fuel and High-Level Radioactive Waste Containers
1.10.3.3.1.1 Transportation Casks
1.10.3.3.1.1.1 Rail
1.10.3.3.1.1.2 Truck
1.10.3.3.1.2 Transportation, Aging, and Disposal Canister
1.10.3.3.1.3 Dual-Purpose Canister
1.10.3.3.1.4 Naval SNF Canister
1.10.3.3.1.5 DOE Spent Nuclear Fuel Canister
1.10.3.3.1.6 High-Level Radioactive Waste Canister
1.10.3.3.1.7 Aging Overpack and Shielded Transfer Cask
1.10.3.3.1.8 HLW and SNF Waste Packages
1.10.3.3.1.9 TAD Waste Packages
1.10.3.3.1.10 Naval Waste Packages
1.10.3.3.2 Waste Forms Received for Disposal
1.10.3.3.2.1 Commercial Spent Nuclear Fuel
1.10.3.3.2.2 Naval Spent Nuclear Fuel
1.10.3.3.2.3 DOE Spent Nuclear Fuel
1.10.3.3.2.4 DOE High-Level Radioactive Waste
1.10.3.3.3 Low-Level Radioactive Waste

CONTENTS (Continued)

1.10.3.3.3.1 Pool Water Treatment System Filter Cartridges
1.10.3.3.3.2 Pool Water Treatment System Spent Resins
1.10.3.3.3.3 Liquid Low-Level Radioactive Waste
1.10.3.3.3.4 Dry Active Wastes
1.10.3.3.3.5 Empty DPCs and Miscellaneous Items
1.10.3.4 Source Terms
1.10.3.4.1 Commercial SNF
1.10.3.4.2 Naval Spent Nuclear Fuel
1.10.3.4.3 DOE Spent Nuclear Fuel
1.10.3.4.4 DOE High-Level Radioactive Waste
1.10.3.4.5 Low-Level Radioactive Waste
1.10.3.5 Shielding Evaluation of Surface Repository Areas
1.10.3.5.1 Open Areas
1.10.3.5.1.1 Cask Receipt Security Station
1.10.3.5.1.2 Aging Facility
1.10.3.5.1.3 Buffer Areas
1.10.3.5.1.4 Movement Corridors
1.10.3.5.2 Initial Handling Facility
1.10.3.5.3 Canister Receipt and Closure Facility
1.10.3.5.4 Receipt Facility
1.10.3.5.5 Wet Handling Facility
1.10.3.5.6 Low-Level Waste Facility
1.10.3.5.7 Common Shielding Features
1.10.3.5.7.1 Shield Doors
1.10.3.5.7.2 Shielded Viewing Windows
1.10.3.5.7.3 Slide Gates
1.10.3.5.7.4 Canister Transfer Machine
1.10.3.5.7.5 Transfer Trolley
1.10.3.6 Shielding Evaluation of Subsurface Repository Areas
1.10.3.6.1 Transport and Emplacement Vehicle
1.10.3.7 Event Sequence Considerations
1.10.4 As Low As Is Reasonably Achievable Principles in Operations
1.10.4.1 Operational ALARA Considerations
1.10.4.1.1 ALARA Program Administration
1.10.4.1.2 Design Change Review
1.10.4.1.3 ALARA Training
1.10.4.1.4 General ALARA Guidelines
1.10.4.1.5 Administrative Controls to Maintain Doses ALARA
1.10.4.1.6 Task Planning and Preparation

CONTENTS (Continued)

1.10.4.1.7 Radiation Surveys
1.10.4.1.8 Housekeeping
1.10.4.2 Operational Radiation Protection Program
1.10.4.3 Recovery from Event Sequences
1.10.4.4 Decommissioning
1.10.5 General References
1.11 PLANS FOR RETRIEVAL AND ALTERNATE STORAGE OF RADIOACTIVE WASTES
1.11.1 Retrieval Plans
1.11.1.1 Operational Equipment and Processes
1.11.1.1.1 Retrieval Equipment
1.11.1.1.1.1 Mobile Equipment
1.11.1.1.1.2 Surface Facilities
1.11.1.1.2 Retrieval Operations Overview
1.11.1.2 Identification of Design and Operational Conditions for Retrieval
1.11.1.2.1 Considerations of Conditions Beyond the Licensing Bases
1.11.1.2.2 Potential Retrieval Interference
1.11.1.2.3 Methodologies for Identifying and Analyzing Potential Retrieval Problems
1.11.1.2.4 Repository Conditions
1.11.1.2.4.1 Subsurface Facility
1.11.1.2.4.2 Mobile Equipment
1.11.1.2.4.3 Surface Facilities
1.11.1.2.5 Maintenance Plans
1.11.1.2.5.1 Ground Support Maintenance
1.11.1.2.5.2 Equipment Maintenance
1.11.1.2.6 Backfill Option
1.11.1.2.7 Performance Confirmation Program Effects
1.11.1.3 Compliance with Preclosure Performance Objectives
1.11.1.3.1 Preclosure Performance
1.11.1.3.2 Implementation of As Low As Is Reasonably Achievable Concepts
1.11.2 Alternate Storage Plans
1.11.2.1 Alternate Storage Facility Location
1.11.2.2 Alternate Storage Facility Size and Operations
1.11.2.2.1 Alternate Storage Facility Size
1.11.2.2.2 Alternate Storage Facility Operations
1.11.2.3 Public and Repository Worker Safety
1.11.3 Retrieval Operations Schedule

CONTENTS (Continued)

1.11.4 General References
1.12 PLANS FOR PERMANENT CLOSURE, DECONTAMINATION, AND DISMANTLEMENT OF SURFACE FACILITIES
1.12.1 Design Considerations to Facilitate Permanent Closure and Dismantlement
1.12.2 Plans for Permanent Closure
1.12.3 Plans for Decontamination and Dismantlement of Surface Facilities
1.12.3.1 Facility Operating History
1.12.3.2 Facility Description
1.12.3.3 Radiological Status of the Facility
1.12.3.3.1 Structures and Buildings
1.12.3.3.2 Systems and Components
1.12.3.3.3 Soil Contamination
1.12.3.3.4 Potential Water Contamination from Process Operations
1.12.3.4 Dose Modeling Evaluations
1.12.3.5 Alternatives for Decontamination and Dismantlement
1.12.3.6 As Low As Is Reasonably Achievable Analyses
1.12.3.7 Planned Decontamination and Dismantlement Activities
1.12.3.7.1 Contaminated Structures
1.12.3.7.2 Contaminated Systems and Components
1.12.3.7.3 Contaminated Soil
1.12.3.7.4 Surface Water
1.12.3.7.5 Schedules
1.12.3.8 Project Management and Organization
1.12.3.8.1 Management Organization
1.12.3.8.2 Decontamination and Dismantlement Task Management
1.12.3.8.3 Decontamination and Dismantlement Management Positions and Qualifications
1.12.3.8.4 Training
1.12.3.9 Radiological Health and Safety Program during Decontamination and Dismantlement
1.12.3.10 Environmental Monitoring and Control Program
1.12.3.11 Low-Level Radioactive Waste Management Program
1.12.3.11.1 Preliminary Estimates of the Types and Quantities of Low-Level Radioactive Waste
1.12.3.11.2 Preliminary Plans for Minimizing and Disposing of the Quantities of Low-Level Radioactive Waste
1.12.3.12 Quality Assurance Program
1.12.3.13 Facility Radiation Surveys
1.12.3.14 Development of a Decontamination and Dismantlement Plan
1.12.4 General References

CONTENTS (Continued)

1.13 EQUIPMENT QUALIFICATION PROGRAM
1.13.1 Functions of the Equipment Qualification Program
1.13.2 Equipment Qualification Program Requirements
1.13.2.1 Harsh and Mild Environments
1.13.2.2 Equipment Qualification Records
1.13.2.3 Environmental Qualification Lists
1.13.2.4 Testing and Analyses
1.13.2.5 Procurement, Installation, Maintenance, Surveillance, and Monitoring
1.13.2.6 Corrective Action Program Evaluation
1.13.2.7 Equipment Qualification Margin
1.13.3 Environmental Qualification Process
1.13.3.1 Harsh Environment Qualification
1.13.3.2 Qualification Methods
1.13.3.2.1 Analysis
1.13.3.2.2 Type Testing
1.13.3.2.3 Operating Experience
1.13.3.2.4 Combined Methods
1.13.3.3 Qualified Life
1.13.3.4 Environmental Qualification Documentation
1.13.4 Seismic Qualification Process
1.13.4.1 Methods
1.13.4.2 Acceptance Criteria
1.13.4.3 Process
1.13.4.4 Qualification Methods
1.13.4.5 Qualified Life
1.13.4.6 Seismic Qualification Documentation
1.13.5 General References
1.14 NUCLEAR CRITICALITY SAFETY
1.14.1 Nuclear Criticality Safety Organization and Administration
1.14.2 Nuclear Criticality Safety Technical Program
1.14.2.1 Nuclear Criticality Safety Requirements
1.14.2.2 Nuclear Criticality Analysis Process
1.14.2.3 Nuclear Criticality Safety Evaluation
1.14.2.3.1 Transportation Casks, Canisters, and Waste Packages
1.14.2.3.1.1 Transportation Casks
1.14.2.3.1.2 Dual-Purpose Canisters
1.14.2.3.1.3 Transportation, Aging, and Disposal Canisters
1.14.2.3.1.4 DOE High-Level Radioactive Waste Canisters
1.14.2.3.1.5 DOE Standardized Spent Nuclear Fuel Canisters

CONTENTS (Continued)

1.14.2.3.1.6 DOE Multicanister Overpacks
1.14.2.3.1.7 Naval SNF Canisters
1.14.2.3.1.8 Waste Package Configurations
1.14.2.3.2 Criticality Control Parameters
1.14.2.3.2.1 Criticality Control Parameters for Commercial SNF Dry Operations
1.14.2.3.2.1.1 Waste Form Characteristics for Commercial SNF Dry Operations
1.14.2.3.2.1.2 Moderation for Commercial SNF Dry Operations
1.14.2.3.2.1.3 Fixed Neutron Absorber and Geometry for Commercial SNF Dry Operations
1.14.2.3.2.1.4 Interaction for Commercial SNF Dry Operations
1.14.2.3.2.1.5 Reflection for Commercial SNF Dry Operations
1.14.2.3.2.2 Criticality Control Parameters for Commercial SNF Wet Operations
1.14.2.3.2.2.1 Waste Form Characteristics for Commercial SNF Wet Operations
1.14.2.3.2.2.2 Moderation for Commercial SNF Wet Operations
1.14.2.3.2.2.3 Soluble Neutron Absorber for Commercial SNF Wet Operations
1.14.2.3.2.2.4 Fixed Neutron Absorber, Geometry, and Interaction for Commercial SNF Wet Operations
1.14.2.3.2.2.5 Reflection for Commercial SNF Wet Operations
1.14.2.3.2.3 Criticality Control Parameters for DOE SNF
1.14.2.3.2.3.1 Waste Form Characteristics for DOE SNF
1.14.2.3.2.3.2 Moderation for DOE SNF
1.14.2.3.2.3.3 Fixed Neutron Absorber and Geometry for DOE SNF
1.14.2.3.2.3.4 Interaction for DOE SNF
1.14.2.3.2.3.5 Reflection for DOE SNF
1.14.2.3.2.4 Criticality Control Parameters for DOE HLW
1.14.2.3.2.5 Summary of Criticality Control Parameters
1.14.2.3.3 Facility Criticality Safety Evaluations
1.14.2.3.3.1 Initial Handling Facility Evaluation
1.14.2.3.3.2 Receipt Facility Evaluation
1.14.2.3.3.3 Canister Receipt and Closure Facility Evaluation
1.14.2.3.3.4 Wet Handling Facility Evaluation
1.14.2.3.3.5 Intrasite Operations and Aging Facility Evaluation

CONTENTS (Continued)

1.14.2.3.3.6 Subsurface Facility Evaluation
1.14.2.3.4 Criteria to Establish Subcriticality
1.14.2.3.4.1 Administrative Margin and Justification
1.14.2.3.5 Criticality Alarm Systems
1.14.2.3.6 Offsite Operations
1.14.2.3.6.1 Waste Form Characteristics
1.14.2.3.6.1.1 Waste Form Characteristics for Commercial SNF
1.14.2.3.6.1.2 Waste Form Characteristics for DOE SNF
1.14.2.3.6.2 Moderation
1.14.2.3.6.2.1 Moderation and Commercial SNF
1.14.2.3.6.2.2 Moderation and DOE SNF
1.14.2.3.6.3 Neutron Absorber
1.14.2.3.6.4 Geometry
1.14.2.3.6.5 Interaction
1.14.2.3.6.6 Reflection
1.14.2.4 Example of the Criticality Safety Analysis
1.14.2.4.1 Sensitivity Study
1.14.2.4.1.1 Waste Form Characteristics
1.14.2.4.1.2 Moderation
1.14.2.4.1.3 Neutron Absorber
1.14.2.4.1.4 Geometry
1.14.2.4.1.5 Interaction (Neutronic Coupling)
1.14.2.4.1.6 Reflection
1.14.2.4.1.7 Summary of Sensitivity Study of Criticality Parameters
1.14.2.4.2 Event Sequence Analysis
1.14.3 Nuclear Criticality Safety Regulations, Codes, and Standards
1.14.3.1 Applicable Standards Documents
1.14.4 General References
2. REPOSITORY SAFETY AFTER PERMANENT CLOSURE
2.1 System Description and Demonstration of Multiple Barriers
2.1.1 Identification of Barriers
2.1.1.1 Upper Natural Barrier
2.1.1.2 Engineered Barrier System
2.1.1.3 Lower Natural Barrier
2.1.2 Barrier Capability Description
2.1.2.1 Upper Natural Barrier
2.1.2.1.1 Capability of the Topography and Surficial Soils to Prevent or Substantially Reduce Infiltration

CONTENTS (Continued)

2.1.2.1.2 Capability of the Unsaturated Zone above the Repository to Prevent or Substantially Reduce Seepage
2.1.2.1.3 Time Period over Which the Upper Natural Barrier Functions
2.1.2.1.4 Uncertainties Associated with Upper Natural Barrier Capability
2.1.2.1.5 Impact of Disruptive Events on the Upper Natural Barrier
2.1.2.1.6 Quantification of the Upper Natural Barrier Capability
2.1.2.1.6.1 Topography and Surficial Soils
2.1.2.1.6.2 Unsaturated Tuff Units and Repository Horizon
2.1.2.2 Engineered Barrier System
2.1.2.2.1 Capability of the Engineered Barrier System to Prevent or Substantially Reduce the Contact of Seepage with the Waste Form
2.1.2.2.2 Capability of the Engineered Barrier System to Prevent the Release or Substantially Reduce the Release Rate of Radionuclides from the Waste and Transport to the Lower Natural Barrier
2.1.2.2.3 Time Period over Which the Engineered Barrier System Functions
2.1.2.2.4 Uncertainties Associated with Engineered Barrier System Capability
2.1.2.2.5 Impact of Disruptive Events on the Engineered Barrier System
2.1.2.2.6 Quantification of the Engineered Barrier System Capability
2.1.2.3 Lower Natural Barrier
2.1.2.3.1 Capability of the Unsaturated Zone below the Repository to Prevent or Substantially Reduce the Rate of Movement of Radionuclides to the Water Table
2.1.2.3.2 Capability of the Saturated Zone to Prevent or Substantially Reduce the Rate of Movement of Radionuclides to the Accessible Environment
2.1.2.3.3 Time Period over Which the Lower Natural Barrier Functions
2.1.2.3.4 Uncertainties Associated with Lower Natural Barrier Capability
2.1.2.3.5 Impact of Disruptive Events on the Lower Natural Barrier
2.1.2.3.6 Overall Capability of the Lower Natural Barrier
2.1.3 Technical Bases for Barrier Capability
2.1.3.1 Upper Natural Barrier
2.1.3.2 Engineered Barrier System
2.1.3.3 Lower Natural Barrier
2.1.3.4 Technical Basis for Unlikely Events Potentially Affecting Barrier Capability
2.1.3.5 Summary of Technical Bases for Barrier Capability
2.1.4 Summary

CONTENTS (Continued)

2.1.5 General References
2.2 SCENARIO ANALYSIS AND EVENT PROBABILITY
2.2.1 Analysis of FEPs and Scenario Classes
2.2.1.1 Identification and Classification of FEPs
2.2.1.1.1 FEP Identification
2.2.1.1.2 FEP Classification
2.2.1.2 Screening of FEPs
2.2.1.3 Event Class and Scenario Class Formation
2.2.1.3.1 Scenario Class Formation Considering Individual Protection and Groundwater Protection Standards
2.2.1.3.2 Scenario Class Formation For the Human Intrusion Standard
2.2.1.4 Screening of Scenario Classes and Event Classes
2.2.1.4.1 Screened-Out Event Class-Criticality
2.2.1.4.1.1 Criticality Analysis Methodology
2.2.1.4.1.1.1 Process
2.2.1.4.1.1.2 Calculations
2.2.1.4.1.1.2.1 Design Basis Configurations
2.2.1.4.1.1.2.2 Analysis Considerations
2.2.1.4.1.1.2.3 Analysis Software
2.2.1.4.1.1.2.3.1 MCNP Version 4B2LV
2.2.1.4.1.1.2.3.2 MCNP5 Version 1.40
2.2.1.4.1.1.2.3.3 SCALE Version 4.4A
2.2.1.4.1.1.2.3.4 SCALE Version 5.1
2.2.1.4.1.1.2.3.5 EQ3/6
2.2.1.4.1.1.2.3.6 PHREEQC
2.2.1.4.1.1.2.4 Isotopic and Criticality Validation Methodology
2.2.1.4.1.1.2.4.1 Isotopic Model Validation
2.2.1.4.1.1.2.4.2 Criticality Model Validation
2.2.1.4.1.1.2.5 Criticality Loading Curves
2.2.1.4.1.1.3 Use of Criticality Loading Curves for Transportation, Aging, and Disposal Canisters
2.2.1.4.1.1.4 Development of Criticality Loading Curves
2.2.1.4.1.1.4.1 Source of Commercial SNF Burnup Values
2.2.1.4.1.2 Processes Affecting Probability of Criticality
2.2.1.4.1.3 Screening Evaluations
2.2.1.4.1.3.1 Potential In-Package Intact Configurations
2.2.1.4.1.3.2 Potential In-Package Degraded Configurations
2.2.1.4.1.3.2.1 Nominal Scenario In-Package Degraded Configuration
2.2.1.4.1.3.2.2 Seismic Scenario for In-package Degraded

CONTENTS (Continued)

Configuration
2.2.1.4.1.3.2.3 Rockfall Scenario for In-Package Degraded Configuration
2.2.1.4.1.3.2.4 Igneous Scenario for In-Package Degraded Configuration
2.2.1.4.1.3.3 Potential Near-Field Configurations
2.2.1.4.1.3.4 Potential Far-Field Configurations
2.2.1.4.1.4 Summary of Criticality Event Class Screening
2.2.2 Identification of Events with Probabilities Greater Than 1 Chance in 10,000 of Occurring over 10,000 Years
2.2.2.1 Seismic Activity
2.2.2.1.1 Probability of a Seismic Event
2.2.2.1.1.1 Process Used for the PSHA
2.2.2.1.1.2 Results from the PSHA
2.2.2.1.2 Technical Bases of Probability Estimates
2.2.2.1.2.1 Geologic Setting
2.2.2.1.2.2 Seismicity of the Yucca Mountain Region
2.2.2.1.2.3 Vibratory Ground Motion Information
2.2.2.1.2.4 Fault Displacement
2.2.2.1.3 Adequacy of Probability Model Support
2.2.2.1.3.1 Seismic Source Characterization
2.2.2.1.3.2 Ground Motion Characterization
2.2.2.1.3.3 Fault Displacement Characterization
2.2.2.1.4 Probability Model Parameters
2.2.2.1.5 Uncertainty in Event Probability
2.2.2.2 Igneous Activity
2.2.2.2.1 Probability of an Igneous Event Intersecting the Repository
2.2.2.2.1.1 Definition of Event
2.2.2.2.1.2 Probability of Intrusion
2.2.2.2.1.3 Probability of Eruption
2.2.2.2.1.4 Process Used for Probabilistic Volcanic Hazard Analysis
2.2.2.2.2 Technical Bases of Probability Estimates
2.2.2.2.2.1 Geologic Setting
2.2.2.2.2.2 Temporal and Spatial Models Used in Probabilistic Volcanic Hazard Analysis
2.2.2.2.3 Probability Model Support
2.2.2.2.3.1 Geologic Basis for the Probabilistic Volcanic Hazard Analysis
2.2.2.2.3.2 Alternative Estimates of the Intersection Probability

CONTENTS (Continued)

2.2.2.2.4 Probability Model Parameters
2.2.2.2.5 Uncertainty in Event Probability
2.2.2.3 Early Waste Package and Drip Shield Failures
2.2.2.3.1 Definition of the Event
2.2.2.3.2 Early Waste Package Failure Probability
2.2.2.3.3 Early Drip Shield Failure Probability
2.2.2.4 Human Intrusion
2.2.2.4.1 Definition of Human Intrusion Event
2.2.2.4.2 Probability of Human Intrusion Event
2.2.3 General References
2.3 MODEL ABSTRACTION
2.3.1 Climate and Infiltration
2.3.1.1 Summary and Overview
2.3.1.2 Climate
2.3.1.2.1 Conceptual Description of Climate
2.3.1.2.1.1 Regional Climatic Characteristics
2.3.1.2.1.2 Climate and Climate Change
2.3.1.2.1.2.1 Relations between Present and Past Climate
2.3.1.2.1.2.2 The Devils Hole Oxygen Isotope Record as Evidence of Cyclical Climate Change
2.3.1.2.1.2.3 Earth-Orbital Parameters and the Timing of Past and Future Climate Change
2.3.1.2.1.2.4 Reconstruction of Past Climate Details Using Data about Fossil Ostracodes in Owens Lake and Sizes of Prehistoric Lakes in the Great Basin
2.3.1.2.2 Paleoclimatological Data and Data Uncertainty
2.3.1.2.2.1 Paleoclimatological Data
2.3.1.2.2.1.1 Devils Hole Oxygen Isotope Record
2.3.1.2.2.1.2 Owens Lake Ostracode and Diatom Record
2.3.1.2.2.1.3 Correlation of Owens Lake Paleolimnology and Devils Hole Oxygen Isotope Records
2.3.1.2.2.1.4 Uncertainty in Paleoclimate Data
2.3.1.2.3 Climate Analysis and Uncertainty
2.3.1.2.3.1 Climate Analysis
2.3.1.2.3.1.1 Nature and Sequence of Past and Future Climates
2.3.1.2.3.1.2 Selection of Analogue Meteorological Stations
2.3.1.2.3.2 Consideration of Uncertainty in the Climate Analysis
2.3.1.2.3.2.1 Uncertainty in Paleoclimate Interpretations

CONTENTS (Continued)

2.3.1.2.3.2.2 Uncertainty in the Climate Forecasting Approach
2.3.1.3 Infiltration
2.3.1.3.1 Conceptual Description of Infiltration Processes
2.3.1.3.1.1 Precipitation, Runoff, and Infiltration
2.3.1.3.1.2 Evapotranspiration
2.3.1.3.1.3 Geomorphology and Surficial Features
2.3.1.3.1.4 Factors Controlling Net Infiltration
2.3.1.3.2 Infiltration Data and Data Uncertainty
2.3.1.3.2.1 Infiltration Model Input Data
2.3.1.3.2.1.1 Weather Data
2.3.1.3.2.1.2 Geologic and Geographic Inputs
2.3.1.3.2.1.3 Soil Properties
2.3.1.3.2.1.4 Bedrock Properties
2.3.1.3.2.1.5 Vegetation Parameters
2.3.1.3.3 Infiltration Modeling and Uncertainty
2.3.1.3.3.1 MASSIF Model
2.3.1.3.3.1.1 Development of MASSIF Infiltration Model
2.3.1.3.3.1.2 Results of Net Infiltration for Present-Day and Forecast Future Climates
2.3.1.3.3.2 Consideration of Uncertainty in the Infiltration Model
2.3.1.3.3.2.1 Infiltration Uncertainty Analysis Methodology
2.3.1.3.3.2.2 Uncertainty in Infiltration Data and Parameters and Sensitivity of the Model Output to These Data and Parameters
2.3.1.3.4 Confidence Building and Abstraction of the Infiltration Model
2.3.1.3.4.1 Confidence Building During Model Development
2.3.1.3.4.2 Post-Model Development Validation
2.3.1.3.4.2.1 Corroboration of Model Results with Data
2.3.1.3.4.2.2 Comparison of Model Results with Other Models and Data from Comparable Environments
2.3.1.3.4.2.3 Corroboration of MASSIF Model Results with Other Alternative Mathematical Model Results
2.3.1.3.4.3 Model Abstraction
2.3.1.4 Conclusions
2.3.1.5 General References
2.3.2 Unsaturated Zone Flow
2.3.2.1 Summary and Overview
2.3.2.2 Conceptual Description of Unsaturated Zone Flow System

CONTENTS (Continued)

2.3.2.2.1 Overall Flow Patterns Within the Unsaturated Zone
2.3.2.2.1.1 Flow Through the TCw Unit
2.3.2.2.1.2 Flow Through the PTn Unit
2.3.2.2.1.3 Flow Through the TSw Unit
2.3.2.2.1.4 Flow Below the Repository
2.3.2.2.2 Specific Aspects of Unsaturated Zone Flow
2.3.2.2.2.1 Fracture–Matrix Interaction
2.3.2.2.2.2 Effect of Major Faults
2.3.2.2.2.3 Flow Focusing and Fast Flow Paths
2.3.2.2.2.4 Perched Water
2.3.2.2.2.5 Transient Flow
2.3.2.2.2.6 Thermal Processes
2.3.2.3 Data and Data Uncertainty
2.3.2.3.1 Geologic Setting and Hydrologic Units
2.3.2.3.2 Laboratory and In Situ Field Testing and Measurements
2.3.2.3.2.1 Measurement of Matrix Properties
2.3.2.3.2.2 In Situ Borehole Testing
2.3.2.3.2.3 Borehole Temperature Logging
2.3.2.3.2.4 Busted Butte Tests
2.3.2.3.2.5 Drift Scale Test
2.3.2.3.2.6 Alcove 1 Tests and Alcove 8–Niche 3 Crossover Tests
2.3.2.3.2.7 Air Permeability Testing, Pneumatic Testing, and Fracture Geometry Data
2.3.2.3.3 Hydrogeologic and Thermal Data
2.3.2.3.3.1 Hydrogeologic Data for the Rock Matrix
2.3.2.3.3.2 Hydrogeologic Data for Fractures
2.3.2.3.3.3 Hydrologic Data for Faults
2.3.2.3.3.4 Rock Thermal Properties
2.3.2.3.4 Geochemical Data
2.3.2.3.4.1 Geochemical Composition of Pore Water
2.3.2.3.4.2 Ages of Pore Water and Gas Samples
2.3.2.3.4.3 Isotopic Data
2.3.2.3.4.4 Fracture-Coating Minerals
2.3.2.3.5 Data Uncertainty
2.3.2.3.5.1 Uncertainties Associated with Climate
2.3.2.3.5.2 Uncertainties Associated with Geologic Data
2.3.2.3.5.3 Uncertainties Associated with Hydrologic Data
2.3.2.3.5.4 Uncertainties Associated with Major Faults
2.3.2.3.5.5 Uncertainties Associated with Geochemical Data

CONTENTS (Continued)

2.3.2.3.5.6 Uncertainties Associated with Lithophysal Cavities
2.3.2.4 Model and Model Uncertainty
2.3.2.4.1 Development of the Site-Scale Unsaturated Zone Flow Model
2.3.2.4.1.1 Conceptual Models and Numerical Approaches
2.3.2.4.1.1.1 Conceptual Model of Unsaturated Zone Flow
2.3.2.4.1.1.2 Modeling Approaches to Flow in the Unsaturated Zone
2.3.2.4.1.1.3 Active Fracture Model for Fracture–Matrix Interaction
2.3.2.4.1.1.4 Treatment of Heterogeneity
2.3.2.4.1.2 Numerical Models of Unsaturated Zone Flow
2.3.2.4.1.2.1 Introduction
2.3.2.4.1.2.2 Numerical Model Grids and Boundary Conditions
2.3.2.4.1.2.3 Calibration of Model Properties
2.3.2.4.1.2.3.1 Calibration Method
2.3.2.4.1.2.3.2 Calibration of Drift-Scale Parameters
2.3.2.4.1.2.3.3 Calibration of Site-Scale Parameters
2.3.2.4.1.2.3.4 Calibration of Fault Parameters
2.3.2.4.1.2.4 Ambient Flow Model
2.3.2.4.1.2.4.1 Model Boundary Conditions
2.3.2.4.1.2.4.2 Infiltration Scenarios
2.3.2.4.1.2.4.3 Model Parameters and Rock Properties
2.3.2.4.1.2.4.4 Three-Dimensional Calibration
2.3.2.4.1.2.4.5 Calibration of Water Flux Uncertainty at the Upper Boundary of the Unsaturated Zone Flow Model for Present-Day, Monsoon, and Glacial-Transition Climates
2.3.2.4.1.2.4.5.1 Prior Probabilities
2.3.2.4.1.2.4.5.2 Temperature and Chloride Observations and Conceptual Models
2.3.2.4.1.2.4.5.3 Temperature and Chloride Predictions
2.3.2.4.1.2.4.5.4 Likelihood Functions and Calculation of Weights
2.3.2.4.1.2.4.5.5 Results
2.3.2.4.1.2.4.5.6 Results Using Temperature or Chloride Data Sets Independently
2.3.2.4.1.2.4.5.7 Unsaturated Zone Expert Elicitation Findings
2.3.2.4.1.2.4.5.8 Weighting Factors for Future Climates
2.3.2.4.1.2.4.6 Model Simulation Results
2.3.2.4.1.2.5 Site-Scale Coupled Process Models

CONTENTS (Continued)

2.3.2.4.1.2.5.1 Site-Scale Thermal-Hydrologic Model
2.3.2.4.1.2.5.2 Site-Scale Thermal-Hydrologic-Chemical Model
2.3.2.4.1.2.5.3 Site-Scale Thermal-Hydrologic-Mechanical Model
2.3.2.4.2 Model Uncertainty
2.3.2.4.2.1 Alternative Conceptual Models
2.3.2.4.2.1.1 Flow through the PTn Unit
2.3.2.4.2.1.2 Episodic Flow
2.3.2.4.2.1.3 Perched Water and Flow in the CHn Unit
2.3.2.4.2.1.4 Flow through Faults
2.3.2.4.2.1.5 Discrete-Fracture Network Model
2.3.2.4.2.1.6 Film Flow
2.3.2.4.2.2 Data and Parameter Uncertainty
2.3.2.5 Confidence Building and Model Abstraction
2.3.2.5.1 Confidence Building
2.3.2.5.1.1 Consistency with Hydrologic and Temperature Data
2.3.2.5.1.2 Consistency with Geochemical Data
2.3.2.5.1.3 Consistency with In Situ Test Results
2.3.2.5.1.4 Consistency with Alternative Methods for Estimating Percolation Flux
2.3.2.5.1.5 Consistency with Thermal-Hydrologic Data
2.3.2.5.1.6 Consistency with Natural Analogues
2.3.2.5.1.6.1 Analogues for Ambient Flow
2.3.2.5.1.6.2 Analogues for Coupled Processes
2.3.2.5.2 Abstraction of Site-Scale Unsaturated Zone Flow for Present-Day and Future Climate States
2.3.2.6 Conclusions
2.3.2.7 General References
2.3.3 Water Seeping into Drifts
2.3.3.1 Summary and Overview
2.3.3.2 Ambient Seepage
2.3.3.2.1 Conceptual Description of Ambient Seepage Processes
2.3.3.2.1.1 Significance of Seepage for Repository Performance
2.3.3.2.1.2 Description of Ambient Seepage Process
2.3.3.2.1.3 Factors and Properties Affecting Ambient Seepage
2.3.3.2.1.4 Drift Degradation Effects
2.3.3.2.1.5 Modeling Approach
2.3.3.2.2 Data and Data Uncertainty
2.3.3.2.2.1 Seepage Testing

CONTENTS (Continued)

2.3.3.2.2.1.1 Liquid-Release Tests
2.3.3.2.2.1.2 Air Injection Tests
2.3.3.2.2.1.3 Relative Humidity Monitoring
2.3.3.2.2.1.4 Mass Balance in Niche 5
2.3.3.2.2.1.5 Alcove 8–Niche 3 Testing
2.3.3.2.2.1.6 Summary of Active Seepage Testing
2.3.3.2.2.2 Moisture Monitoring in the ECRB Cross-Drift and Alcove 7
2.3.3.2.2.2.1 Passive Hydrologic Tests
2.3.3.2.2.2.2 Evidence of Ventilation Effects
2.3.3.2.2.2.3 Observations Related to Wet Zones
2.3.3.2.2.2.4 Chemical and Isotopic Water Analyses
2.3.3.2.2.2.5 Summary of Moisture Monitoring in Drifts
2.3.3.2.2.3 Observation of Seepage Under Natural Conditions
2.3.3.2.2.3.1 Impact of Forced Ventilation on Seepage
2.3.3.2.2.3.2 Direct Observation of Seepage into the ESF South Ramp
2.3.3.2.2.4 Summary of Data and Data Uncertainty
2.3.3.2.3 Model and Model Uncertainty
2.3.3.2.3.1 General Approach for Ambient Seepage Modeling
2.3.3.2.3.2 Conceptual and Numerical Models of Seepage
2.3.3.2.3.3 Model Calibration and Validation
2.3.3.2.3.4 Prediction of Ambient Seepage
2.3.3.2.3.4.1 Seepage into Intact Emplacement Drifts
2.3.3.2.3.4.2 Seepage into Degraded Emplacement Drifts
2.3.3.2.3.4.3 Seepage Predictions for Alcove 8–Niche 3 Tests
2.3.3.2.3.5 Percolation Flux and Flow Focusing
2.3.3.2.3.6 Parameter and Model Uncertainty
2.3.3.2.3.6.1 Variability and Uncertainty of Capillary Strength
2.3.3.2.3.6.2 Variability and Uncertainty of Fracture Permeability
2.3.3.2.3.6.3 Variability and Uncertainty of Local Percolation Flux
2.3.3.2.3.6.4 Model Uncertainty
2.3.3.2.3.7 Alternative Conceptual Models of Ambient Seepage
2.3.3.2.3.7.1 Discrete-Fracture Network Model
2.3.3.2.3.7.2 Homogeneous Porous Medium Model
2.3.3.2.3.7.3 Seepage Governed by Ponding Probability
2.3.3.2.3.7.4 Inferring Seepage from Precipitates in Lithophysal Cavities

CONTENTS (Continued)

2.3.3.2.3.7.5 Inferring Seepage Threshold Directly from Liquid-Release Tests
2.3.3.2.3.7.6 Alternative Flow Focusing Model
2.3.3.2.3.8 Summary of Ambient Seepage Modeling
2.3.3.2.4 Ambient Component of Drift Seepage Abstraction
2.3.3.2.4.1 Probability Distributions for Seepage-Relevant Parameters
2.3.3.2.4.2 Ambient Seepage for Different Scenario Classes
2.3.3.2.4.2.1 Ambient Seepage for the Nominal Scenario
2.3.3.2.4.2.2 Ambient Seepage for Seismic Scenarios
2.3.3.2.4.2.3 Seepage for an Intruded Drift (Igneous Scenario)
2.3.3.2.4.2.4 Seepage During Preclosure Period
2.3.3.2.4.3 Ambient Seepage Lookup Tables
2.3.3.3 Thermal Seepage
2.3.3.3.1 Conceptual Description of Thermal-Hydrologic Processes
2.3.3.3.2 Data and Data Uncertainty
2.3.3.3.3 Model and Model Uncertainty
2.3.3.3.3.1 Thermal-Hydrologic Seepage Model
2.3.3.3.3.2 Thermal-Hydrologic Seepage Model Support
2.3.3.3.3.3 Model Uncertainty
2.3.3.3.3.4 Coupled Mechanical and Chemical Processes and Impact on Seepage
2.3.3.3.4 Thermal Component of Drift Seepage Abstraction
2.3.3.4 Total System Performance Assessment Implementation of Drift Seepage
2.3.3.4.1 General Approach
2.3.3.4.1.1 Nominal and Seismic Scenarios
2.3.3.4.1.2 Igneous Scenario
2.3.3.4.1.3 Early Failure Scenario
2.3.3.4.2 Example Calculation for Nominal and Seismic Scenarios
2.3.3.4.3 Seepage Calculations for ESF South Ramp Seepage Event
2.3.3.5 Analogue Observations
2.3.3.6 Conclusions
2.3.3.7 General References
2.3.4 Mechanical Degradation of the Engineered Barrier System
2.3.4.1 Summary and Overview
2.3.4.2 System Description and Model Integration
2.3.4.2.1 Summary Description of the Model

CONTENTS (Continued)

2.3.4.2.1.1 Summary Description of Seismic Scenario Class and Integration into the Total System Performance Assessment
2.3.4.3 Ground Motion and Fault Displacement Analyses
2.3.4.3.1 Probabilistic Seismic Hazard Analysis
2.3.4.3.2 Ground Motion Site-Response Analysis and Development of Time Histories
2.3.4.3.2.1 Conceptual Approach
2.3.4.3.2.2 Ground Motion Data and Data Uncertainty
2.3.4.3.2.3 Ground Motion Site-Response Model and Model Uncertainty
2.3.4.3.2.4 Abstraction
2.3.4.3.3 Characterization of Low-Probability Peak Horizontal Ground Velocity
2.3.4.3.3.1 Conceptual Approach
2.3.4.3.3.2 Data and Data Uncertainty
2.3.4.3.3.3 Model and Model Uncertainty
2.3.4.3.3.4 Abstraction for TSPA
2.3.4.3.3.5 Comparison to Supplemental Ground Motion Inputs for Preclosure Analyses
2.3.4.3.3.5.1 Comparison of Acceleration Response Spectra
2.3.4.3.3.5.2 Comparison of Horizontal PGV Hazard
2.3.4.4 Rockfall Analysis
2.3.4.4.1 Conceptual Description of Rockfall Analysis
2.3.4.4.2 Data and Data Uncertainty for Rockfall Analysis
2.3.4.4.2.1 Geology of Repository Host Horizon
2.3.4.4.2.2 In Situ Stress State
2.3.4.4.2.3 Geotechnical Data
2.3.4.4.2.3.1 Characterization of Fractures
2.3.4.4.2.3.2 Characteristics of Lithophysae
2.3.4.4.2.3.3 Mechanical Intact Rock Properties of Nonlithophysal and Lithophysal Rocks
2.3.4.4.2.3.3.1 Time and Rate Dependence of Intact Rock Strength
2.3.4.4.2.3.3.2 Effect of Sample Size and Anisotropy
2.3.4.4.2.3.3.3 Effect of Sample Saturation
2.3.4.4.2.3.3.4 Large-Core Laboratory Testing of Lithophysal Rocks
2.3.4.4.2.3.3.5 Summary of Mechanical Properties Laboratory Testing

CONTENTS (Continued)

2.3.4.4.2.3.4 In Situ Mechanical Testing of Nonlithophysal and Lithophysal Rock Mass Properties
2.3.4.4.2.3.5 Mechanical Properties of Fractures
2.3.4.4.2.3.6 Thermal Properties
2.3.4.4.2.3.6.1 Thermal Conductivity
2.3.4.4.2.3.6.2 Heat Capacity
2.3.4.4.2.3.6.3 Coefficient of Thermal Expansion
2.3.4.4.2.3.7 Base-Case Mechanical Property Sets for Rockfall Analysis
2.3.4.4.2.4 Data Uncertainty
2.3.4.4.3 Rockfall Analysis for In Situ and Thermal Stress Effects on Nonlithophysal and Lithophysal Units
2.3.4.4.3.1 Conceptual Approach for Analysis of In Situ and Thermal Stress
2.3.4.4.3.2 Results and Uncertainty Analysis for In Situ and Thermal Analysis
2.3.4.4.4 Rockfall Analysis for Seismic Effects on Nonlithophysal Units
2.3.4.4.4.1 Conceptual Approach
2.3.4.4.4.2 Development of the 3DEC Rockfall Analysis Model for Nonlithophysal Rock
2.3.4.4.4.3 Vibratory Ground Motion
2.3.4.4.4.4 Validation of the 3DEC Nonlithophysal Rockfall Model
2.3.4.4.4.5 Results and Sensitivity Studies
2.3.4.4.4.5.1 Results of Rockfall from Vibratory Ground Motion at Ambient Temperature
2.3.4.4.4.5.2 Sensitivity Study of the Input Parameters and Model Conditions
2.3.4.4.4.6 Consideration of Alternative Conceptual Models
2.3.4.4.5 Rockfall Analysis for Seismic Effects on Lithophysal Units
2.3.4.4.5.1 Conceptual Description for Modeling Lithophysal Units
2.3.4.4.5.2 Vibratory Ground Motion
2.3.4.4.5.3 Model Description and Model Uncertainty
2.3.4.4.5.3.1 Calibration of UDEC Discrete Element Model
2.3.4.4.5.3.2 Validation of UDEC Lithophysal Rockfall Model
2.3.4.4.5.4 Results for Vibratory Motion Analysis in Lithophysal Units
2.3.4.4.5.5 Evaluation of Alternative Models
2.3.4.4.6 Time-Dependent Degradation of Rock Mass Strength in Lithophysal Units
2.3.4.4.6.1 Conceptual Description of Analysis

CONTENTS (Continued)

2.3.4.4.6.2 Results of Time-Dependent Drift Degradation Analysis
2.3.4.4.6.3 Drip Shield Loading from Time-Dependent Drift Collapse Over Very Long Time Periods
2.3.4.4.6.3.1 Model Description and Evaluation of Alternative Methods
2.3.4.4.6.3.2 Static Loading to the Drip Shield from Caved Rock
2.3.4.4.7 Assumptions Used in Rockfall Models
2.3.4.4.8 Rockfall and Rubble Accumulation in the Emplacement Drifts
2.3.4.4.8.1 Conceptual Description of Rockfall and Rubble Accumulation in the Emplacement Drifts
2.3.4.4.8.2 Data and Data Uncertainty for Rockfall and Rubble Accumulation in the Emplacement Drifts
2.3.4.4.8.2.1 Lithophysal Rock Strength and Modulus
2.3.4.4.8.2.2 Rock Particle Size in the Lithophysal Rock
2.3.4.4.8.2.3 Fracture Patterns in the Nonlithophysal Rock
2.3.4.4.8.2.4 Ground Motions
2.3.4.4.8.2.5 Bulking Factor of the Rubble
2.3.4.4.8.3 Model and Model Uncertainty for Rockfall and Rubble Accumulation in the Emplacement Drifts
2.3.4.4.8.3.1 Rubble Accumulation in Lithophysal Zones
2.3.4.4.8.3.2 Rubble Accumulation in Nonlithophysal Zones
2.3.4.4.8.4 Abstraction of Rubble Volumes in Lithophysal Rock Units
2.3.4.4.8.5 Abstraction of Rubble Volumes in Nonlithophysal Rock Units
2.3.4.5 Structural Response of EBS Features to Mechanical Degradation
2.3.4.5.1 Failure Criteria Used in the Seismic Scenario Class
2.3.4.5.1.1 Engineered Barrier System Feature Description
2.3.4.5.1.2 Conceptual Description of Failure Mechanisms and Failure Criteria for EBS Components
2.3.4.5.1.2.1 Conceptual Description of Failure Through Formation of Stress Corrosion Cracks
2.3.4.5.1.2.2 Conceptual Description of Failure Through Tensile Rupture
2.3.4.5.1.2.3 Conceptual Description of Failure Through Buckling or Excessive Deformation of the Drip Shield Framework
2.3.4.5.1.3 Data and Data Uncertainty for Failure Criteria of the EBS Components

CONTENTS (Continued)

2.3.4.5.1.3.1 Mechanical Properties of Waste Package and Drip Shield Materials
2.3.4.5.1.3.2 Residual Stress Threshold Criteria
2.3.4.5.1.3.3 Tensile Rupture Criteria
2.3.4.5.1.3.4 Buckling and Large Plastic Deformations of the Drip Shield Framework
2.3.4.5.1.3.5 Breach Due to Fault Displacement
2.3.4.5.1.3.6 Thinning of the EBS Components Due to General Corrosion
2.3.4.5.1.4 Model and Model Uncertainty
2.3.4.5.1.4.1 Stress Corrosion Crack Networks
2.3.4.5.1.4.2 Tensile Rupture
2.3.4.5.1.5 Abstraction of Residual Stress Threshold and Crack Network Transport Area
2.3.4.5.1.6 Abstraction of Rupture Probability
2.3.4.5.2 Structural Response of the Waste Package and Drip Shield to Vibratory Ground Motion During Time Frame of Structurally-Intact Drip Shields
2.3.4.5.2.1 Waste Package Response to Vibratory Ground Motion for Intact Drip Shields
2.3.4.5.2.1.1 Conceptual Description of Analysis of Waste Package Response to Vibratory Ground Motion for Intact Drip Shields
2.3.4.5.2.1.2 Data and Data Uncertainty of Waste Package Response to Vibratory Ground Motion for Intact Drip Shields
2.3.4.5.2.1.2.1 Ground Motions and Friction Coefficients
2.3.4.5.2.1.2.2 Energy Dissipation on Impact
2.3.4.5.2.1.2.3 Physical Characteristics, Material Properties, and Failure Criteria for Waste Package
2.3.4.5.2.1.2.4 Dimensions and Masses of the Waste Package
2.3.4.5.2.1.2.5 Degradation of Waste Package Internals
2.3.4.5.2.1.2.6 General Corrosion Thinning of the Alloy 22 Outer Corrosion Barrier
2.3.4.5.2.1.3 Model and Model Uncertainty of Waste Package Response to Vibratory Ground Motion for Intact Drip Shields
2.3.4.5.2.1.3.1 Kinematic Analyses
2.3.4.5.2.1.3.2 Detailed Structural Analysis and Development of Damage Lookup Tables
2.3.4.5.2.1.3.3 Confidence-Building in the Kinematic Model

CONTENTS (Continued)

2.3.4.5.2.1.4 Damage and Rupture Abstractions for the TAD-Bearing and Codisposal Waste Packages
2.3.4.5.2.1.4.1 Damage and Rupture Abstractions for the TAD-Bearing Waste Package with Intact Internals and 23-mm-thick Outer Corrosion Barrier
2.3.4.5.2.1.4.2 Damage and Rupture Abstractions for the Codisposal Waste Package with Intact Internals and 23-mm-thick Outer Corrosion Barrier
2.3.4.5.2.1.4.3 Damage and Rupture Abstractions for the Codisposal Waste Package with Degraded Internals and 17-mm-thick Outer Corrosion Barrier
2.3.4.5.2.2 Drip Shield Damage in Response to Vibratory Ground Motion
2.3.4.5.2.2.1 Conceptual Description of Analysis for Damage to Drip Shield from Vibratory Ground Motion
2.3.4.5.2.2.2 Data and Data Uncertainty for Analysis of Damage to Drip Shield from Vibratory Ground Motion
2.3.4.5.2.2.2.1 Material Properties and Failure Criteria for Titanium Grade 7 and Grade 29
2.3.4.5.2.2.2.2 Corrosion Thinning of Drip Shield Plates and Framework
2.3.4.5.2.2.2.3 Rock Rubble Load
2.3.4.5.2.2.2.4 Rock Block Size in Nonlithophysal Zone
2.3.4.5.2.2.3 Model and Model Uncertainty for Analysis of Damage to Drip Shield from Vibratory Ground Motion
2.3.4.5.2.2.3.1 Damaged Area Results for the Lithophysal Zone
2.3.4.5.2.2.3.2 Static Rockfall Loads in the Lithophysal Zone
2.3.4.5.2.2.3.3 Damaged Area Results for the Nonlithophysal Zone
2.3.4.5.2.2.4 Models for Damage to Drip Shield from Vibratory Ground Motion
2.3.4.5.2.2.4.1 Damaged Area Model for the Lithophysal Zone
2.3.4.5.2.2.4.2 Damaged Area Model for the Nonlithophysal Zone
2.3.4.5.3 Drip Shield Fragility
2.3.4.5.3.1 Conceptual Description of Drip Shield Fragility

CONTENTS (Continued)

2.3.4.5.3.2 Data and Data Uncertainty for Drip Shield Fragility
2.3.4.5.3.2.1 Static Rockfall Rubble Load
2.3.4.5.3.2.2 Peak Ground Acceleration
2.3.4.5.3.2.3 Plastic Load Capacity of the Drip Shield Plates and Framework
2.3.4.5.3.3 Model and Model Uncertainty for Drip Shield Fragility
2.3.4.5.3.3.1 Ultimate Plastic Load Capacity of the Drip Shield Plates
2.3.4.5.3.3.2 Ultimate Plastic Load Capacity of the Drip Shield Framework
2.3.4.5.3.3.3 Alternative Modeling Approach—Dynamic Analysis of the Drip Shield and Rubble Under Vibratory Ground Motion
2.3.4.5.3.4 Abstraction for Probability of Drip Shield Plate and Framework Failure
2.3.4.5.4 Structural Analysis of the Waste Package After Drip Shield Failure
2.3.4.5.4.1 Conceptual Description of Analysis of Structural Analysis of the Waste Package After Drip Shield Failure
2.3.4.5.4.2 Data and Data Uncertainty of Structural Analysis of the Waste Package After Drip Shield Failure
2.3.4.5.4.2.1 Rock Rubble Load on Waste Package and Ground Motion Application
2.3.4.5.4.2.2 Alloy 22 Outer Corrosion Barrier Material Properties and Damage Criteria
2.3.4.5.4.2.3 Waste Package Outer Corrosion Barrier Thinning Due to General Corrosion
2.3.4.5.4.3 Model and Model Uncertainty of Structural Analysis of the Waste Package After Drip Shield Failure
2.3.4.5.4.3.1 Waste Package Surrounded by Rubble
2.3.4.5.4.3.1.1 Model
2.3.4.5.4.3.1.2 Results – Outer Corrosion Barrier Damage
2.3.4.5.4.3.2 Waste Package Loaded by a Collapsed Drip Shield
2.3.4.5.4.3.2.1 Results – Outer Corrosion Barrier Damage
2.3.4.5.4.4 Abstraction of Waste Package Damage and Rupture Potential After Drip Shield Failure
2.3.4.5.4.4.1 Abstraction of Waste Package Response After Drip Shield Buckling But Before Plate Rupture
2.3.4.5.4.4.2 Abstraction of Waste Package Response After Plate Rupture
2.3.4.5.5 Structural Response to Fault Displacement

CONTENTS (Continued)

2.3.4.5.5.1 Conceptual Description of Analysis
2.3.4.5.5.2 Data and Data Uncertainty
2.3.4.5.5.2.1 Clearances for EBS Components
2.3.4.5.5.2.1.1 Clearances with an Intact Drip Shield
2.3.4.5.5.2.1.2 Clearances with a Failed Drip Shield
2.3.4.5.5.2.2 Failure Criteria for EBS Components in Response to Fault Displacement
2.3.4.5.5.2.3 Faults Intersecting Emplacement Drifts
2.3.4.5.5.2.3.1 Location of Known Faults
2.3.4.5.5.2.3.2 Faulting at Generic Locations
2.3.4.5.5.2.4 Fault Displacement Hazards
2.3.4.5.5.3 Model and Model Uncertainty
2.3.4.5.5.4 Abstraction for Fault Damage
2.3.4.5.6 Postseismic Changes for the In-Drift Environment
2.3.4.5.6.1 Change in Seepage Flux into the Drift
2.3.4.5.6.2 Changes for a Collapsed Drift
2.3.4.6 Computational Algorithm for Seismic Scenario Class
2.3.4.6.1 Computational Approach
2.3.4.6.2 Validation of Seismic Damage Abstractions
2.3.4.7 Evaluation of Material Supporting Mechanical Disruption of the EBS
2.3.4.8 Conclusions
2.3.4.8.1 Summary of Significant Processes for Mechanical Degradation of the EBS
2.3.4.8.2 Summary of Key Uncertainties Associated with Mechanical Degradation of the EBS
2.3.4.8.3 Summary of Key Limitations/Conservatisms in Models Used to Assess Mechanical Degradation of the EBS.
2.3.4.8.4 Summary of Consistency Between TSPA Model Abstractions and Process Models
2.3.4.8.5 Summary of Key Output Parameters Provided to TSPA
2.3.4.9 General References
2.3.5 In-Drift Physical and Chemical Environment
2.3.5.1 Summary and Overview
2.3.5.2 Approach to Coupled Processes
2.3.5.2.1 Coupled Processes
2.3.5.2.2 Thermal-Hydrologic-Mechanical Coupled Processes
2.3.5.2.3 Thermal-Hydrologic-Chemical Coupled Processes
2.3.5.3 Near-Field Chemistry Model
2.3.5.3.1 Conceptual Description
2.3.5.3.1.1 Matrix Pore-Water Composition

CONTENTS (Continued)

2.3.5.3.1.2 Thermal-Hydrologic-Chemical Processes
2.3.5.3.2 Data and Data Uncertainty
2.3.5.3.2.1 Data Sources
2.3.5.3.2.2 Input Parameter Development
2.3.5.3.2.2.1 Input Parameter Descriptions
2.3.5.3.2.2.2 Input Parameter Uncertainty
2.3.5.3.3 Model and Model Uncertainty
2.3.5.3.3.1 Model Development and Alternative Conceptualizations
2.3.5.3.3.2 Model Description
2.3.5.3.3.2.1 Assumptions, Model Domain, and Boundary Conditions
2.3.5.3.3.2.2 Starting Pore-Water Compositions
2.3.5.3.3.2.3 Water–Rock Interactions
2.3.5.3.3.2.4 Treatment of Calcite and Silica Polymorphs
2.3.5.3.3.2.5 Treatment of Alkali Feldspar
2.3.5.3.3.2.6 Modeling the Evolution of the Thermal Field
2.3.5.3.3.2.7 Modeling Flow Through the TSw
2.3.5.3.3.2.8 Calculating the Amount of Feldspar Dissolved as Water Percolates through the Thermal Field
2.3.5.3.3.2.9 Liquid-Gas Exchange along the Flow Path
2.3.5.3.3.2.10 Predicting the Composition of Potential Seepage Waters
2.3.5.3.3.2.11 The In-Drift Gas Composition
2.3.5.3.3.3 Model Results
2.3.5.3.3.4 Model Limitations, Approximations, and Uncertainty
2.3.5.3.3.5 Model Support
2.3.5.3.3.5.1 Strontium Isotopic Data
2.3.5.3.3.5.2 Prediction of Ambient Pore-Water Compositional Trends and Alteration Mineral Assemblages
2.3.5.3.3.5.3 Comparisons to the Thermal-Hydrologic-Chemical Seepage Model
2.3.5.3.3.5.4 Comparison to Drift Scale Test Gas Phase Data
2.3.5.3.3.5.5 Summary of Near-Field Chemistry Model Confidence Building Activities
2.3.5.3.4 TSPA Implementation of the Near-Field Chemistry Model
2.3.5.4 In-Drift Thermal-Hydrologic Environment
2.3.5.4.1 Multiscale Thermal-Hydrologic Model
2.3.5.4.1.1 Conceptual Description
2.3.5.4.1.1.1 Thermal Hydrology in Repository Host Rock

CONTENTS (Continued)

2.3.5.4.1.1.2 Thermal Hydrology in Drifts
2.3.5.4.1.1.3 Time-Based Summary of Postclosure Thermal Regimes
2.3.5.4.1.2 Data and Data Uncertainty
2.3.5.4.1.2.1 Data Sources
2.3.5.4.1.2.2 Input Parameter Development
2.3.5.4.1.3 Model and Model Uncertainty
2.3.5.4.1.3.1 Model Description
2.3.5.4.1.3.2 Model Results
2.3.5.4.1.3.3 Model Support and Uncertainty
2.3.5.4.1.4 Model Abstraction
2.3.5.4.1.4.1 Abstraction Methodology
2.3.5.4.1.4.2 Abstraction Implementation in TSPA
2.3.5.4.2 In-Drift Condensation Model
2.3.5.4.2.1 Conceptual Description
2.3.5.4.2.2 Data and Data Uncertainty
2.3.5.4.2.3 Model and Model Uncertainty
2.3.5.4.2.3.1 Model Description and Limitations
2.3.5.4.2.3.2 Model Results
2.3.5.4.2.3.3 Model Uncertainty
2.3.5.4.2.3.4 Model Support
2.3.5.4.2.4 Model Abstraction and Implementation in the TSPA
2.3.5.4.3 Near-Field Response to the Range of Design Thermal Loadings
2.3.5.5 In-Drift Chemical Environment Models
2.3.5.5.1 Conceptual Description
2.3.5.5.2 Data and Data Uncertainty
2.3.5.5.3 Model and Model Uncertainty
2.3.5.5.3.1 Model Description
2.3.5.5.3.2 Seepage Evaporation Analyses and Results
2.3.5.5.3.3 Model Support and Uncertainty
2.3.5.5.3.3.1 Model Support
2.3.5.5.3.3.2 Model Uncertainty
2.3.5.5.4 Abstraction and TSPA Implementation
2.3.5.5.4.1 Gas Phase Composition
2.3.5.5.4.1.1 Oxygen Concentrations
2.3.5.5.4.1.2 Carbon Dioxide Concentrations
2.3.5.5.4.2 Seepage Evaporation Abstraction
2.3.5.5.4.2.1 Seepage Evaporation Abstraction Description

CONTENTS (Continued)

2.3.5.5.4.2.2 Seepage Evaporation Abstraction Support and Uncertainty
2.3.5.5.4.3 TSPA Implementation of the Seepage Evaporation Abstraction
2.3.5.6 Conclusions
2.3.5.7 General References
2.3.6 Waste Package and Drip Shield Corrosion
2.3.6.1 Summary and Overview
2.3.6.1.1 Processes Contributing to EBS Barrier Capability
2.3.6.1.2 Corrosion Test Environments and Relationship to In-Drift Chemical Environment
2.3.6.2 Implementation of the Waste Package and Drip Shield Corrosion Models in Total System Performance Assessment
2.3.6.2.1 Summary of Features, Events, and Processes Included in Waste Package and Drip Shield Corrosion Models
2.3.6.2.2 Waste Package Degradation Processes
2.3.6.2.3 Drip Shield Degradation Processes
2.3.6.2.4 Total System Performance Assessment Treatment of Corrosion Uncertainty
2.3.6.3 General Corrosion of the Waste Package Outer Barrier
2.3.6.3.1 Conceptual Description
2.3.6.3.2 Data and Data Uncertainty
2.3.6.3.2.1 Long-Term Weight-Loss Measurements
2.3.6.3.2.2 Temperature Dependence
2.3.6.3.2.3 Effect of Microbial Activity
2.3.6.3.3 Model and Model Uncertainty
2.3.6.3.3.1 General Corrosion Model
2.3.6.3.3.2 Microbially Influenced Corrosion
2.3.6.3.4 Abstraction and Adequacy
2.3.6.3.4.1 Abstraction for General Corrosion
2.3.6.3.4.2 Model Adequacy
2.3.6.4 Localized Corrosion of Waste Package
2.3.6.4.1 Conceptual Description
2.3.6.4.2 Data and Data Uncertainty
2.3.6.4.2.1 Open-Circuit Corrosion Potential Data
2.3.6.4.2.2 Cyclic Polarization Data
2.3.6.4.2.3 Localized Corrosion Propagation Rate Data
2.3.6.4.3 Model and Model Uncertainty
2.3.6.4.3.1 Localized Corrosion Initiation Model

CONTENTS (Continued)

2.3.6.4.3.1.1 Localized Corrosion Initiation Model Development
2.3.6.4.3.1.2 Localized Corrosion Initiation Model Results
2.3.6.4.3.1.3 Conservatism for Localized Corrosion Initiation Model
2.3.6.4.3.2 Localized Corrosion Propagation Model
2.3.6.4.3.2.1 Localized Corrosion Constant Propagation Model
2.3.6.4.3.2.2 Alternative Conceptual Model for Time-Dependent Propagation Rate
2.3.6.4.4 Abstraction and Adequacy
2.3.6.4.4.1 Abstracted Model for Localized Corrosion
2.3.6.4.4.2 Localized Corrosion Model Adequacy
2.3.6.4.4.2.1 Localized Corrosion Initiation Model Adequacy
2.3.6.4.4.2.2 Localized Corrosion Propagation Model Adequacy
2.3.6.5 Stress Corrosion Cracking of the Waste Package Outer Barrier
2.3.6.5.1 Conceptual Description
2.3.6.5.2 Data and Data Uncertainty
2.3.6.5.2.1 Threshold Stress Criterion for Initiation of Stress Corrosion Cracking
2.3.6.5.2.1.1 Constant-Load Crack-Initiation Tests
2.3.6.5.2.1.2 Slow Strain Rate Testing in Concentrated Brines
2.3.6.5.2.1.3 U-Bend SCC Initiation Tests
2.3.6.5.2.2 Weld Flaws and Incipient Cracks
2.3.6.5.2.3 Stress and Stress Intensity Factor Profiles
2.3.6.5.2.4 Stress Corrosion Crack Growth Rates for Alloy 22
2.3.6.5.3 Model and Model Uncertainty
2.3.6.5.3.1 Weld Flaw Analysis
2.3.6.5.3.2 Stress Corrosion Cracking Model
2.3.6.5.3.3 Alternative Conceptual Model
2.3.6.5.4 Abstraction and Adequacy
2.3.6.5.4.1 Waste Package Stress Corrosion Cracking Abstraction and Uncertainty
2.3.6.5.4.2 Model Adequacy
2.3.6.6 Early Failure of Waste Packages
2.3.6.6.1 Conceptual Description
2.3.6.6.2 Data and Data Uncertainty
2.3.6.6.2.1 Possible Defects Identified from Literature
2.3.6.6.2.2 Human Error Probability Data

CONTENTS (Continued)

2.3.6.6.3 Analysis and Uncertainty
2.3.6.6.3.1 Evaluation of Defect Types
2.3.6.6.3.2 Determination of Early Failure Probability
2.3.6.6.3.2.1 Improper Base Metal Selection
2.3.6.6.3.2.2 Improper Weld Filler Material Selection
2.3.6.6.3.2.3 Improper Heat Treatment of Outer Corrosion Barrier
2.3.6.6.3.2.4 Improper Heat Treatment of Outer Lid
2.3.6.6.3.2.5 Improper Low-Plasticity Burnishing
2.3.6.6.3.2.6 Improper Handling
2.3.6.6.3.2.7 Early Waste Package Failure Probability
2.3.6.6.4 Abstraction and Adequacy
2.3.6.6.4.1 Abstraction
2.3.6.6.4.2 Abstraction Adequacy
2.3.6.7 Effects of Long-Term Thermal Aging and Phase Stability of Alloy 22
2.3.6.7.1 Conceptual Description
2.3.6.7.2 Data and Data Uncertainty
2.3.6.7.2.1 Experimental Results
2.3.6.7.2.2 Data Uncertainty
2.3.6.7.3 Model and Model Uncertainty
2.3.6.7.3.1 Thermal Aging Model
2.3.6.7.3.2 Alternative Conceptual Model
2.3.6.7.3.3 Natural Analogues
2.3.6.7.4 Summary
2.3.6.7.5 Effect of Aging and Phase Stability on Corrosion Behavior
2.3.6.8 Drip Shield Degradation
2.3.6.8.1 General Corrosion
2.3.6.8.1.1 Conceptual Description
2.3.6.8.1.2 Data and Data Uncertainty
2.3.6.8.1.2.1 Weight-Loss Data
2.3.6.8.1.2.2 Microbially Influenced Corrosion Data
2.3.6.8.1.3 Model and Model Uncertainty
2.3.6.8.1.4 Drip Shield General Corrosion Model Abstraction
2.3.6.8.1.5 General Corrosion Model Adequacy
2.3.6.8.2 Localized Corrosion
2.3.6.8.2.1 Conceptual Description
2.3.6.8.2.2 Data
2.3.6.8.2.3 Localized Corrosion Model
2.3.6.8.2.4 Localized Corrosion Model Adequacy

CONTENTS (Continued)

2.3.6.8.3 Stress Corrosion Cracking of Drip Shield
2.3.6.8.4 Drip Shield Early Failure
2.3.6.8.4.1 Conceptual Description
2.3.6.8.4.2 Data and Data Uncertainty
2.3.6.8.4.3 Analysis and Uncertainty
2.3.6.8.4.3.1 Evaluation of Defect Types
2.3.6.8.4.3.2 Determination of Early Failure Probability
2.3.6.8.4.3.2.1 Base Metal Flaws
2.3.6.8.4.3.2.2 Improper Weld Filler Material
2.3.6.8.4.3.2.3 Improper Heat Treatment
2.3.6.8.4.3.2.4 Improper Drip Shield Installation
2.3.6.8.4.3.2.5 Early Drip Shield Failure Probability
2.3.6.8.4.4 Abstraction and Adequacy
2.3.6.8.4.4.1 Abstraction
2.3.6.8.4.4.2 Abstraction Adequacy
2.3.6.8.5 Creep Deformation
2.3.6.8.6 Aging and Phase Stability
2.3.6.9 Conclusions
2.3.6.9.1 Summary of Significant Processes for EBS Barrier Capability
2.3.6.9.2 Key Uncertainties Associated with Barrier Capability
2.3.6.9.3 Key Conservatisms in Models Used to Assess Barrier Capability
2.3.6.9.4 Summary of Key Abstraction Parameters Provided to TSPA and Consistency with Process Models
2.3.6.10 General References
2.3.7 Waste Form Degradation and Mobilization and Engineered Barrier System Flow and Transport
2.3.7.1 Summary and Overview
2.3.7.2 Summary of FEPs Evaluated in Waste Form Degradation and In-Drift Radionuclide Transport Models
2.3.7.3 Implementation of Conceptual Models
2.3.7.3.1 Nominal and Early Failure Scenario Classes
2.3.7.3.2 Waste Form Degradation and Radionuclide Transport in the Seismic Scenario Class
2.3.7.3.3 Waste Form Degradation and Radionuclide Transport in the Igneous Scenario
2.3.7.4 Radionuclide Inventory
2.3.7.4.1 Conceptual Description
2.3.7.4.1.1 Waste Packaging and Waste Types to Be Disposed
2.3.7.4.1.2 Radionuclide Screening and Radionuclide Inventory

CONTENTS (Continued)

2.3.7.4.2 Data and Data Uncertainty
2.3.7.4.2.1 Commercial SNF Inventory Data and Data Uncertainty
2.3.7.4.2.2 U.S. Department of Energy SNF Inventory Data and Data Uncertainty
2.3.7.4.2.3 HLW Inventory Data and Data Uncertainty
2.3.7.4.3 Abstraction and Results
2.3.7.5 In-Package Water Chemistry
2.3.7.5.1 Conceptual Description of the In-Package Water Chemistry
2.3.7.5.2 Data and Data Uncertainty of the In-Package Water Chemistry
2.3.7.5.3 Model and Model Uncertainty
2.3.7.5.3.1 Results and Abstraction
2.3.7.5.3.2 Validation
2.3.7.6 Commercial Spent Nuclear Fuel Cladding Degradation
2.3.7.7 Commercial Spent Nuclear Fuel Degradation
2.3.7.7.1 Conceptual Description of Commercial Spent Nuclear Fuel Degradation
2.3.7.7.2 Data and Data Uncertainty
2.3.7.7.3 Model, Model Uncertainty, Abstraction, and Results
2.3.7.7.3.1 Model for Release of Gap and Grain Boundary Inventory
2.3.7.7.3.2 Model of Radionuclide Release from Matrix
2.3.7.8 U. S. Department of Energy Spent Nuclear Fuel Degradation
2.3.7.8.1 Conceptual Description
2.3.7.8.2 Data and Data Uncertainty
2.3.7.8.3 Model, Model Uncertainty, Abstraction, and Results
2.3.7.9 High-Level Radioactive Waste Glass Dissolution
2.3.7.9.1 Conceptual Description
2.3.7.9.2 Data and Data Uncertainty
2.3.7.9.3 Model, Model Uncertainty, Abstraction and Results
2.3.7.9.3.1 Uncertainty in the HLW Glass Dissolution Model
2.3.7.9.3.2 Model Validation
2.3.7.10 Dissolved Radionuclide Concentration Limits
2.3.7.10.1 Conceptual Description
2.3.7.10.2 Data and Data Uncertainty
2.3.7.10.3 Model, Model Uncertainty, Abstraction and Results
2.3.7.10.3.1 Plutonium
2.3.7.10.3.2 Neptunium
2.3.7.10.3.3 Uranium
2.3.7.10.3.4 Thorium

CONTENTS (Continued)

2.3.7.10.3.5 Americium
2.3.7.10.3.6 Protactinium
2.3.7.10.3.7 Radium
2.3.7.10.3.8 Technetium, Carbon, Iodine, Cesium, Strontium, Selenium, and Chlorine
2.3.7.11 Colloidal Radionuclide Availability
2.3.7.11.1 Conceptual Description
2.3.7.11.2 Data and Data Uncertainty
2.3.7.11.2.1 Tests on Commercial Spent Nuclear Fuel, U. S. Department of Energy Spent Nuclear Fuel, and High-Level Radioactive Waste Glass
2.3.7.11.2.2 Tests to Examine Colloid Generation from Steel Corrosion
2.3.7.11.2.3 Tests to Characterize Seepage Water Colloids
2.3.7.11.2.4 Radionuclide Sorption Data
2.3.7.11.3 Model and Model Uncertainty
2.3.7.11.3.1 Validation
2.3.7.11.3.2 Alternative Conceptual Models
2.3.7.12 Engineered Barrier System Flow and Transport Model
2.3.7.12.1 Conceptual Description
2.3.7.12.2 Data and Data Uncertainty
2.3.7.12.3 Model and Model Uncertainty
2.3.7.12.3.1 EBS Flow
2.3.7.12.3.2 EBS Transport
2.3.7.12.3.3 Model Uncertainties
2.3.7.12.3.4 Model Validation
2.3.7.12.3.5 Alternative Conceptual Models
2.3.7.13 Conclusions
2.3.7.13.1 Summary of Significant Processes for EBS Capability
2.3.7.13.2 Summary of Key Uncertainties Associated with EBS Capability
2.3.7.13.3 Summary of Key Conservatisms in Models Used to Assess EBS Capability
2.3.7.13.4 Summary of Consistency Between TSPA Model Abstractions and Process Models
2.3.7.13.5 Summary of Key Outputs Provided to the TSPA
2.3.7.14 General References
2.3.8 Radionuclide Transport in Unsaturated Zone
2.3.8.1 Summary and Overview
2.3.8.2 Conceptual Description of Unsaturated Zone Transport Processes

CONTENTS (Continued)

2.3.8.2.1 Relationship of Radionuclide Transport to Other Components of the Repository System
2.3.8.2.2 Conceptual Description of Unsaturated Zone Radionuclide Transport Processes
2.3.8.2.2.1 Advection, Matrix Diffusion, and Dispersion
2.3.8.2.2.2 Sorption
2.3.8.2.2.3 Colloid Transport
2.3.8.2.3 Temperature Effects on Transport Properties
2.3.8.3 Data and Data Uncertainty
2.3.8.3.1 Laboratory Sorption Measurements
2.3.8.3.2 Laboratory Matrix Diffusion Measurements
2.3.8.3.3 Field Test Observations
2.3.8.3.3.1 Busted Butte Test Series
2.3.8.3.3.1.1 Phase 1A Test
2.3.8.3.3.1.2 Phase 1B Tests
2.3.8.3.3.1.3 Phase 2 Tests
2.3.8.3.3.1.4 Results of Busted Butte Test Series
2.3.8.3.3.1.5 Radionuclide Migration Experiments Using Tuff Samples from Busted Butte
2.3.8.3.3.2 Alcove 8–Niche 3 Test
2.3.8.3.3.2.1 Alcove 8–Niche 3 Fault Test
2.3.8.3.3.2.2 Alcove 8–Niche 3 Large Plot Test
2.3.8.3.3.3 Alcove 1 Tests
2.3.8.3.4 Colloid Data Sources and Testing
2.3.8.3.5 Chlorine-36
2.3.8.4 Model Development
2.3.8.4.1 Framework for Unsaturated Zone Transport
2.3.8.4.2 Alternative Conceptual and Numerical Models of Unsaturated Zone Radionuclide Transport
2.3.8.4.3 Description of the Unsaturated Zone Radionuclide Transport Process Model
2.3.8.4.4 Building Confidence in the Unsaturated Zone Radionuclide Transport Process Model
2.3.8.4.4.1 Busted Butte Phase 1A Test
2.3.8.4.4.2 Busted Butte Phase 1B Test
2.3.8.4.4.3 Busted Butte Phase 2C Test
2.3.8.4.4.4 Alcove 8–Niche 3 Test
2.3.8.4.4.4.1 Alcove 8–Niche 3 Fault Test
2.3.8.4.4.4.2 Alcove 8–Niche 3 Large Plot Test
2.3.8.4.4.4.3 Implications of Alcove 8–Niche 3 Tests

CONTENTS (Continued)

2.3.8.4.4.5 Modeling of the Alcove 1 Test Results
2.3.8.4.4.6 Other Data and Natural Analogues Used for Model Confidence
2.3.8.4.5 Impacts of Uncertainties and Variabilities
2.3.8.4.5.1 Variability in Flow Paths and Transport Times
2.3.8.4.5.2 Uncertainties in Matrix Diffusion and Fracture–Matrix Interaction
2.3.8.4.5.3 Uncertainties in Sorption
2.3.8.4.5.4 Uncertainties in Colloid Filtration
2.3.8.4.5.5 Impacts of Climate Variabilities and Uncertainties
2.3.8.5 Model Abstraction
2.3.8.5.1 Particle-Tracking Methodology
2.3.8.5.2 Transport Mechanisms and Associated Inputs Required for Model Abstraction
2.3.8.5.2.1 Advection
2.3.8.5.2.2 Dispersion
2.3.8.5.2.3 Sorption
2.3.8.5.2.4 Matrix Diffusion
2.3.8.5.2.5 Colloid-Facilitated Transport
2.3.8.5.2.6 Radioactive Decay
2.3.8.5.3 Radionuclide Transport under Future Climatic Conditions
2.3.8.5.4 Comparison of Transport of Radionuclide Species
2.3.8.5.5 Sensitivity Analyses of the Unsaturated Zone Radionuclide Transport Abstraction Model
2.3.8.5.5.1 Uncertainty in Transport Parameters and Models
2.3.8.5.5.2 Sensitivity to Hydrologic Properties
2.3.8.5.5.3 Sensitivity to Fracture–Matrix Interaction Parameters
2.3.8.5.6 Building Confidence in the Unsaturated Zone Radionuclide Transport Abstraction Model
2.3.8.5.6.1 Sensitivity to Numerical Approach for Treating Fracture–Matrix Interaction
2.3.8.5.6.2 Comparison with the Unsaturated Zone Radionuclide Transport Process Model
2.3.8.6 Conclusions
2.3.8.7 General References
2.3.9 Saturated Zone Flow and Transport
2.3.9.1 Summary and Overview
2.3.9.2 Saturated Zone Flow System
2.3.9.2.1 Conceptual Description
2.3.9.2.2 Data and Data Uncertainty

CONTENTS (Continued)

2.3.9.2.2.1 Hydrogeologic Properties
2.3.9.2.2.2 Hydrogeologic Framework
2.3.9.2.2.3 Groundwater Recharge, Discharge, and Volumetric Flow Rates at the Boundaries of the Site-Scale Saturated Zone Flow Model
2.3.9.2.2.4 Water Level Data and Potentiometric Surface
2.3.9.2.2.5 Geochemistry
2.3.9.2.2.6 Expert Elicitation
2.3.9.2.3 Site-Scale Saturated Zone Flow Model and Model Uncertainty
2.3.9.2.3.1 Site-Scale Saturated Zone Flow Model Development
2.3.9.2.3.2 Site-Scale Saturated Zone Flow Model Calibration
2.3.9.2.3.3 Calibration Results
2.3.9.2.3.4 Site-Scale Saturated Zone Model Uncertainty and Sensitivity Analyses
2.3.9.2.3.5 Uncertainty in Specific Discharge
2.3.9.2.3.6 Parameter Uncertainty
2.3.9.2.4 Model Abstraction and Confidence Building
2.3.9.2.4.1 Model Abstraction
2.3.9.2.4.2 Confidence Building
2.3.9.3 Saturated Zone Radionuclide Transport
2.3.9.3.1 Conceptual Description
2.3.9.3.2 Data and Data Uncertainty
2.3.9.3.2.1 Advection, Matrix Diffusion, and Dispersion Processes and Parameters
2.3.9.3.2.2 Radionuclide Sorption Parameters and Mineral Precipitation Effects
2.3.9.3.2.3 Colloid-Facilitated Transport
2.3.9.3.2.3.1 Test Results for Radionuclide Sorption onto Colloids
2.3.9.3.2.3.2 Test Results for Colloid Concentration in Groundwater
2.3.9.3.2.3.3 Test Results for Colloid Transport in Fractured Volcanic Rock
2.3.9.3.2.3.4 Test Results for Colloid Transport in Alluvial Material
2.3.9.3.2.3.5 Estimates of Fractions of Colloids Transporting with No Retardation
2.3.9.3.3 Site-Scale Saturated Zone Transport Model and Model Uncertainty
2.3.9.3.3.1 Site-Scale Saturated Zone Transport Model Development

CONTENTS (Continued)

2.3.9.3.3.2 Description of the Uncertainty Incorporated into the Model
2.3.9.3.3.3 Consideration of Alternative Conceptual Models
2.3.9.3.3.3.1 Fluid Flow in Matrix Blocks
2.3.9.3.3.3.2 Irreversible Sorption onto Volcanic Rocks and Alluvium
2.3.9.3.3.3.3 Sorption Reactions that are not Instantaneous
2.3.9.3.3.3.4 Water Table Rise
2.3.9.3.3.3.5 Locally Varying Sorption Parameters
2.3.9.3.3.3.6 Channeling in Alluvium
2.3.9.3.3.3.7 Diffusion into Low-Permeability Zones in the Alluvium
2.3.9.3.3.3.8 Alternative Site-Scale Saturated Zone Flow Model
2.3.9.3.3.3.9 Minimal Matrix Diffusion
2.3.9.3.3.4 Data/Parameter Uncertainty
2.3.9.3.4 Model Abstraction and Confidence Building
2.3.9.3.4.1 The Saturated Zone Transport Abstraction Model
2.3.9.3.4.1.1 Methods and Results
2.3.9.3.4.1.2 Abstraction Model and Process Model Comparison
2.3.9.3.4.1.3 Comparison of Site-Scale Saturated Zone Transport Model Results to Empirical Observation
2.3.9.3.4.1.4 Analogues to Saturated Zone Radionuclide Transport
2.3.9.3.4.1.4.1 Colloidal Transport in the Saturated Zone
2.3.9.3.4.1.4.2 Uranium Studies
2.3.9.3.4.2 Saturated Zone One-Dimensional Transport Model
2.3.9.3.4.2.1 Saturated Zone One-Dimensional Transport Model Abstraction
2.3.9.3.4.2.2 Saturated Zone One-Dimensional Abstraction Model and Process Model Comparison
2.3.9.4 Conclusions
2.3.9.5 General References
2.3.10 Biosphere Transport and Exposure
2.3.10.1 Summary and Overview
2.3.10.2 Conceptual Model of Biosphere Transport, Receptor, and Receptor Exposure
2.3.10.2.1 Information Used to Characterize the Reference Biosphere

CONTENTS (Continued)

2.3.10.2.2 Information Used to Characterize the Reasonably Maximally Exposed Individual
2.3.10.2.3 Radionuclide Transport and Exposure Pathways
2.3.10.2.4 Radioactive Decay and Ingrowth in the Biosphere
2.3.10.2.5 Conceptual Model for the Groundwater Exposure Scenario
2.3.10.2.6 Conceptual Model for the Volcanic Ash Exposure Scenario
2.3.10.3 Data and Data Uncertainty
2.3.10.3.1 Groundwater Exposure Scenario
2.3.10.3.1.1 Surface Soil Submodel
2.3.10.3.1.2 Air Submodel
2.3.10.3.1.3 Plant Uptake Submodel
2.3.10.3.1.4 Animal Uptake Submodel
2.3.10.3.1.5 Fish Uptake Submodel
2.3.10.3.1.6 ^{14}C Submodel
2.3.10.3.1.7 External Exposure Submodel
2.3.10.3.1.8 Inhalation Submodel
2.3.10.3.1.9 Ingestion Submodel
2.3.10.3.2 Volcanic Ash Exposure Scenario
2.3.10.3.2.1 Surface Soil Submodel
2.3.10.3.2.2 Air Submodel
2.3.10.3.2.3 Plant Uptake Submodel
2.3.10.3.2.4 Animal Uptake Submodel
2.3.10.3.2.5 External Exposure Submodel
2.3.10.3.2.6 Inhalation Submodel
2.3.10.3.2.7 Ingestion Submodel
2.3.10.4 Model Uncertainty
2.3.10.4.1 Conceptual Model Uncertainty
2.3.10.4.2 Mathematical Model Uncertainty
2.3.10.5 Abstraction
2.3.10.5.1 Groundwater Exposure Scenario
2.3.10.5.1.1 Biosphere Dose Conversion Factors
2.3.10.5.1.2 Individual Protection Standards Dose Calculations—Groundwater Exposure Scenario
2.3.10.5.2 Volcanic Ash Exposure Scenario
2.3.10.5.2.1 Biosphere Dose Conversion Factors
2.3.10.5.2.2 Individual Protection Standard Dose Calculations—Volcanic Ash Exposure Scenario
2.3.10.6 Conclusions
2.3.10.7 General References

CONTENTS (Continued)

2.3.11 Igneous Activity
2.3.11.1 Summary and Overview
2.3.11.2 System Description and Integration
2.3.11.2.1 Conceptual Model of Igneous Activity
2.3.11.2.1.1 Igneous Framework
2.3.11.2.1.2 Igneous Processes
2.3.11.2.1.3 Postigneous Processes
2.3.11.2.2 Probability of an Igneous Event Intersecting the Repository Footprint
2.3.11.2.2.1 Definition of Event
2.3.11.2.2.2 Process Used for Probabilistic Volcanic Hazard Analysis
2.3.11.2.2.3 Probability of Future Igneous Intersection of the Repository
2.3.11.2.2.4 Probability Model Support
2.3.11.2.2.5 Geologic Basis for the Probabilistic Volcanic Hazard Analysis
2.3.11.2.2.6 Alternative Estimates of the Intersection Probability
2.3.11.2.3 Model Integration
2.3.11.3 Igneous Intrusion Modeling Case
2.3.11.3.1 Conceptual Model
2.3.11.3.2 Model and Analysis Descriptions
2.3.11.3.2.1 Natural and Induced Stresses at the Repository
2.3.11.3.2.2 Dike Propagation from Depth
2.3.11.3.2.3 Magma Flow in Drifts
2.3.11.3.2.4 Effects on Waste Packages and Waste Forms
2.3.11.3.2.5 Secondary Dike Propagation
2.3.11.3.2.6 Magma Flow between Drifts
2.3.11.3.2.7 Waste Packages Compromised During Igneous Intrusion
2.3.11.3.2.8 Heat Flow and Magma Cooling
2.3.11.3.2.9 Percolation Flux Through Cooled Basalt
2.3.11.3.3 Data Uncertainty
2.3.11.3.3.1 Natural and Induced Stresses at the Repository
2.3.11.3.3.2 Dike Propagation from Depth
2.3.11.3.3.3 Magma Flow in Drifts
2.3.11.3.3.4 Effects on Waste Packages and Waste Forms
2.3.11.3.3.5 Secondary Dike Propagation
2.3.11.3.3.6 Magma flow Between Drifts

CONTENTS (Continued)

2.3.11.3.3.7 Waste Packages Compromised During an Igneous Intrusion
2.3.11.3.3.8 Heat Flow and Magma Cooling
2.3.11.3.3.9 Percolation Flux through Cooled Basalt
2.3.11.3.4 Model and Analysis Uncertainty and Alternative Models
2.3.11.3.4.1 Natural and Induced Stresses at the Repository
2.3.11.3.4.2 Dike Propagation from Depth
2.3.11.3.4.3 Magma Flow in Drifts
2.3.11.3.4.4 Secondary Dike Propagation
2.3.11.3.4.5 Magma Flow Between Drifts
2.3.11.3.4.6 Effects on Waste Packages and Waste Forms
2.3.11.3.4.7 Waste Packages Compromised During an Igneous Intrusion
2.3.11.3.4.8 Heat Flow and Magma Cooling
2.3.11.3.4.9 Percolation Flux Through Cooled Basalt
2.3.11.3.5 Igneous Intrusion Model Abstraction
2.3.11.4 Volcanic Eruption Modeling Case
2.3.11.4.1 Conceptual Model
2.3.11.4.1.1 Eruption Model
2.3.11.4.1.1.1 Number of Waste Packages Intersected by Eruptive Conduits
2.3.11.4.1.1.2 Atmospheric Dispersal and Deposition of Tephra
2.3.11.4.1.1.3 Tephra Redistribution
2.3.11.4.2 Model/Analysis Description
2.3.11.4.2.1 Number of Waste Packages Intersected by Conduits During an Eruption
2.3.11.4.2.1.1 Formulation
2.3.11.4.2.1.2 Analysis Parameters
2.3.11.4.2.1.3 Results
2.3.11.4.2.2 Atmospheric Dispersal and Deposition of Tephra
2.3.11.4.2.2.1 Formulation
2.3.11.4.2.2.2 Model Parameters
2.3.11.4.2.2.3 Results
2.3.11.4.2.3 Tephra Redistribution
2.3.11.4.2.3.1 Formulation
2.3.11.4.2.3.2 Model Parameters
2.3.11.4.2.3.3 Model Results
2.3.11.4.3 Data Uncertainty
2.3.11.4.3.1 Number of Waste Packages Intersected by Eruptive Conduits

CONTENTS (Continued)

2.3.11.4.3.2 Atmospheric Dispersal and Deposition of Tephra
2.3.11.4.4 Model and Analysis Uncertainty and Alternative Models
2.3.11.4.4.1 Number of Waste Packages Intersected by Eruptive Conduits
2.3.11.4.4.2 Atmospheric Dispersal and Deposition of Tephra
2.3.11.4.4.3 Tephra Redistribution
2.3.11.4.5 Volcanic Eruption Model Abstraction
2.3.11.4.5.1 Number of Waste Packages Intersected by Eruptive Conduits
2.3.11.4.5.2 Atmospheric Dispersal and Deposition of Tephra
2.3.11.4.5.3 Tephra Redistribution
2.3.11.5 Summary of Igneous Scenario Class Model Abstraction
2.3.11.6 Conclusions
2.3.11.6.1 Igneous Features, Events, and Processes
2.3.11.6.2 Probability of Future Intersection and Consequences
2.3.11.6.3 Uncertainties Associated with Igneous Activity
2.3.11.6.4 Assumptions in Models Used to Assess Igneous Activity
2.3.11.6.5 Conservatism in Models Used to Assess Igneous Activity
2.3.11.6.6 Summary of Consistency Between TSPA Model Abstractions and Process Models
2.3.11.6.7 Summary of Key Output Parameters Provided to TSPA
2.3.11.7 General References
2.4 DEMONSTRATION OF COMPLIANCE WITH THE POSTCLOSURE PUBLIC HEALTH AND ENVIRONMENTAL STANDARDS
2.4.1 Total System Performance Assessment Model
2.4.1.1 TSPA Method and Approach
2.4.1.2 Scenario Classes and Modeling Cases
2.4.1.2.1 Nominal Scenario Class
2.4.1.2.2 Early Failure Scenario Class
2.4.1.2.3 Igneous Scenario Class
2.4.1.2.4 Seismic Scenario Class
2.4.1.3 TSPA Computational Structure
2.4.1.4 Summary of TSPA Model
2.4.1.5 Summary of TSPA Model Results
2.4.2 Demonstration of Compliance with the Postclosure Individual Protection Standard
2.4.2.1 Scenario Classes and Modeling Cases Used in the Calculation of Annual Dose
2.4.2.1.1 Treatment of Aleatory and Epistemic Uncertainty
2.4.2.1.2 Calculation of Total Mean and Median Annual Dose

CONTENTS (Continued)

2.4.2.1.3 Event and Scenario Classes
2.4.2.1.4 Total Expected Annual Dose Approximations
2.4.2.1.5 Modeling Cases
2.4.2.1.5.1 Nominal Scenario Class
2.4.2.1.5.2 Early Failure Scenario Class
2.4.2.1.5.3 Igneous Scenario Class
2.4.2.1.5.4 Seismic Scenario Class
2.4.2.1.6 Scenario Class Probabilities
2.4.2.1.7 Overestimation in Annual Dose Arising from the Linearity Assumption
2.4.2.1.7.1 Intersection of Nominal Scenario Class with Other Scenario Classes
2.4.2.1.7.2 Intersection of Early-Failure Scenario Class with Other Scenario Classes
2.4.2.1.7.3 Intersection of Igneous Scenario Class with Other Scenario Classes
2.4.2.1.7.4 Intersection of Seismic Scenario Class with Other Scenario Classes
2.4.2.1.8 Conclusion
2.4.2.2 Evaluation of Annual Dose to the RMEI with Respect to the Postclosure Individual Protection Standard
2.4.2.2.1 Annual Dose to the Reasonably Maximally Exposed Individual
2.4.2.2.1.1 Quantitative Results for Total Mean or Median Annual Dose
2.4.2.2.1.1.1 Total Annual Dose, with Associated Uncertainty
2.4.2.2.1.1.2 Contribution of Modeling Cases to Total Mean Annual Dose
2.4.2.2.1.1.3 Radionuclides Important to Postclosure Performance
2.4.2.2.1.2 Expected Annual Doses for the Individual Modeling Cases
2.4.2.2.1.2.1 Nominal Modeling Case
2.4.2.2.1.2.2 Seismic Scenario Class Modeling Cases
2.4.2.2.1.2.2.1 Seismic Ground Motion Modeling Case
2.4.2.2.1.2.2.2 Seismic Fault Displacement Modeling Case
2.4.2.2.1.2.3 Igneous Scenario Class Modeling Cases
2.4.2.2.1.2.3.1 Igneous Intrusion Modeling Case
2.4.2.2.1.2.3.2 Volcanic Eruption Modeling Case
2.4.2.2.1.2.4 Early Failure Scenario Class Modeling Cases
2.4.2.2.1.2.4.1 Drip Shield Early Failure Modeling Case
2.4.2.2.1.2.4.2 Waste Package Early Failure Modeling Case

CONTENTS (Continued)

2.4.2.2.2 Statistical Stability
2.4.2.2.2.1 Statistical Stability Methodology
2.4.2.2.2.2 Statistical Stability for the Epistemic Uncertainty
2.4.2.2.2.3 Statistical Stability for the Aleatory Uncertainty and Numerical Accuracy of the Expected Dose Integration
2.4.2.2.3 Consistency and Reasonableness of Repository Performance and the Performance of Individual Components or Subsystems
2.4.2.2.3.1 Single-Realization Deterministic Analysis for the Nominal Modeling Case
2.4.2.2.3.2 Single-Realization Deterministic Analyses for the Seismic Ground Motion Modeling Case
2.4.2.2.3.2.1 Seismic Ground Motion Modeling Case for 10,000-Year Period
2.4.2.2.3.2.2 Seismic Ground Motion Modeling Case for 1,000,000-Year Period
2.4.2.3 Credibility of the TSPA Results
2.4.2.3.1 Consistency of Assumptions and Parameter Values within the Total System Performance Assessment Code
2.4.2.3.1.1 Submodel Differences Related to EBS Thermal-Hydrologic Environment
2.4.2.3.1.2 Submodel Differences Related to Drift-Scale Seepage and In-Drift Condensation
2.4.2.3.1.3 Submodel Differences Related to EBS Chemical Environment
2.4.2.3.1.4 Submodel Differences Related to Waste Package and Drip Shield Degradation
2.4.2.3.1.5 Submodel Differences Related to Waste Form Degradation and Mobilization
2.4.2.3.1.6 Submodel Differences Related to EBS Transport
2.4.2.3.1.7 Submodel Differences Related to Unsaturated Zone Transport
2.4.2.3.1.8 Submodel Differences Related to Saturated Zone Flow and Transport
2.4.2.3.1.9 Submodel Differences Related to Biosphere Transport and Exposure
2.4.2.3.1.10 Submodel Differences Related to Early Waste Package and Drip Shield Failures
2.4.2.3.1.11 Submodel Differences Related to Igneous Processes
2.4.2.3.1.12 Submodel Differences Related to Seismic Processes
2.4.2.3.1.13 Summary
2.4.2.3.2 TSPA Model and Code Verification, Validation, and Confidence-Building

CONTENTS (Continued)

2.4.2.3.2.1 TSPA Model Integration and Transfer of Data Between Modules of the TSPA Code
2.4.2.3.2.1.1 Unsaturated Zone Flow
2.4.2.3.2.1.2 Engineered Barrier System Thermal-Hydrologic Environment
2.4.2.3.2.1.3 Drift Seepage and Drift-Wall Condensation
2.4.2.3.2.1.4 Engineered Barrier System Chemical Environment
2.4.2.3.2.1.5 Waste Package and Drip Shield Degradation
2.4.2.3.2.1.6 Engineered Barrier System Flow
2.4.2.3.2.1.7 Waste Form Degradation and Mobilization
2.4.2.3.2.1.8 Engineered Barrier System Transport
2.4.2.3.2.1.9 Unsaturated Zone Transport
2.4.2.3.2.1.10 Saturated Zone Flow and Transport
2.4.2.3.2.1.11 Biosphere
2.4.2.3.2.1.12 Events
2.4.2.3.2.1.12.1 Early Failure Scenario Class
2.4.2.3.2.1.12.2 Igneous Scenario Class
2.4.2.3.2.1.12.3 Seismic Scenario Class
2.4.2.3.2.2 During-Development Model Validation Activities for the TSPA Code
2.4.2.3.2.2.1 Computer Code and Input Verification
2.4.2.3.2.2.2 Model Stability Testing
2.4.2.3.2.2.3 Uncertainty Characterization Reviews
2.4.2.3.2.2.4 Surrogate Waste-Form Analyses
2.4.2.3.2.3 Post-Development Model Validation Activities for the TSPA Code
2.4.2.3.2.3.1 Corroboration of Abstraction Results with the Underlying Validated Process Models
2.4.2.3.2.3.2 Auxiliary Analyses
2.4.2.3.2.3.2.1 Single-Realization Deterministic Analyses
2.4.2.3.2.3.2.2 Comparison with the Simplified TSPA Analysis
2.4.2.3.2.3.2.3 Comparison with EPRI Model
2.4.2.3.2.3.2.4 Performance Margin Analysis and the Evaluation of Conservatisms
2.4.2.3.2.3.3 Natural Analogues
2.4.2.3.2.3.3.1 Process Model Analogues
2.4.2.3.2.3.3.2 Investigations Providing Corroborative Evidence
2.4.2.3.2.3.4 Iteration and Independent Technical Review

CONTENTS (Continued)

2.4.2.3.3 Consistency of Uncertainty in the Performance Assessment Results with Model and Parameter Uncertainty
2.4.2.3.3.1 Treatment of Parameter and Model Uncertainty in the TSPA Model
2.4.2.3.3.2 Limitations and Applicability of Uncertainty and Sensitivity Analyses
2.4.2.3.3.3 Uncertainty and Sensitivity Analysis Procedures
2.4.2.3.3.4 Uncertainty and Sensitivity Analyses for the Nominal Scenario Class
2.4.2.3.3.5 Uncertainty and Sensitivity Analyses for the Early Failure Scenario Class
2.4.2.3.3.5.1 Uncertainty and Sensitivity Analyses for the Drip Shield Early Failure Modeling Case
2.4.2.3.3.5.2 Uncertainty and Sensitivity Analyses for the Waste Package Early Failure Modeling Case
2.4.2.3.3.6 Uncertainty and Sensitivity Analyses for the Seismic Scenario Class
2.4.2.3.3.7 Uncertainty and Sensitivity Analyses for the Total Dose from All Scenario Classes
2.4.2.3.4 Parameters Sampled across Their Ranges of Uncertainty in TSPA
2.4.3 Demonstration of Compliance with the Individual Protection Standard for Human Intrusion
2.4.3.1 TSPA Representation of the Human Intrusion Event
2.4.3.1.1 EBS Flow and Transport for Human Intrusion
2.4.3.1.2 Unsaturated Zone Transport for Human Intrusion
2.4.3.1.3 Saturated Zone Transport for Human Intrusion
2.4.3.1.4 Calculation of Annual Dose for the Human Intrusion Scenario
2.4.3.2 Evaluation of the Earliest Occurrence Time of a Human Intrusion Event
2.4.3.2.1 General Corrosion of the Waste Package and Drip Shield
2.4.3.2.2 Occurrence of Unlikely Events
2.4.3.2.3 Potential for Waste Package Penetration by Drilling
2.4.3.2.3.1 Initial Bit Selection and Drilling Principles
2.4.3.2.3.2 Bit Operating Conditions and Change in Conditions
2.4.3.2.3.3 Penetration of the Drip Shield and Waste Package
2.4.3.2.3.4 Comparative Material Strength
2.4.3.2.3.5 Summary of Waste Package Penetration by Drilling
2.4.3.2.4 Earliest Time of Waste Package Penetration by Human Intrusion—Analysis Summary and Findings
2.4.3.3 Evaluation of Human Intrusion Dose to RMEI

CONTENTS (Continued)

2.4.3.3.1 Annual Dose to the RMEI for the Human Intrusion Standard
2.4.3.3.2 Treatment of Likely Waste Package Degradation Processes
2.4.3.3.3 Statistical Stability of the Mean Annual Dose
2.4.3.3.4 Statistical Stability of the Expected Annual Dose
2.4.3.3.5 Reasonableness and Consistency of Human Intrusion Repository Performance
2.4.3.3.5.1 Single-Realization Deterministic Analysis for the Human Intrusion Modeling Case
2.4.3.3.5.2 Comparison of the Human Intrusion Modeling Case with the Waste Package Early Failure Modeling Case
2.4.3.4 Credibility of the Human Intrusion Results
2.4.3.4.1 Consistency of Assumptions and Parameter Values for the Human Intrusion
2.4.3.4.2 TSPA Code Verification, Validation, and Confidence-Building for the Human Intrusion
2.4.3.4.3 Propagation and Consistency of Uncertainty in the Human Intrusion TSPA
2.4.3.4.4 Parameters Sampled across Their Ranges of Uncertainty in the Human Intrusion TSPA
2.4.4 Analysis of Repository Performance that Demonstrates Compliance with the Separate Standards for the Protection of Groundwater
2.4.4.1 Demonstration that the Groundwater Radioactivity and Doses at Any Year During the Compliance Period Do Not Exceed the Limits in the Groundwater Protection Standards
2.4.4.1.1 Methods Used to Estimate the Level of Radioactivity in the Groundwater
2.4.4.1.1.1 Performance Assessment
2.4.4.1.1.2 Quantities Calculated for Evaluating Compliance with the Groundwater Protection Standards
2.4.4.1.1.3 Natural Background Levels of Gross Alpha-Emitting Radionuclides and ^{226}Ra and ^{228}Ra
2.4.4.1.1.4 Results
2.4.4.2 Evaluation of Total Dissolved Solids in the Aquifer
2.4.4.3 Physical Dimensions of the Representative Volume of Groundwater
2.4.4.3.1 Methods and Assumptions Used to Determine the Physical Dimensions of the Representative Volume of Groundwater
2.4.4.3.2 Determination of Physical Dimensions of the Representative Volume
2.4.5 General References
3. RESEARCH AND DEVELOPMENT PROGRAM TO RESOLVE SAFETY QUESTIONS
3.1 Identification of Safety Questions

CONTENTS (Continued)

3.2 Requirements for Identified Research and Development Programs
4. PERFORMANCE CONFIRMATION PROGRAM
4.1 Program Objectives and Overview
4.1.1 Program Implementation
4.1.2 Program Documentation
4.1.3 Evaluation of Results and Reporting
4.2 Performance Confirmation Program Activity Descriptions
4.2.1 General Requirements
4.2.1.1 Precipitation Monitoring
4.2.1.2 Seepage Monitoring
4.2.1.3 Subsurface Water and Rock Testing
4.2.1.4 Unsaturated Zone Testing
4.2.1.5 Saturated Zone Monitoring
4.2.1.6 Saturated Zone Fault Hydrology Testing
4.2.1.7 Saturated Zone Alluvium Testing
4.2.1.8 Drift Inspection
4.2.1.9 Thermally Accelerated Drift Near-Field Monitoring
4.2.1.10 Dust Buildup Monitoring
4.2.1.11 Thermally Accelerated Drift In-Drift Environment Monitoring
4.2.2 Geotechnical and Design Monitoring and Testing
4.2.2.1 Subsurface Mapping
4.2.2.2 Seismicity Monitoring
4.2.2.3 Construction Effects Monitoring
4.2.2.4 Thermally Accelerated Drift Thermal-Mechanical Monitoring
4.2.3 Design Testing Other than Waste Packages
4.2.3.1 Seal and Backfill Testing
4.2.4 Monitoring and Testing of Waste Packages
4.2.4.1 Waste Package Monitoring
4.2.4.2 Corrosion Testing
4.2.4.3 Corrosion Testing of Thermally Accelerated Drift Samples
4.2.4.4 Waste Form Testing
4.3 GENERAL REFERENCES
5. MANAGEMENT SYSTEMS
5.1 Quality Assurance
5.1.1 Organization
5.1.2 Quality Assurance Program
5.2 RECORDS, REPORTS, TESTS, AND INSPECTIONS
5.2.1 Records
5.2.1.1 Program Objectives

CONTENTS (Continued)

5.2.1.2 Record Creation
5.2.1.3 Record Maintenance and Use
5.2.1.4 Records Storage
5.2.1.5 Disposition of Records
5.2.2 Reports
5.2.3 Tests
5.2.4 U.S. Nuclear Regulatory Commission Inspections
5.2.5 General References
5.3 TRAINING AND CERTIFICATION OF PERSONNEL
5.3.1 Organizational Structure of the Office of Civilian Radioactive Waste Management within the DOE
5.3.1.1 Organizational Structure of the Office of Civilian Radioactive Waste Management within the DOE during Construction and Operations
5.3.1.2 Management Functions and Responsibilities of the Office of Civilian Radioactive Waste Management within the DOE during Construction and Operations
5.3.1.2.1 Director of the Office of Civilian Radioactive Waste Management
5.3.1.2.2 Site Operations Manager
5.3.1.2.3 Quality Assurance Manager
5.3.1.2.4 Engineering and Construction Manager
5.3.1.2.5 Licensing Manager
5.3.1.2.6 Postclosure Performance and Confirmation Manager
5.3.1.2.7 Site Protection Manager
5.3.1.2.8 Radiation Protection Manager
5.3.1.2.9 Operations Manager
5.3.1.3 DOE Points of Contact
5.3.1.4 Procedure for Delegation of Authority
5.3.1.5 Responsibilities of the Onsite Safety Committee
5.3.2 Key Positions Assigned Responsibility for Safety and Operations at the Site
5.3.2.1 General Functional Titles and Required Qualifications for Key Positions
5.3.2.1.1 Site Operations Manager
5.3.2.1.2 Quality Assurance Manager
5.3.2.1.3 Engineering and Construction Manager
5.3.2.1.4 Licensing Manager
5.3.2.1.5 Postclosure Performance and Confirmation Manager
5.3.2.1.6 Site Protection Manager
5.3.2.1.7 Radiation Protection Manager
5.3.2.1.8 Operations Manager

CONTENTS (Continued)

5.3.3 Personnel Qualification and Training Requirements
5.3.3.1 Organization and Management of the Training Function
5.3.3.2 Analysis and Identification of Functional Areas Requiring Training
5.3.3.2.1 General Employee Training
5.3.3.2.2 Radiation and Criticality Training
5.3.3.2.3 Technical Training
5.3.3.2.3.1 Fundamentals Training
5.3.3.2.3.2 Worker Classification-Specific Training
5.3.3.2.3.3 On-the-Job Training and Qualifications
5.3.3.2.3.4 Continuing Training
5.3.3.2.3.5 Special Training
5.3.4 Basis and Objectives for Training
5.3.5 Organization of Instruction Using Lesson Plans and Other Training Guides
5.3.6 Evaluation of Trainee Learning
5.3.7 Conduct of On-the-Job Training
5.3.8 Evaluation of Training Effectiveness
5.3.9 Personnel Qualification and Certification
5.3.10 Periodic Work Performance Evaluations
5.3.11 Physical Condition and General Health of Operations Personnel
5.3.12 Methods for Selecting, Training, and Qualifying Security Guards
5.3.13 General References
5.4 EXPERT ELICITATION
5.4.1 Probabilistic Volcanic Hazard Analysis
5.4.2 Probabilistic Seismic Hazard Analysis
5.4.3 Saturated Zone Flow and Transport
5.4.4 General References
5.5 PLANS FOR INITIAL STARTUP ACTIVITIES AND TESTING
5.5.1 Compatibility of Testing Programs with Applicable Regulatory Guidance
5.5.2 Use of Experience from Similar Facilities
5.5.3 Methods Used to Develop, Review, and Approve Test Procedures and Methods to Evaluate Results
5.5.4 Format and Content of Test Procedures
5.5.5 Component Testing
5.5.6 Systems Functional Testing
5.5.7 Cold Integrated Systems Testing
5.5.8 Operational Readiness Review
5.5.9 Protection of Workers and the Public
5.5.10 Hot Testing (Initial Startup Operations)
5.5.11 Schedules

CONTENTS (Continued)

5.5.12 Testing and Evaluating Functional Adequacy of New or Untested Systems, Structures, and Components
5.5.13 General References
5.6 PLANS AND PROCEDURES FOR CONDUCT OF NORMAL ACTIVITIES, INCLUDING OPERATIONS, MAINTENANCE, SURVEILLANCE, AND PERIODIC TESTING
5.6.1 Plans and Procedure Development
5.6.2 Use of Experience from Other Facilities
5.6.3 Plans and Procedures for Normal Operations
5.6.4 Plans and Procedures for Maintenance
5.6.4.1 Physical Plant Maintenance Philosophy and Strategy
5.6.4.2 Maintenance Program Implementation
5.6.4.2.1 Maintenance Activities
5.6.4.2.2 Maintenance Facilities, Tools, and Equipment
5.6.4.3 Equipment Controls
5.6.4.3.1 Equipment Tagging and Isolation
5.6.4.3.2 Housekeeping and Material Condition
5.6.4.3.3 Foreign Material Exclusion
5.6.4.3.4 Postmaintenance Testing
5.6.4.4 Configuration Management
5.6.4.5 Equipment Performance Monitoring
5.6.4.6 Maintenance Personnel Knowledge, Skills, and Training
5.6.4.6.1 Training
5.6.4.6.2 Job Assignments
5.6.4.7 Work Management Process
5.6.4.8 Maintenance Procedures
5.6.4.8.1 Compliance with Written Instructions
5.6.4.8.2 Use, Development, and Approval
5.6.4.8.3 Selective Use of Content
5.6.4.9 Calibration and Testing
5.6.4.10 Special Process Controls
5.6.5 Plans and Procedures for Periodic Surveillance Testing
5.6.6 General References
5.7 EMERGENCY PLANNING
5.7.1 Responsibilities for Developing, Maintaining, and Updating the Emergency Plan
5.7.1.1 Planning Goals
5.7.1.2 Available Information Related to Responsibilities for Developing, Maintaining, and Updating the Emergency Plan
5.7.2 Repository Description

CONTENTS (Continued)

5.7.2.1 Planning Goals
5.7.2.2 Available Information Related to Repository Description
5.7.2.2.1 Description of Facility and Site
5.7.2.2.2 Site Location and Geography
5.7.2.2.3 Description of Site Features Affecting Emergency Response
5.7.2.2.4 Description of Area Near Site
5.7.2.2.5 Geologic Repository Operations Area Activities
5.7.2.2.5.1 Surface and Subsurface Facilities
5.7.3 Types and Classification of Potential Accidents
5.7.3.1 Planning Goals
5.7.3.2 Available Information Related to Types and Classification of Potential Accidents
5.7.3.2.1 Emergency Action Levels
5.7.3.2.2 Alert
5.7.3.2.3 Site Area Emergency
5.7.4 Detection of Accidents
5.7.4.1 Planning Goals
5.7.4.2 Available Information Related to Detection of Accidents
5.7.5 Mitigation of Consequences
5.7.5.1 Planning Goals
5.7.5.2 Available Information Related to Mitigation of Consequences
5.7.5.2.1 Early Phase
5.7.5.2.2 Intermediate Phase
5.7.5.2.3 Late Phase
5.7.5.2.4 Emergency Response Facilities
5.7.5.2.4.1 Technical Support Center
5.7.5.2.4.2 Operational Support Center
5.7.5.2.4.3 Emergency Operations Facility
5.7.5.2.4.4 Joint Information Center
5.7.5.2.4.5 Communications
5.7.5.2.4.6 Emergency Communications
5.7.6 Assessment of Releases
5.7.6.1 Planning Goals
5.7.6.2 Available Information Related to Assessment of Releases
5.7.7 Roles and Responsibilities for Repository Personnel during an Emergency
5.7.7.1 Planning Goals
5.7.7.2 Available Information Related to Roles and Responsibilities for Repository Personnel during an Emergency
5.7.7.2.1 Normal Organization

CONTENTS (Continued)

5.7.7.2.1.1 Director of the Office of Civilian Radioactive Waste Management
5.7.7.2.1.2 Site Operations Manager
5.7.7.2.1.3 Delegation of Authority
5.7.7.2.2 Emergency Response Concept of Operations
5.7.7.2.2.1 Direction and Coordination
5.7.7.2.2.2 Facility Operating Area(s)
5.7.7.2.2.3 Technical Support Center
5.7.7.2.2.3.1 Technical Support Center Director
5.7.7.2.2.3.2 Operations Manager
5.7.7.2.2.3.3 Radiological Response Manager
5.7.7.2.2.3.4 Engineering Manager
5.7.7.2.2.3.5 Technical Support Center Manager
5.7.7.2.2.3.6 Security Manager
5.7.7.2.2.4 Operational Support Center
5.7.7.2.2.5 Emergency Operations Facility
5.7.7.2.2.5.1 OCRWM Emergency Director
5.7.7.2.2.5.2 Emergency Operations Facility Coordinator
5.7.7.2.2.5.3 Technical Support Manager
5.7.7.2.2.5.4 Administrative Support Manager
5.7.7.2.2.5.5 Public Information Manager
5.7.7.2.2.6 Joint Information Center
5.7.7.2.2.6.1 Joint Information Center Supervisor
5.7.7.2.2.6.2 DOE Spokesperson
5.7.7.2.2.6.3 Joint Information Center Coordinator
5.7.7.2.2.6.4 Administrative Support Specialist
5.7.7.2.2.6.5 Public Information Coordinator
5.7.7.2.2.7 Emergency Response Records
5.7.8 Notification and Coordination of Offsite Groups
5.7.8.1 Planning Goals
5.7.8.2 Available Information Related to Notification and Coordination of Offsite Groups
5.7.9 Information to be Communicated
5.7.9.1 Planning Goals
5.7.9.2 Available Information Related to Information to be Communicated
5.7.10 Training
5.7.10.1 Planning Goals
5.7.10.2 Available Information Related to Training
5.7.10.2.1 Emergency Preparedness Training Program

CONTENTS (Continued)

5.7.10.2.1.1 Emergency Preparedness Manager
5.7.10.2.1.2 Schedule
5.7.10.2.1.3 Delivery
5.7.10.2.1.4 Initial Training Requirements
5.7.10.2.1.5 Exams
5.7.10.2.1.6 Emergency Response Organization Position Qualification
5.7.10.2.1.7 Exceptions from Training/Credit for Previous Experience
5.7.10.2.1.8 Requalification Requirements
5.7.10.2.2 Training Records
5.7.11 Restoration of Repository Operations to a Safe Condition
5.7.11.1 Planning Goals
5.7.11.2 Available Information Related to Restoration of Repository Operations to a Safe Condition
5.7.11.2.1 Reentry
5.7.11.2.1.1 Reentry Planning
5.7.11.2.1.2 Reentry for "Rescue and Recovery"
5.7.11.2.2 Termination of an Emergency
5.7.11.2.3 Recovery
5.7.11.2.3.1 Recovery Organization
5.7.11.2.3.2 Recovery Operations
5.7.11.2.3.2.1 Accident Assessment and Investigation
5.7.11.2.3.2.2 Planning and Scheduling
5.7.11.2.3.2.3 Repair and Restoration
5.7.11.2.3.3 Recovery Procedures
5.7.11.2.3.4 Normal Operations
5.7.12 Exercises, Communication Checks, and Drills
5.7.12.1 Planning Goals
5.7.12.2 Available Information Related to Exercises, Communication Checks, and Drills
5.7.12.2.1 Drill and Exercise Program
5.7.12.2.2 Drills
5.7.12.2.3 Tabletop Drills
5.7.12.2.4 Walk-Through Drills
5.7.12.2.5 Communications Drills
5.7.12.2.6 Exercises
5.7.12.2.7 Exercise Conduct
5.7.12.2.8 Communications

CONTENTS (Continued)

5.7.12.2.9 Exercise Termination
5.7.12.2.10 Evaluation and Corrective Action
5.7.12.2.10.1 Evaluations
5.7.12.2.10.2 Exercise Critiques
5.7.12.2.10.3 Exercise Report
5.7.12.2.10.4 Corrective Actions
5.7.13 Hazardous Materials
5.7.13.1 Planning Goals
5.7.13.2 Available Information Related to Hazardous Materials
5.7.14 Comments on the Emergency Plan
5.7.14.1 Planning Goals
5.7.14.2 Available Information Related to Comments on the Emergency Plan
5.7.15 Offsite Assistance
5.7.15.1 Planning Goals
5.7.15.2 Available Information Related to Offsite Assistance
5.7.16 Public Information
5.7.16.1 Planning Goals
5.7.16.2 Available Information Related to Public Information
5.7.16.2.1 Repository Emergency Public Information Program
5.7.16.2.2 Joint Information Center
5.7.16.2.3 Public Education
5.7.16.2.3.1 News Media
5.7.17 General References
5.8 CONTROLS TO RESTRICT ACCESS AND REGULATE LAND USES
5.8.1 Ownership of Land
5.8.1.1 Current U.S. Department of Energy Land-Use Interests
5.8.1.2 Legal Documentation of Ownership and Control
5.8.2 Controls for Permanent Closure
5.8.2.1 Legal Interests and Documentation
5.8.2.2 Encumbrances on Land Surrounding Yucca Mountain
5.8.2.2.1 Patented Mining Claim
5.8.2.2.2 Unpatented Mining Claims
5.8.2.2.3 Other Encumbrances
5.8.2.3 Administering and Controlling Ownership Rights
5.8.3 Additional Controls through Permanent Closure
5.8.3.1 10 CFR 63.111(a) and (b) Requirements
5.8.3.2 Legal Documentation
5.8.4 Water Rights
5.8.5 Conceptual Design of Monuments and Markers

CONTENTS (Continued)

5.8.5.1 Design Considerations
5.8.5.2 Monuments and Markers
5.8.6 Records Storage
5.8.7 General References
5.9 USES OF THE GEOLOGIC REPOSITORY OPERATIONS AREA FOR PURPOSES OTHER THAN DISPOSAL OF RADIOACTIVE WASTES
5.9.1 Potential Activities Other Than Disposal
5.9.1.1 Native American Cultural Activities
5.9.1.2 Independent Performance Monitoring
5.9.1.3 Protection of Flora and Fauna
5.9.1.4 Activities in the Proximity of the Geologic Repository Operations Area
5.9.1.5 Resource Exploitation
5.9.2 Procedures for Potential Activities that Potentially Affect Structures, Systems, and Components
5.9.3 General References
5.10 LICENSE SPECIFICATIONS
5.10.1 Structure of Proposed License Specifications
5.10.2 Probable Subjects of License Specifications
5.10.2.1 Criteria for Selection of Probable Subjects
5.10.2.2 Limiting Conditions for Operation
5.10.2.3 Design Features
5.10.2.4 Administrative Controls
5.10.2.4.1 License Specification Bases
5.10.2.4.2 Technical Requirements Manual
5.10.3 Plans for Implementing License Specifications
5.10.3.1 Procedures
5.10.3.2 Testing
5.10.3.3 Configuration Management System
5.10.4 Draft License Specification Development
5.10.5 General References
5.11 Operational Radiation Protection Program
5.11.1 Organization
5.11.2 Equipment, Instrumentation, and Facilities
5.11.2.1 Radiation Protection Equipment
5.11.2.2 Radiation Protection Instrumentation
5.11.2.3 Radiation Protection Facilities
5.11.3 Policies and Procedures
5.11.3.1 Radiation Surveys

CONTENTS (Continued)

5.11.3.1.1 Radioactive Material Shipment Surveys
5.11.3.1.2 Radiological Postings
5.11.3.2 Access and Dose Control
5.11.3.2.1 Radiological Access Control
5.11.3.2.2 Onsite Dose Control
5.11.3.2.3 Radioactive Material and Contamination Control
5.11.3.2.4 Low-Level Radioactive Waste Management
5.11.3.3 External Dose Monitoring
5.11.3.4 Internal Dose Monitoring
5.11.3.5 Air Sampling and Analysis
5.11.3.6 Respiratory Protection
5.11.3.7 Radiation Protection Training
5.11.3.8 Notices to Workers
5.11.3.9 Pregnant Worker, Embryo, and Fetus Protection
5.11.3.10 Radiation Protection Records and Reports
5.11.3.10.1 Records
5.11.3.10.2 Reports
5.11.3.11 Environmental Radiological Monitoring
5.11.3.11.1 Environmental Radiological Monitoring Program
5.11.3.11.2 Effluent Monitoring
5.11.3.11.3 Offsite Dose Calculation
5.11.3.11.4 Meteorological Monitoring
5.11.4 General References

CONTENTS (Continued)