

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F53), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollect@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

<p>1. NAME OF LICENSEE <i>(Person or firm proposing to conduct the activities described below)</i></p> <p>The Ohio Heart & Vascular Center, Inc.</p>	<p>2. TYPE OF REPORT</p> <p><input checked="" type="checkbox"/> INITIAL <input checked="" type="checkbox"/> CHANGE</p>		
<p>3. ADDRESS OF LICENSEE <i>(Mailing address or other location where licensee may be located)</i></p> <p>4380 Malsbary Rd, Suite 200 Cincinnati, Ohio 43242</p>	<p>4. LICENSEE CONTACT AND TITLE</p> <p>Charles Anthony Giomuso, MS, MBA, RSO</p>		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> <p>5. TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(888) 934-1871</p> </td> <td style="width: 50%;"> <p>6. FACSIMILE NUMBER <i>(Include Area Code)</i></p> <p>(440) 266-0068</p> </td> </tr> </table>	<p>5. TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(888) 934-1871</p>	<p>6. FACSIMILE NUMBER <i>(Include Area Code)</i></p> <p>(440) 266-0068</p>
<p>5. TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(888) 934-1871</p>	<p>6. FACSIMILE NUMBER <i>(Include Area Code)</i></p> <p>(440) 266-0068</p>		

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

WELL LOGGING
 LEAK TESTING AND/OR CALIBRATIONS
 TELETHERAPY/IRRADIATOR SERVICE
 PORTABLE GAUGES
 OTHER (Specify) • • Medical Cardiac Imaging
 RADIOGRAPHY • • REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)

<p>8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE</p> <p>Partners In Health 98 Elm Street, Suite 400 Lawrenceburg, IN 47025</p>	<p>9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <i>(Street and Number or other location. Give as complete an address or directions as possible.)</i></p> <p>Same as client name and address box 8</p>		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> <p>10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p> </td> <td style="width: 50%;"> <p>11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p> </td> </tr> </table>	<p>10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p>	<p>11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p>
<p>10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p>	<p>11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i></p> <p>(812) 537-4999</p>		

12. DATES SCHEDULED	13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM Every other Thursday	TO	< 25		NUMBER TO BE ASSIGNED BY NRC

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED
(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)

Co-57-20mCi Benchmark/Radequal or equivalent 8400 - Flood- 1 Tc-99m - as needed - Liquid - Myoview or Cardiolite
 Cs-137 - 250uCi Dupont or equivalent NES 356 - Reference Source - 1 Tl-201 - as needed - Liquid - Chloride
 Cs-137 - 0.5uCi IPL Rod Source - well calibration - 1

<p>18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9. ABOVE. <i>(One copy of the specific license must accompany the initial NRC Form 241.)</i></p>	<p>LICENSE NUMBER</p> <p>02220310000</p>	<p>STATE</p> <p>OH</p>	<p>EXPIRATION DATE</p> <p>06/01/2012</p>
--	--	------------------------	--

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- All information in this report is true and complete.
- I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
- I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

<p>CERTIFYING OFFICER - RSO or Management Representative <i>(Name and Title)</i></p> <p>Todd J. Duff, Diagnostics Manager</p>	<p>SIGNATURE</p>	<p>DATE</p> <p>03/14/2007</p>
---	------------------	-------------------------------

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	<p>REVIEWING OFFICIAL <i>(Typed/Printed Name and Title)</i></p>	<p>SIGNATURE</p>	<p>DATE</p>	<p>TOTAL USAGE - DAYS TO DATE</p>
-------------------------	---	------------------	-------------	-----------------------------------

RECEIVED MAR 25 2008

**OHIO DEPARTMENT OF HEALTH
LICENSE FOR RADIOACTIVE MATERIAL**

Pursuant to Chapter 3748 of the Ohio Revised Code, and in reliance on statements and representations made by the licensee, a license is hereby issued authorizing the licensee named herein to receive, acquire, possess, and transfer radioactive material as designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the applications of Chapter 3748 of the Ohio Revised Code and all applicable rules promulgated thereunder. This license is subject to all applicable rules, regulations and orders of the Ohio Department of Health now or hereinafter in effect and to any conditions specified below.

LICENSEE	LICENSE NUMBER
1. The Ohio Heart and Vascular Center, Inc. - Mobile	3. 02220310000
2. Remington Park, Suite 200, Building B. 4380 Malsbary Road Cincinnati, OH 45242	EXPIRATION DATE
	4. June 1, 2012
	5. SPK03-09-06

6. RADIOACTIVE MATERIAL	7. CHEMICAL AND/OR PHYSICAL FORM	8. MAXIMUM QUANTITY THAT LICENSEE MAY POSSESS AT ANY ONE TIME UNDER THIS LICENSE
A. Any radioactive material permitted by rule 3701:1-58-32 of the Ohio Administrative Code	A. As needed	A. As needed, not to exceed 3.7 GBq (100 mCi) of Cobalt-57
B. Any radioactive material permitted by rule 3701:1-58-34 of the Ohio Administrative Code	B. As needed	B. As needed
C. Cobalt-57	C. Sealed sources	C. As needed, no single source to exceed 1.11 GBq (30 mCi)
D. Cesium-137	D. Sealed sources, Dupont NES 356 or Equivalent	D. As needed, no single source to exceed 37 MBq (1.0 mCi)

9. Authorized Use

- A. Any uptake, dilution, and excretion study permitted by rule 3701:1-58-32 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
- B. Any imaging and localization study permitted by rule 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
- C.-D. Check, calibration, and reference sources.

CONDITIONS

10. Licensed material may only be used at the licensee's facilities located at:

- | | |
|---|---|
| A. 903 Northwest Washington Blvd, Suite D
Hamilton, Ohio 45013 | B. Remington Park Suite 200, Building B
4380 Malsbary Road
Cincinnati, Ohio 45242 |
|---|---|

OHIO DEPARTMENT OF HEALTH LICENSE FOR RADIOACTIVE MATERIALS SUPPLEMENTARY SHEET	Page 2 of 3
	License Number: 02220310000
	Bureau Docket Number: SPK03-09-06
	Amendment No. 11

- D. At any of the locations of use listed in Item 10 of license number 02201310054, issued to The Ohio Heart and Vascular Center, Inc.
- E. At temporary client sites for which the licensee has a signed agreement with the clients authorizing the use of radioactive materials at the clients' locations.
11. A. The Radiation Safety Officer or Person in charge of the radioactive material for this license is:
Charles Anthony Giomuso, M.S.
- B. The Alternate Radiation Safety Officer is:
Lenny Borelli, M.S.
12. Licensed material shall be limited by the procedures outlined in Sections 6, 7, and 8 of this license. Materials may only be used by, or under the supervision of, the below listed individual(s) designated in writing

<u>Authorized User(s):</u>	<u>Authorized Use(s):</u>
A. William B. Baker, M.D.	A. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
B. Gregory B. Clarke, M.D.	B. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
C. JoAnna L. English, M.D.	C. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
D. Joel B. Forman, M.D.	D. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
E. Sandeep Gupta, M.D.	E. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
F. Wojciech Mazur, M.D.	F. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
G. Thomas I. Murtaugh, M.D.	G. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
H. Robert Pelberg, M.D.	H. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
I. Madhumita Saha, M.D.	I. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
J. Jason A. Smith, M.D.	J. Uses as permitted by rules 3701:1-58-32 and 3701:1-58-34 of the Ohio Administrative Code, limited to cardiovascular clinical procedures.
K. John J. Szawaluk, M.D.	K. Use as permitted by rule 3701:1-58-34 of the Ohio Administrative Code.

OHIO DEPARTMENT OF HEALTH LICENSE FOR RADIOACTIVE MATERIALS SUPPLEMENTARY SHEET	Page 3 of 3
	License Number: 02220310000
	Bureau Docket Number: SPKO3-09-06
	Amendment No. 11

13. All persons performing activities meeting the definition of "Nuclear Medicine Technologist" as specified in R.C. 4773.01 shall be licensed and in good standing with the State of Ohio.
14. Licensed materials shall be delivered to one of the location(s) of use listed on license number 02201310054, issued to Ohio Heart Health Center, and will be transported to mobile client sites by licensee personnel for use as permitted under this license.
15. All sealed sources that are used or obtained shall have been evaluated and approved under the provisions of rule 3701:1-46-49 of the Ohio Administrative Code or by equivalent NRC, Agreement State, or NARM licensing state regulation.
16. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of sealed source licensed material to quantities below the minimum limit specified in rule 3701:1-40-17(C) of the Ohio Administrative Code for establishing decommissioning financial assurance.
17. In addition to the requirements in rule 3701:1-58-30 of the Ohio Administrative Code any patient administered gamma emitting radiopharmaceuticals or permanent brachytherapy sources shall be provided a patient release card to include:
 - (1) The patient's name.
 - (2) The radionuclide administered and its activity.
 - (3) The facility name which administered the radionuclide.
 - (4) The date of the administration of the radionuclide.
 - (5) The expiration date of the card.


The card is not applicable to those patients who are institutionalized (Hospitals, Nursing Homes, Correctional Institutions, etc.) or whose radiation levels do not exceed 0.1 mR/hr at one meter.
18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Ohio Department of Health's statutes, rules, and orders shall govern unless statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Renewal Application dated March 28, 2007
 - B. Letter dated April 24, 2007
 - C. Amendment #11 of license 02220310000, renewed in its entirety;

For the Ohio Department of Health

DATE:

4/30/07

BY:


 Director, Ohio Department of Health

 **The Ohio Heart
& Vascular Cent**

4380 Malsbary Road
Suite 200
Cincinnati, Ohio 45242

CERTIFIED MAIL™



7006 3450 0002 2692 7407



MR GEORGE PARKER
NUCLEAR REGULATORY COMM
DIV OF NUCLEAR MAT SAFETY
2443 WARRENVILLE RD STE 210
LISLE IL 60532-4352

605324352 0021

