


Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.3	5.1	94.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4008	UD-3	123.5/94.58	2/20/07	CH	CLAY (CH)		76	35

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7573	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						19.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-5	8.5/209.41	1/29/07		SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7785		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						17.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-8	18.5199.41	1/29/07		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7786	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.7	57.1	42.2	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-12	38.5/179.41	1/29/07	SM	SAND, silty (SM)	47.0	45	27

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7787		

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.2	35.6	54.4	9.8	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-17	63.5/154.41	1/30/07		SAND, with silt (SP-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7788

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.5	6.2	93.3	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-24	98.5/119.41	1/30/07	MH	SILT, (MH)	45.4	109	62

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7789		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	1.3	2.8	16.8	79.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-28	123.5/94.41	1/31/07	MH	SILT, with sand (MH)	31.0	62	32

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7790		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.6	0.7	3.9	24.9	69.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	SS-34	158.5/59.41	1/31/07	CH	CLAY, sandy (CH)	26.5	60	26

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7791	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						89.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4009	UD-1	108.0/109.91	1/30/07		SILT, (MH)		89	48

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7575		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						19.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4010	SS-5	8.5/210.59 ft.	1/25/2007		SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7792		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						21.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4010	SS-10	28.5/190.59 ft.	1/25/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC Project Vogtle Units 3 & 4 COL Project Project No. 6141-06-0286	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ Figure 7793
---	--	---

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						23.7	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4010	SS-14	48.5/170.59 ft.	1/25/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7794

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.5	17.4	82.1	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4010	SS-25	108.5/110.59 ft.	2/20/200	MH	SILT, with sand (MH)	38.2	67	39

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7795

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	2.0	28.1	69.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4010	SS-29	143.5/75.59 ft.	2/22/200	CH	CLAY, cemented fragments (CH)	31.1	56	26

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Lab no. 7796		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						23.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4011	SS-5	8.5/210.58 ft.	1/25/2007		SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7797	

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
○						18.4	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
○ B-4011	SS-9	23.5/195.58 ft.	1/25/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7798

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						10.2	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4011	SS-15	53.5/165.58 ft.	1/25/2007		SAND, with silt (SP-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7799		

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.3	2.6	21.1	76.0	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4011	SS-23	93.5/125.58 ft.	2/5/2007	MH	SILT, with sand (MH)	30.8	71	46

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7800

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.3	1.1	14.5	84.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4011	SS-26	108.5/110.58 ft.	2/5/2007	MH	SILT, with sand (MH)	37.2	65	36

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7801	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						12.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4013	SS-4	6.0/216.24 ft.	2/15/2007		SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7802		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						31.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4013	SS-10	21.0/201.24 ft.	2/15/2007		SAND, Clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7803		

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						56.6	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4013	SS-16	36.0/186.24 ft.	2/15/2007		CLAY, sandy (CL)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7804

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						13.1	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4013	SS-22	51.0/171.24 ft.	2/15/2007		SAND, clayey (SC)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7805

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.1	21.2	69.5	9.2	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-2	1.5/219.24 Ft.	1/17/2007		SAND, with silt (SP-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7300

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: RW Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						4.5	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-4	6.0/214.74 Ft	1/17/2007		SAND, (SP)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7301

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: RW Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						25.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-6	11.0/209.74 Ft.	1/17/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7302		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.3	5.2	25.3	43.7	25.5	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-8	18.5/202.24 Ft.	1/17/200	SC	SAND, clayey (SC)		51	19

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Lab no. 7303	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.7	25.1	38.7	35.5	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-10	28.5/192.24 Ft.	1/17/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7304	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						67.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-12	38.5/182.24 Ft.	1/17/2007	MH	SILT, sandy (MH)		95	49

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7305	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						13.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-14	48.5/172.24 Ft.	1/17/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7306	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.9	34.6	51.7	12.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-16	58.5/162.24 Ft.	1/17/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: RW	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7307	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.4	4.2	27.6	67.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4014	SS-25	103.5/117.24 ft.	1/22/200	MH	SILT (MH)	29.9	56	35

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Lab no. 7806	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						14.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4015	SS-3	3.5/216.61 ft.	1/19/2007		SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7807		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						6.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4015	SS-16	58.5/161.61 ft.	1/19/2007		SAND with silt (SP-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7808		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	4.8	2.8	4.6	6.2	81.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4015	SS-22	88.5/131.61 ft.	1/22/07	MH	SILT, (MH)	41.1	83	49

Client GPC c/o SNOC Project Vogtle Units 3 & 4 COL Project	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project No. 6141-06-0286 Figure 7809		

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.5	17.4	82.1	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4015	SS-25	103.5/116.61 ft.	1/23/207	CH	CLAY, with sand (CH)	34.8	86	37

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7810

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	1.7	23.3	75.0	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4015	SS-32	138.5/81.61	1/24/2007	CL	CLAY, with sand (CL)	21.0	44	21

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7811	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	1.2	2.1	2.5	14.5	79.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4016	SS-24	98.5/122.73 ft.	1/3/2007	MH	SILT, with sand (MH)	44.3	88	45

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7812	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						27.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4017	SS-4	6.0/214.94 ft.	2/15/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7813		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						17.0	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4017	SS-9	23.5/197.44	2/15/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7814	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	1.0	24.3	74.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4017	SS-30	138.5/82.44 ft.	3/8/2007	CL	CLAY, with sand (CL)	34.7	40	24

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7815		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						24.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4022	SS-6	11.0/209.71 ft	1/7/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7816	

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
○						11.4	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
○	B-4022	SS-15	53.5/167.21	1/7/2007				
					SAND, with clay (SP-SC)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7817

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						30.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4023	SS-3	3.5/217.21 ft.	1/10/2007		SAND, clayey (SC)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7818	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						19.3	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4023	SS-9	23.5/197.21	1/10/2007		SAND, clayey (SC)			
		ft.						

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7819	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						11.0	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4026	SS-4	6.0/215.54 ft.	2/5/2007		SAND, silty with gravel <i>w/ silty gravel (SP-SM)</i>			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7820	

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
						28.4	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4026	SS-7	13.5/208.04 ft.	2/5/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7821

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						22.8	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4026	SS-11	33.5/188.04	2/5/2007		SAND, silty (SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7822

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						23.8	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4026	SS-15	53.5/168.04	2/5/2007		SAND, silty, clayey (SC-SM)			

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7823

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	12.9	76.4	10.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4030	UD-1	13.5/208.85	1/31/07	SP-SM	SAND with silt (SP-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7604	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	2.1	52.2	37.2	8.5	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4030	UD-2	28.5/193.85	1/31/07	SP-SM	SAND with silt (SP-SM)	12.5		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7605		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.5	35.2	54.7	9.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4030	UD-3	33.5/188.85	1/31/07	SP-SM	SAND with silt (SP-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7606		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	1.0	12.4	69.0	17.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4031	UD-1	28.5/193.63	2/18/07	SM	SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7610		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	1.5	11.3	64.3	22.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4032	UD-1	28.5/191.74	2/13/07	SM	SAND, silty (SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7613		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.1	23.9	64.9	11.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4033	UD-1	28.5/191.43	2/8/07	SP-SM	SAND with silt (SP-SM)			

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7616		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	1.5	61.9	36.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4033	UD-2	33.5/186.43	2/8/07	SM	SAND, silty clayey (SC-SM)	22.8		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7617		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.1	33.6	52.9	13.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4034	UD-1	28.5/194.29	2/17/07	SM	SAND, silty (SM)	18.0		

Client GPC c/o SNOC Project Vogtle Units 3 & 4 COL Project	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project No. 6141-06-0286 Figure 7619		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	23.9	2.3	5.3	12.3	56.2	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4034	UD-5	113.5/109.29 ft.	3/19/07	MH	SILT, with shell hash and sand (MH)		53	31

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Lab no. 7623	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.9	4.5	32.7	61.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4034	UD-6	143.5/79.29	3/20/07	CL	CLAY, sandy (CL)		47	26

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7624	

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0						83.8	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4035	UD-2	103.5/117.02	2/26/07		SILT (MH)		86	50

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7587

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.2	3.9	29.5	66.4	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-4035	UD-3	148.5/72.02	2/27/07	CL	CLAY, sandy (CL)	24.3	43	22

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7588

**MACTEC ENGINEERING
 AND
 CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.8	31.6	38.5	29.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6020	SS-2	1.5/219.98	3/28/07	SC	SAND, clayey (SC)		53	27

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7826		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	19.9	70.2	9.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6020	SS-4	6/215.48	3/28/07		SAND with silt (SP-SM)		NV	NP

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7827	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.1	18.7	57.8	23.4	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6020	SS-6	11/210.48	3/28/07	SC	SAND, clayey (SC)		47	25

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Lab no. 7828	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	3.2	55.2	41.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6020	SS-14	48.5/172.98	3/29/07	SM	SAND, silty (SM)	44.3	111	60

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7829		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	6.5	59.2	34.3	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6020	SS-16	58.5/162.98	3/29/07	SM	SAND, silty (SM)	46.1	139	78

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7830		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	9.2	64.1	26.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6021	SS-4	6/203.8	4/3/07	SC	SAND, clayey (SC)		41	22

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7831		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.1	8.5	57.8	33.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6021	SS-7	13.5/196.30	4/3/07	SM	SAND, silty (SM)		47	28

Client GPC c/o SNOG	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7832		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	1.6	51.1	47.3	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6022	SS-12	38.5/177.73	4/9/07	SM	SAND, silty (SM)	41.8	82	41

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7833		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	14.5	67.4	18.1	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6022	SS-14	48.5/167.73	4/9/07	SC	SAND, clayey (SC)	27.4	68	29

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH	Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project			
Project No. 6141-06-0286		Figure 7834	

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	1.8	28.6	52.6	17.0	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6023	SS-5	8.5/194.27	4/4/07	SC	SAND, clayey (SC)		36	17

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7835		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	7.4	2.8	23.8	58.4	7.6	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-3	7.5/89.15	4/17/07		SAND with silt (SP-SM)	21.2		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7431		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	15.4	3.6	21.4	49.7	9.9	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-5	12.5/84.15	4/17/07		SAND, with silt and gravel (SP-SM)	16.3		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7432		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	2.0	50.2	47.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-7	20/76.65	4/17/07		SAND, silty (SM)	24.3		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7433		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	1.7	1.8	11.5	38.5	46.5	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-8	23.5/73.15	4/17/07		SAND, silty (SM)	22.9		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7434		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	2.1	29.9	46.2	21.8	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-10	33.5/63.15	4/17/07		SAND, silty (SM)	17.3		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7435		

Particle Size Distribution Report




% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	16.6	76.7	6.7	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-11	38.5/58.15	4/17/07		SAND, with silt (SP-SM)	23.8		

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	○ Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7436		

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.5	0.7	12.1	78.0	8.7	


SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-13	48.5/48.15	4/17/07		SAND, with silt (SP-SM)	29.5		

Client GPC c/o SNOC
 Project Vogtle Units 3 & 4 COL Project
 Project No. 6141-06-0286 Figure 7437

**MACTEC ENGINEERING
AND
CONSULTING, INC.**

Tested by: EH Reviewed by: HJ

Particle Size Distribution Report



% COBBLES	% GRAVEL		% SAND			% FINES	
	COARSE	FINE	COARSE	MEDIUM	FINE	SILT	CLAY
0.0	0.0	0.0	0.0	0.2	77.3	22.5	

SOURCE	SAMPLE #	DEPTH/ELEV.	DATE SAMPLED	USCS	MATERIAL DESCRIPTION	NM %	LL	PL
B-6027	SS-14	53.5/43.15	4/17/07		SAND, silty (SM)	23.8	46	29

Client GPC c/o SNOC	MACTEC ENGINEERING AND CONSULTING, INC.	Tested by: EH Reviewed by: HJ
Project Vogtle Units 3 & 4 COL Project		
Project No. 6141-06-0286 Figure 7438		