

**BOBBY JINDAL**  
Governor



**HAROLD LEGGETT, Ph.D.**  
Secretary

**Louisiana Department of Environmental Quality**  
**Office of Environmental Compliance**

April 10, 2008

Robert J. Lewis, Deputy Director  
Division Materials Safety and State Agreements  
Office of Federal and State Materials and  
Environmental Management Programs  
U. S. Nuclear Regulatory Commission  
Washington, D. C. 20555-0001

Dear Mr. Lewis:

I am submitting electronic documents containing final regulation amendments to the Louisiana Administrative Code, Title 33, Part XV, Radiation Protection. Two amendments from RATS IDS 2005-1 and 2005-2 are included in our rule documents RP045 and RPO49. Also, I have submitted electronic copies via e-mail to Ms. Monica Orendi of your staff.

This rule package consists entirely of amendments that are required for purposes of compatibility (category A, B, or C) as indicated by the compatibility chart attached. All of the amendments in this package should meet NRC compatibility criteria. Wherever possible, the editor inserted the exact wording of the 10 CFR rules into the amendment, and followed Federal Register guidelines regarding Agreement State compatibility.


<u>Rats ID</u>	<u>Title</u>	<u>State Section</u>
2005-1	Security Requirements for Portable Gauges Containing Byproduct Material	326.B
2005-2	Medical Use of Byproduct Material-Recognition Of Specialty Boards	102, 725, 729, 731, & 763

We believe that adoption of these revisions satisfies the compatibility and health and safety categories established in the Office of Federal and State Materials and Environmental Management Programs (FSME) Procedure SA-200.

Robert J. Lewis  
April 10, 2008  
Page 2

If you have any questions, please feel free to contact me at (225) 219-3041 or Ann Troxler or Joseph Noble E-Mail Addresses, [ann.troxler@la.gov](mailto:ann.troxler@la.gov) or [joe.noble@la.gov](mailto:joe.noble@la.gov).

Sincerely,



Jeffrey P. Meyers, Administrator  
Emergency and Radiological Services

Enclosure:  
As stated