



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PENNSYLVANIA 19406-1415

April 28, 2008

Docket No. 03033207
Control No. 141787

License No. 52-25255-01

José J. Cora
Executive Director
Hospital Dr. Pila
P.O. Box 331910
Ponce, PR 00733-1910

SUBJECT: HOSPITAL DR. PILA, LICENSE AMENDMENT, CONTROL NO. 141787

Dear Mr. Cora:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5239, so that we can provide appropriate corrections and answers.

An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(14).

Current NRC regulations and guidance are included on the NRC's website at www.nrc.gov; select **Nuclear Materials; Medical, Academic, and Industrial Uses of Nuclear Material**; then **Regulations, Guidance, and Communications**. You may also obtain these documents by contacting the Government Printing Office (GPO) toll-free at 1-866-512-1800. The GPO is open from 7:00 a.m. to 8:00 p.m. EST, Monday through Friday (except Federal holidays).

Thank you for your cooperation.

Sincerely,

Original signed by Pamela J. Henderson

Pamela J. Henderson, Chief
Medical Branch
Division of Nuclear Materials Safety

Enclosure:
Amendment No. 4

cc:
Adrián Alvarez de la Campa, Radiation Safety Officer

DOCUMENT NAME: C:\FileNet\ML081260172.wpd

SUNSI Review Complete: HBermúdez

After declaring this document "An Official Agency Record" it will be released to the Public.

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

| | | | | | | | |
|--------|----------------------------|---------------------------------------|---------|--------------------------|---------|--------------------------|--------------------------|
| OFFICE | DNMS/RI | <input checked="" type="checkbox"/> N | DNMS/RI | <input type="checkbox"/> | DNMS/RI | <input type="checkbox"/> | <input type="checkbox"/> |
| NAME | PHenderson / <i>PJH1</i> / | | | | | | |
| DATE | 4/28/08 | | | | | | |

OFFICIAL RECORD COPY

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

| | |
|---|---|
| <p style="text-align: center;">Licensee</p> <p>1. Hospital Dr. Pila</p> <p>2. P.O. Box 331910 Ponce, Puerto Rico 00733-1910</p> | <p>In accordance with the letter dated January 31, 2008,</p> <p>3. License No. 52-25255-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date December 31, 2013</p> <hr/> <p>5. Docket No.: 030-33207 Reference No.</p> |
|---|---|

| | | |
|--|---|---|
| <p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material permitted by 10 CFR 35.100</p> <p>B. Any byproduct material permitted by 10 CFR 35.200</p> <p>C. Any byproduct material permitted by 10 CFR 35.300</p> | <p>7. Chemical and/or physical form</p> <p>A. Any</p> <p>B. Any</p> <p>C. Any</p> | <p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 300 millicuries</p> |
|--|---|---|

9. Authorized use:
- A. Any uptake, dilution and excretion study permitted by 10 CFR 35.100.
 - B. Any imaging and localization study permitted by 10 CFR 35.200.
 - C. Any diagnostic study or therapy procedure permitted by 10 CFR 35.300.

CONDITIONS

- 10. Licensed material may be used or stored only at the licensee's facilities located at Avenida Las Américas, Ponce, Puerto Rico.
- 11. The Radiation Safety Officer for this license is Adrián Alvarez de la Campa, M.D.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
52-25255-01

Docket or Reference Number
030-33207

Amendment No. 4

12. Licensed material is only authorized for use by, or under the supervision of:
- A. Individuals permitted to work as an authorized in accordance with 10 CFR 35.13 and 35.14.
- B. The following individuals are authorized users for medical use as indicated:

Authorized Users

Material and Use

Evelyn Cintrón Ruiz, M.D.

35.100; 35.200 and 35.300

Adrián Alvarez de la Campa, M.D.

35.100; 35.200 and Oral administration of sodium iodide iodine-131

13. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
14. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated June 30, 2003 [ML031890805]
B. Letter dated August 16, 2004 [ML042400494]

For the U.S. Nuclear Regulatory Commission

Date April 28, 2008

By **Original signed by Pamela J. Henderson**

Pamela J. Henderson, Chief
Medical Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406-1415