

---

**CONVERSATION RECORD**TIME | DATE  
5-05-2008

---

☐ VISIT      ☐ CONFERENCE      ☒ TELEPHONE☐ INCOMING  
☒ OUTGOINGNAME OF PERSON(S) CONTACTED OR IN CONTACT  
Elizabeth UlrichORGANIZATION (OFFICE, DEPT. ETC.)  
DNMS- Region ITELEPHONE NO.  
610-337-5040

---

**SUBJECT**

Control Nos. 316906- Regarding amendment request by Dept. of the Army to amend License No. SUC-1380 by removing Seneca Army Depot (SEDA), Romulus, New York, as a storage location for bulk quantities of depleted uranium commodities. The request was based on their final removal of all depleted uranium munitions from SEDA in September 1999. The facilities involved included 120 storage igloos and six buildings (Building 5, Building 306, Building 2073, Building S-2084, Building 612, and Warehouse 356) used as staging points to prepare commodities for shipment. An NRC Region I issued license, License No. SUC-1275, covered the same licensed materials, for the same use and at the same facilities (120 storage igloos and six buildings). Parsons, Incorporated, under contract to the US Army Corps of Engineers, surveyed all subject storage structures and published the survey results in June 2004 in a report titled, "Nuclear Regulatory Commission License Termination Report, Seneca Army Depot Activity, Romulus, New York." Parts of the Parson survey report, including Purpose of the Report, Report Organization, Site Description, History of Licensed Activities and Conclusions and Recommendations, were provided in support of this amendment request to remove Seneca Army Depot from License No. SUC-1380. This report, documented that although some of the sites had calculated doses above background, none of the sites had calculated doses that exceeded the release criteria of 10 mrem/yr. Based on this report, NRC Region I terminated Seneca Army Depot License No. SUC-1275 on June 18, 2007. Based on the fact that both licenses covered the same licensed materials, same use of material, and the same facilities, the Army requests that the referenced survey report used to support termination of License No. SUC-1275, suffice to support/justify termination of License No. SUC-1380.

---

**SUMMARY**

In a discussion of the above matter with Ms. Ulrich, she confirmed that Region I, in support of termination of License No. SUC-1275, did an extensive evaluation, which included the survey results provided by the Parsons survey report, to confirm that SEDA met acceptable criteria for release of the facility for unrestricted use. Therefore, she concurred that since the two licenses for SEDA cover the same materials, uses and facilities, that expenditure of additional resources to support removal of SEDA from License No. SUC-1380 are not needed.

---

**ACTION REQUIRED**

License reviewer to utilize above information in amending License No. SUC-1380.


In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this Conversation Record will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Loren J. Hueter



5-05-2008

ACTION TAKEN

SIGNATURE

TITLE

DATE