

**Christine Briggs**

---

**From:** Ian Jung  
**Sent:** Monday, November 19, 2007 10:21 AM  
**To:** Mark Tonacci  
**Cc:** Eugene Eagle; Weidong Wang  
**Subject:** Fwd: ACTION: ABWR Stability LTR review for ICE2 RAI  
**Attachments:** RAI ABWR Stability LTR ICE2 11\_15\_2007.doc

Mark, I am ok with it. - Ian

>>> Eugene Eagle 11/15/2007 6:30:10 PM >>>  
Ian,

ACTION: If these RAI look OK to you could indicate so to Mark Tonacci.

I have reviewed the GE License Topical Report (LTR)  
NEDO-33336 (June 2007, Class 1), "Advanced Boiling Water Reactor (ABWR)  
Stability Evaluation".

This LTR is in support of changes to the ABWR DCD and for STP 3&4 COLA  
to reference. Generic Technical Specifications (TS) changes are included in the  
scope of this LTR and includes justification for the changes under the ABWR design  
certification rule. Further, this LTR provides the analysis to implement the long-term  
stability solution designed as Option III by the BWR Owner's Group (BWROG) for the  
ABWR approved by the NRC staff.

This LTR is a companion document to the LTR NEDO-33328, "Advanced Boiling Water  
Reactor (ABWR) APRM Oscillation Monitoring Logic", for which we submitted ICE2  
RAI earlier and which covers the hardware and software of the OPRM subsystem.

This LTR is mainly the concern of the Nuclear Engineers . We will be working closely  
with them on the SER.

However, I have a couple RAI (attached).

Gene Eagle

B/6