

Facility: SSES

Date of Examination: 12/10/07

Examination Level

SRO

Operating Test Number: LOC-22 NRC

Administrative Topic (See Note)	Type Code*	Describe activity to be performed		
Conduct of Operations	D, R	00.AD.047.101	2.1.23	4.0 Authorize Bypassing Rod Worth Minimizer IAW NDAP-QA-0338
Conduct of Operations	D, R	49.ON.1869.103	2.1.25	3.1 Determine Estimated Time To 200°F And Required Tech Spec Actions
Equipment Control	D, R	00.AD.063.101	2.2.12	3.4 Review Failed Surveillance Test And Determine Required Actions
Radiation Control	D, R	69.AD.001.051	2.3.11	3.2 Validate Blowdown Flow Instrumentation
Emergency Plan	D, S	00.EP.003.082	2.4.44	4.0 Classify GE, Complete the Emergency Notification Report and PAR State Form IAW EP-PS-100

NOTE: All items (5 total) are required for SROs. RO applicants require only 4 items unless they are retaking only the administrative topics, when all 5 are required.

*Type Codes & Criteria

- (C)ontrol Room, (S)imulator, or Class(R)oom
- (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs & RO retakes)
- (N)ew or (M)odified from bank (≥ 1)
- (P)revious 2 exams (≤ 1; randomly selected)