

UNITED STATES

NUCLEAR REGULATORY COMMISSION

REGION IV 612 E. LAMAR BLVD., SUITE 400 ARLINGTON, TEXAS 76011-4125

May 12, 2008

Smith-Emery Company ATTN: Patrick Morrison Radiation Safety Officer 1940 Oakdale Avenue San Francisco, CA 94124

SUBJECT: LICENSE AMENDMENT

By letter dated February 7, 2008, you informed the U.S. Nuclear Regulatory Commission ("NRC") that Smith-Emery Company had removed the nuclear gauges from the Hunter's Point Naval Shipyard, Building 114, San Francisco, California and transferred the nuclear gauges to your State of California license. Your letter also requested release of the facility for unrestricted use. The supporting documentation to your request provided a copy of the latest leak test results for the gauges stored at the facility. Based on the documentation submitted and a review of Smith-Emery Company's historical file, the staff concluded that all licensable radioactive material has been removed from the facility and the facility at Hunter's Point Naval Shipyard, Building 114, San Francisco, California, is suitable for unrestricted use in accordance with 10 CFR 20.1402, "Radiological Criteria for Unrestricted Use." Based on these conclusions, no further remediation or actions with respect to NRC regulated material is required at this facility.

Please find enclosed Amendment No. 06 to NRC License No. 04-19467-02. An environmental assessment for this action is not required, since this action is categorically excluded under 10 CFR 51.22(c)(20)(ii). You should review the enclosed document carefully and be sure that you understand all conditions. If there are any questions, please contact me at 817-276-6552.

Please note that 10 CFR 30.34, Terms and conditions of licenses, was revised to enhance the security requirements for portable gauges containing byproduct material. This revision became effective July 11, 2005. Revised 10 CFR 30.34 now requires that "each portable gauge licensee shall use a minimum of two independent physical controls that form tangible barriers to secure portable gauges from unauthorized removal, whenever portable gauges are not under the control and constant surveillance of the licensee" (i.e., when not in use). Guidance on these security procedures is provided in the errata sheet for Appendix H of NUREG-1556, Volume 1, Revision 1 which may be located at: http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v1/r1/.

Also note that items 8.A. and 8.B. were modified to reflect a possession limit for cesium-137 and americium-241 to quantities below the International Atomic Energy Agency's Category 3 amounts of radioactive material. Possession of radioactive material in quantities below the Category 3 thresholds indicates that the license can be made publicly available after issuance since it does not meet the Sensitive Unclassified Non-Safeguards Information criteria as described in NRC's Regulatory Issue Summary 2005-31 (http://www.nrc.gov/reading-rm/doc-collections/gen-comm/reg-issues/2005/).

Please note that by License Condition 21 you are required to maintain records available for inspection, at your facility located in San Francisco, California. If this location is changed or modified, please request an amendment to your license.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public that can result from failure to comply with NRC requirements, you must conduct your radiation safety program according to the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

- 1. Operate by NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
- 2. Notify NRC in writing of any change in mailing address.
- 3. By 10 CFR 30.36(d) and/or license condition, notify NRC, promptly, in writing, and request termination of the license:
 - a. When you decide to terminate all activities involving materials authorized under the license whether at the entire site or any separate building or outdoor area;
 - b. If you decide not to acquire or possess and use authorized material; or
 - c. When no principal activities under the license have been conducted for a period of 24 months.
- 4. Request and obtain a license amendment before you:
 - a. Change Radiation Safety Officers;
 - b. Order byproduct material in excess of the amount, radionuclide or form authorized on the license;
 - c. Add or change the areas or address(es) of use identified in the license application or on the license; or
 - d. Change the name or ownership of your organization.
- 5. Submit a complete renewal application or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.

In addition, please note that NRC Form 313 requires the applicant, by signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant. Since the NRC also accepts a letter requesting amendment of an NRC license, the signatory for such a request should also be the licensee or certifying official rather than a consultant.

NRC will periodically inspect your radiation safety program. Failure to conduct your program according to NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC may result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the NRC Enforcement Policy. The NRC Enforcement Policy is available on the following internet address: http://www.nrc.gov/reading-rm/doc-collections/enforcement/.

Rules and Regulations loose leaf supplements. However, an electronic version of the NRC's regulations is available on the NRC Web site at www.nrc.gov. Additional information regarding use of radioactive materials may be obtained on the NRC Web site at http://www.nrc.gov/materials/miau/mat-toolkits.html. This site also provides the link to the toolbox for updated information on the revised regulations for naturally-occurring and accelerator-produced radioactive materials (NARM).

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html.

Thank you for your cooperation.

Sincerely, Rachel S. Browder

Ráchel S. Browder, Health Physicist Nuclear Materials Safety Branch B

Docket: 030-20382 License: 04-19467-02 Control: 471730

Enclosure: As stated

NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 4 PAGES
Amendment No. 06

of registration issued by NRC or

an Agreement State

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below

below.					
Licensee	In accordance with letter dated February 7, 2008				
Smith-Emery Company	3. License number 04-19467-02 is amended in				
	its entirety to read as follows:				
2. 1940 Oakdale Avenue	4. Expiration date August 31, 2011				
San Francisco, California 94124	5. Docket No. 030-20382 Reference No.				
Byproduct, source, and/or 7. Chemical and/or physical form special nuclear material	Maximum amount that licensee may possess at any one time under this license				
A. Cesium-137 A. Sealed source (CPN International, Ind Model CPN-131)	A. 150 millicuries total. No single source to exceed the maximum activity specified in the certificate of registration issued by NRC or an Agreement State				
B. Americium-241 B. Sealed neutron source (CPN International, Inc Model CPN-131)					

- 9. Authorized use:
 - A. and B. In CPN International, Inc., Model MC Series PORTAPROBE portable gauging devices for measuring physical properties of materials.

CONDITIONS

- 10. Radioactive material shall be used only at the following:
 - A. Temporary job sites anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE	2	of	4	PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 04-19467-02				•		
	Docket or Reference Number 030-20382	er					
	Amendment No. 06						

- 11. A. Licensed material shall only be used by, or under the supervision and in the physical presence of, the Radiation Safety Officer or individuals who have successfully completed the manufacturer's training program for gauge users, have received copies of, and training in, the licensee's operating and emergency procedures, and have been designated by the Radiation Safety Officer.
 - B. The Radiation Safety Officer (RSO) for this license is Patrick Morrison.
- 12. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State.
 - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
 - C. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
 - D. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 612 E. Lamar Blvd., Suite 400, Arlington, Texas 76011, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.
 - E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
- 13. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
- 14. The licensee shall conduct a physical inventory every 6 months, or at other interval approved by NRC, to account for all sources and/or devices received and possessed under the license.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION		PAGE	3	of	4	PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 04-19467-02	,					
	Docket or Reference Numb	oer					
	Amendment No. 06	3					

- 15. Each portable gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.
- 16. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from NRC before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Certificates of Registration issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.
- 17. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the Commission or an Agreement State to perform such services.
- 18. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material.
- 19. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
 - B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U. S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.
- 20. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
- 21. The licensee shall maintain records required by 10 CFR Part 20, 10 CFR 30.51 and records important to safe and effective decommissioning per the provisions of 10 CFR 30.35(g), at 1940 Oakdale Avenue, San Francisco, California, until this license is terminated by the Commission.

U.S. NUCLEAR REGULATORY COMMISSION		PAGE	4	of	4	PAGES
MATERIALS LICENSE SUPPLEMENTARY SHEET	License Number 04-19467-02					
	Docket or Reference Number 030-20382	er		Seesiffy .		
	Amendment No. 06	,	****			***************************************
	ATERIALS LICENSE	ATERIALS LICENSE JPPLEMENTARY SHEET 04-19467-02 Docket or Reference Numb 030-20382	License Number 04-19467-02 ATERIALS LICENSE Docket or Reference Number 030, 20382	License Number 04-19467-02 ATERIALS LICENSE JPPLEMENTARY SHEET License Number 04-19467-02 Docket or Reference Number 030-20382	License Number 04-19467-02 ATERIALS LICENSE JPPLEMENTARY SHEET License Number 04-19467-02 Docket or Reference Number 030-20382	License Number 04-19467-02 ATERIALS LICENSE JPPLEMENTARY SHEET License Number 04-19467-02 Docket or Reference Number 030-20382

22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated March 29, 2001

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date: May 12, 2008

Rachel S. Browder, Health Physicist Nuclear Materials Safety Branch B

Region IV

By:

Arlington, Texas 76011