Holtec International
Final Safety Analysis Report for the HI-STORM 100 Cask System*

by

Holtec International
Holtec Center
555 Lincoln Drive West
Marlton, NJ 08053
(holtecinternational.com)

USNRC Docket No.:	72-1014
Holtec Report No.:	HI-2002444
Quality Designation:	Safety Significant

* This document is a copyrighted intellectual property of Holtec International. All rights reserved. Excerpting any part of this document, except for public domain citations included herein, by any person or entity except for the USNRC, without written consent of Holtec International is unlawful.

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
i through xi	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
1.0-1 through 1.0-31	6
1.1-1 through 1.1-4	6
Fig. 1.1.1	0
Fig. 1.1.1A	1
Fig. 1.1.1B	2
Fig. 1.1.2	0
Fig. 1.1.3 through 1.1.3A	1
Fig. 1.1.3B	2
Fig 1.1.4 through 1.1.5	1
1.2-1 through 1.2-40	6
Fig. 1.2.1	1
Fig. 1.2.1A	2
Fig. 1.2.2	4
Fig. 1.2.3	3
Fig. 1.2.4	4
Fig. 1.2.5 through 1.2.6	0
Fig. 1.2.7	1
Fig. 1.2.8 through 1.2.8A	1
Fig. 1.2.9 through 1.2.9A	1
Fig. 1.2.10 through 1.2.12	0
Fig. 1.2.13 through 1.2.15	Deleted
Fig. 1.2.16a through 1.2.16f	0
Fig. 1.2.17a through 1.2.17d	5
Fig. 1.2.18	1
1.3-1	5
1.4-1 through 1.4-3	1
Fig. 1.4.1 through 1.4.2	0
1.5-1 through 1.5-2	6
Drawings	See Section 1.5
Bills-of-Material	See Section 1.5
1.6-1 through 1.6-2	3
1.A-1 through 1.A-7	4
Fig. 1.A.1 through 1.A.5	0
1.B-1 through 1.B-3	3
1.C-1	2
1.C-2 through 1.C-5	Deleted
1.D-1 through 1.D-8	6
1.I-1	6
1.II-1 through 1.II-4	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
2.0-1 through 2.0-35	6
2.1-1 through 2.1-66	6
Fig. 2.1.1	3
Fig. 2.1.2 through 2.1.2C	1
Fig. 2.1.2D	3
Fig. 2.1.3 through 2.1.5	0
Fig. 2.1.6 through 2.1.8	Deleted
Fig. 2.1.9	3
2.2-1 through 2.2-58	6
2.3-1 through 2.3-22	5
Fig. 2.3.1 through 2.3.4	0
2.4-1 through 2.4-3	3
2.5-1	0
2.6-1 through 2.6-3	3
2A-1 through 2.A-5	2
Fig. 2.A.1	1
2.B-1 through 2.B-4	3
Fig. 2.B.1	3
2.C-1 through 2.C-2	3
Fig. 2.C.1	3
2.I-1	6
2.II-1 through 2.II-5	6
Fig. 2.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
3.0-1 through 3.0-10	4
3.1-1 through 3.1-46	5
Fig. 3.1.1 through 3.1.3	1
3.2-1 through 3.2-14	4
3.3-1 through 3.3-11	5
3.4-1 through 3.4-135	6
Fig. 3.4.1	0
Fig. 3.4.2	1
Fig. 3.4.3 through 3.4.4	0
Fig. 3.4.5	1
Fig. 3.4.6 through 3.4.9	0
Fig. 3.4.10	1
Fig. 3.4.11 through 3.4.29	0
Fig. 3.4.30 through 3.4.49	1
3.5-1	6
Fig. 3.5.1 through 3.5.9	Deleted
3.6-1 through 3.6-9	3
3.7-1 through 3.7-8	3
3.8-1 through 3.8-2	6
3.A-1 through 3.A-15	1
Fig. 3.A.1 through 3.A.18	0
Fig. 3.A.19 through 3.A.30	Deleted
3.I-1	6
3.II-1 through 3.II-18	6
Fig. 3.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
4.0-1 through 4.0-2	3
4.1-1 through 4.1-5	3
4.2-1 through 4.2-10	3
Fig. 4.2.1 through 4.2.2	Deleted
Fig. 4.2.3	3
4.3-1 through 4.3-2	3
4.4-1 through 4.4-65	3
Fig. 4.4.1 through 4.4.6	0
Fig. 4.4.7	2
Fig. 4.4.8	Deleted
Fig. 4.4.9	1
Fig. 4.4.10	0
Fig. 4.4.11	Deleted
Fig. 4.4.12 through 4.4.13	0
Fig. 4.4.14 through 4.4.15	Deleted
Fig. 4.4.16 through 4.4.17	1
Fig. 4.4.18	Deleted
Fig. 4.4.19 through 4.4.20	1
Fig. 4.4.21 through 4.4.23	Deleted
Fig. 4.4.24	0
Fig. 4.4.25 through 4.4.26	1
Fig. 4.4.27	3
4.5-1 through 4.5-24	5
Fig. 4.5.1	0
Fig. 4.5.2	1
4.6-1 through 4.6-2	3
4.7-1 through 4.7-3	3
4.A-1	Deleted
4.B-1 through 4.B-9	3
Fig. 4.B.1 through 4.B.8	1
4.I-1	6
4.II-1 through 4.II-8	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
5.0-1 through 5.0-4	5
5.1-1 through 5.1-26	6
Fig. 5.1.1	1
Fig. 5.1.2	0
Fig. 5.1.3	3
Fig. 5.1.4	0
Fig. 5.1.5	0
Fig. 5.1.6	0
Fig. 5.1.7	0
Fig. 5.1.8	0
Fig. 5.1.9	0
Fig. 5.1.10	0
Fig. 5.1.11	0
Fig. 5.1.12	1
Fig. 5.1.13	2
5.2-1 through 5.2-58	6
5.3-1 through 5.3-15	4
Fig. 5.3.1	1
Fig. 5.3.2 through Fig. 5.3.3	0
Fig. 5.3.4	2
Fig. 5.3.5	0
Fig. 5.3.6	0
Fig. 5.3.7	1
Fig. 5.3.8 through Fig. 5.3.9	0
Fig. 5.3.10	3
Fig. 5.3.11	1
Fig. 5.3.12	4
Fig. 5.3.13	4
Fig. 5.3.14	4
Fig. 5.3.15	1
Fig. 5.3.16	1
Fig. 5.3.17	1
Fig. 5.3.18	1
Fig. 5.3.19	2
Fig. 5.3.20	1
Fig. 5.3.21	1
Fig. 5.3.22	2
Fig. 5.3.23	4
5.4-1 through 5.4-35	4
5.5-1	0
5.6-1 through 5.6-3	3
5.A-1 through 5.A-4	0
5.B-1 through 5.B-7	0
5.C-1through 5.C-61	0
5.D-1 through 5.D-6	1
5.E-1 through 5.E-4	1
5.F-1 through 5.F-4	3
Fig. 5.F.1 through 5.F.7	3
5.I-1	6
5.II-1 through 5.II-12	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
6.1-1 through 6.1-19	6
6.2-1 through 6.2-64	5
6.3-1 through 6.3-19	3
Fig. 6.3.1	1
Fig. 6.3.1A	1
Fig. 6.3.2	1
Fig. 6.3.3	0
Fig. 6.3.4	1
Fig. 6.3.5	1
Fig. 6.3.6	0
Fig. 6.3.7	1
6.4-1 through 6.4-34	6
Fig. 6.4.1	Deleted
Fig. 6.4.2 through 6.4.15	1
Fig. 6.4.16	3
Fig. 6.4.17	3
6.5-1	0
6.6-1	0
6.7-1 and 6.7-2	1
6.A-1 through 6.A-20	2
Fig. 6.A.1 through 6.A.5	0
Fig. 6.A.6	2
6.B-1 and 6.B-2	0
6.C-1 through 6.C-16	6
6.D-1 through 6.D-35	1
6.I-1	6
6.II-1 through 6.II-6	6
Fig. 6.II.1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
7.0-1	6
7.1-1 through 7.1-8	6
Fig. 7.1.1	0
7.2-1	3
7.3-1	3
7.4-1 through 7.4-2	5
7.A-1	Deleted
7.I-1	6
7.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
8.0-1 through 8.0-6	6
8.1-1 through 8.1-42	5
Fig. 8.1.1	4
Fig. 8.1.2a and 8.1.2b	0
Fig. 8.1.2c	4
Fig. 8.1.2d	1
Fig. 8.1.2e and 8.1.2f	0
Fig. 8.1.3	0
Fig. 8.1.4	4
Fig. 8.1.5 and 8.1.6	0
Fig. 8.1.7	1
Fig. 8.1.8 through 8.1.11	0
Fig. 8.1.12 and 8.1.13	1
Fig. 8.1.14 through 8.1.17	0
Fig. 8.1.18 and 8.1.19	1
Fig. 8.1.20	4
Fig. 8.1.21	1
Fig. 8.1.22a and 8.1.22b	1
Fig. 8.1.23	1
Fig. 8.1.24	0
Fig. 8.1.25	1
Fig. 8.1.26	4
Fig. 8.1.27 through 8.1.28	1
Fig. 8.1.29a and 8.1.29b	1
Fig. 8.1.30	1
Fig. 8.1.31	4
Fig. 8.1.32	0
Fig. 8.1.33	4
Fig. 8.1.34a	1
Fig. 8.1.34b	Deleted
Fig. 8.1.35 and 8.1.36	0
Fig. 8.1.37	4
8.2-1	4
8.3-1 through 8.3-11	5
Fig. 8.3.1	5
Fig. 8.3.2a	4
Fig. 8.3.2b	5
Fig. 8.3.2c through 8.3.2d	0
Fig. 8.3.3	0
Fig. 8.3.4	Deleted
8.4-1 through 8.4-3	4
Fig. 8.4.1a	0
Fig. 8.4.1b	4
8.5-1 through 8.5-5	4
Fig. 8.5.1	0
8.6-1	1
8.I-1	6
8.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
9.0-1	4
9.1-1 through 9.1-30	6
9.2-1 through 9.2-4	6
9.3-1	1
9.4-1	0
9.I-1	6
9.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
10.1-1 through 10.1-8	5
Fig. 10.1.1	4
10.2-1	3
10.3-1 through 10.3-43	5
Fig. 10.3.1a	4
Fig. 10.3.1b	4
Fig. 10.3.1c	4
Fig. 10.3.1d	4
Fig. 10.3.1e	4
10.4-1 through 10.4-5	3
10.5-1	0
10.I-1	6
10.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
11.1-1 through 11.1-18	5
11.2-1 through 11.2-51	6
Fig. 11.2.1	0
Fig. 11.2.2 through 11.2.5	Deleted
Fig. 11.2.6	1
11.3-1	1
11.I-1	6
11.II-1 through 11.II-14	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
12.0-1	0
12.1-1 through 12.1-3	3
12.2-1 through 12.2-8	3
12.3-1	0
12.4-1	0
12.5-1	0
Appendix 12.A Cover	3
TS Bases TOC	5
B 3.0-1 through B 3.0-9	0
B 3.1.1-1 through B 3.1.1-7	5
B 3.1.2-1 through B 3.1.2-7	3
B 3.1.3-1 through B 3.1.3-3	5
B 3.1.4-1 through B 3.1.4-3	3
B 3.2.1-1	3
B 3.2.2-1 through B 3.2.2-3	1
B 3.2.3-1	3
B 3.3.1-1 through B 3.3.1-5	6
Appendix 12.B	Deleted
12.I-1	6
12.II-1	6

LIST OF EFFECTIVE PAGES FOR HI-STORM 100 FSAR REVISION 6

Page(s)	Revision
13.0-1 through 13.0-2	4
13.1-1	Deleted
13.2-1	Deleted
13.3-1	Deleted
13.4-1	Deleted
13.5-1	Deleted
13.6-1	4
13.I-1	6
13.II-1	6

HI-STORM 100 FSAR
TABLE OF CONTENTS

CHAPTER 1: GENERAL DESCRIPTION 1.0-1

1.0 GENERAL INFORMATION 1.0-1
1.0.1 Engineering Change Orders 1.0-3

1.1 INTRODUCTION 1.1-1

1.2 GENERAL DESCRIPTION OF HI-STORM 100 SYSTEM 1.2-1
1.2.1 System Characteristics 1.2-1
1.2.2 Operational Characteristics 1.2-21
1.2.3 Cask Contents 1.2-28

1.3 IDENTIFICATION OF AGENTS AND CONTRACTORS 1.3-1

1.4 GENERIC CASK ARRAYS 1.4-1

1.5 DRAWINGS 1.5-1

1.6 REFERENCES 1.6-1

APPENDIX 1.A: ALLOY X DESCRIPTION
APPENDIX 1.B: HOLTITE™ MATERIAL DATA
APPENDIX 1.C: MISCELLANEOUS MATERIAL DATA
APPENDIX 1.D: REQUIREMENTS ON HI-STORM 100 SHIELDING CONCRETE

1.I SECTION RESERVED FOR FUTURE USE 1.I-1

1.II GENERAL DESCRIPTION OF HI-STORM 100 SYSTEM FOR IP1 ..... 1.II-1
1.II.0 General Information 1.II-1
1.II.1 Introduction 1.II-1
1.II.2 General Description of HI-STORM 100 System for IP1 ..... 1.II-1
1.II.3 Identification of Agents and Contractors 1.II-2
1.II.4 Generic Cask Arrays 1.II-2
1.II.5 Drawings 1.II-3

CHAPTER 2: PRINCIPAL DESIGN CRITERIA 2.0-1

2.0 PRINCIPAL DESIGN CRITERIA 2.0-1
2.0.1 MPC Design Criteria 2.0-1
2.0.2 HI-STORM 100 Overpack Design Criteria 2.0-5
2.0.3 HI-TRAC Transfer Cask Design Criteria 2.0-8
2.0.4 Principal Design Criteria for the ISFSI Pad 2.0-10

2.1 SPENT FUEL TO BE STORED 2.1-1
2.1.1 Determination of The Design Basis Fuel 2.1-1
2.1.2 Intact SNF Specifications 2.1-2
2.1.3 Damaged SNF and Fuel Debris Specifications 2.1-2
2.1.4 Deleted 2.1-3

2.1.5 Structural Parameters for Design Basis SNF 2.1-3
2.1.6 Thermal Parameters for Design Basis SNF 2.1-3
2.1.7 Radiological Parameters for Design Basis SNF 2.1-4
2.1.8 Criticality Parameters for Design Basis SNF 2.1-5
2.1.9 Summary of Authorized Contents 2.1-5

2.2 HI-STORM 100 DESIGN CRITERIA 2.2-1
2.2.1 Normal Condition Design Criteria 2.2-2
2.2.2 Off-Normal Conditions Design Criteria 2.2-5
2.2.3 Environmental Phenomena and Accident Condition Design Criteria 2.2-7
2.2.4 Applicability of Governing Documents 2.2-14
2.2.5 Service Limits 2.2-15
2.2.6 Loads 2.2-16
2.2.7 Load Combinations 2.2-16
2.2.8 Allowable Stresses 2.2-17

2.3 SAFETY PROTECTION SYSTEMS 2.3-1
2.3.1 General 2.3-1
2.3.2 Protection by Multiple Confinement Barriers and Systems 2.3-2
2.3.3 Protection by Equipment and Instrumentation Selection 2.3-3
2.3.4 Nuclear Criticality Safety 2.3-17
2.3.5 Radiological Protection 2.3-18
2.3.6 Fire and Explosion Protection 2.3-20

2.4 DECOMMISSIONING CONSIDERATIONS 2.4-1

2.5 REGULATORY COMPLIANCE 2.5-1

2.6 REFERENCES 2.6-1

APPENDIX 2.A: GENERAL DESIGN AND CONSTRUCTION REQUIREMENTS FOR THE ISFSI PAD FOR HI-STORM 100A
APPENDIX 2.B: THE FORCED HELIUM DEHYDRATION (FHD) SYSTEM
APPENDIX 2.C: THE SUPPLEMENTAL COOLING SYSTEM

2.I SECTION RESERVED FOR FUTURE USE 2.I-1

2.II PRINCIPAL DESIGN CRITERIA FOR THE HI-STORM 100 SYSTEM FOR IP1 ..... 2.II-1
2.II.0 Overview of the Principal Design Criteria 2.II-1
2.II.1 Spent Fuel to be Stored 2.II-1
2.II.2 HI-STORM 100 Design Criteria 2.II-2
2.II.3 Safety Protection Systems 2.II-3
2.II.4 Decommissioning Considerations 2.II-3
2.II.5 Regulatory Compliance 2.II-3

CHAPTER 3: STRUCTURAL EVALUATION 3.0-1

3.0 OVERVIEW 3.0-1

3.1 STRUCTURAL DESIGN 3.1-1

3.1.1 Discussion 3.1-1
3.1.2 Design Criteria 3.1-5

3.2 WEIGHTS AND CENTERS OF GRAVITY 3.2-1

3.3 MECHANICAL PROPERTIES OF MATERIALS 3.3-1
3.3.1 Structural Materials 3.3-1
3.3.2 Nonstructural Materials 3.3-3

3.4 GENERAL STANDARDS FOR CASKS 3.4-1
3.4.1 Chemical and Galvanic Reactions 3.4-1
3.4.2 Positive Closure 3.4-2
3.4.3 Lifting Devices 3.4-2
3.4.4 Heat 3.4-18
3.4.5 Cold 3.4-64
3.4.6 HI-STORM 100 Kinematic Stability Under Flood Condition 3.4-65
3.4.7 Seismic Event and Explosion - HI-STORM 100 ..... 3.4-68
3.4.8 Tornado Wind and Missile Impact 3.4-92
3.4.9 HI-TRAC Drop Events 3.4-102
3.4.10 HI-STORM 100 Non-Mechanistic Tip-Over and Vertical Drop Event 3.4-108
3.4.11 Storage Overpack and HI-TRAC Transfer Cask Service Life 3.4-111
3.4.12 MPC Service Life 3.4-114
3.4.13 Design and Service Life 3.4-116

3.5 FUEL RODS 3.5-1

3.6 SUPPLEMENTAL DATA 3.6-1
3.6.1 Additional Codes and Standards Referenced in HI-STORM 100 System Design and Fabrication 3.6-1
3.6.2 Computer Programs 3.6-7
3.6.3 Appendices Included in Chapter 3 ..... 3.6-8
3.6.4 Calculation Package 3.6-9

3.7 COMPLIANCE WITH NUREG-1536 ..... 3.7-1

3.8 REFERENCES 3.8-1

APPENDIX 3.A: HI-STORM DECELERATION UNDER POSTULATED VERTICAL DROP EVENT AND TIPOVER

3.I SECTION RESERVED FOR FUTURE USE 3.I-1

3.II STRUCTURAL EVALUATION OF THE HI-STORM 100 SYSTEM FOR IP1 ..... 3.II-1
3.II.0 Overview 3.II-1
3.II.1 Structural Design 3.II-1
3.II.2 Weights and Centers of Gravity 3.II-2
3.II.3 Mechanical Properties of Materials 3.II-2
3.II.4 General Standards for Casks 3.II-2
3.II.5 Fuel Rods 3.II-15

3.II.6 Supplemental Data 3.II-15
3.II.7 Compliance with NUREG-1536 ..... 3.II-15
3.II.8 References 3.II-16

CHAPTER 4: THERMAL EVALUATION 4.0-1

4.0 OVERVIEW 4.0-1

4.1 DISCUSSION 4.1-1

4.2 SUMMARY OF THERMAL PROPERTIES OF MATERIALS 4.2-1

4.3 SPECIFICATIONS FOR COMPONENTS 4.3-1
4.3.1 Evaluation of Moderate Burnup Fuel 4.3-1

4.4 THERMAL EVALUATION FOR NORMAL CONDITIONS OF STORAGE 4.4-1
4.4.1 Thermal Model 4.4-1
4.4.2 Maximum Temperatures 4.4-23
4.4.3 Minimum Temperatures 4.4-24
4.4.4 Maximum Internal Pressure 4.4-25
4.4.5 Maximum Thermal Stresses 4.4-26
4.4.6 Evaluation of System Performance for Normal Conditions of Storage 4.4-27

4.5 THERMAL EVALUATION OF SHORT TERM OPERATIONS 4.5-1
4.5.1 Thermal Model 4.5-2
4.5.2 Maximum Temperatures 4.5-12
4.5.3 Minimum Temperatures 4.5-13
4.5.4 Maximum Internal Pressure 4.5-13
4.5.5 Maximum Thermal Stresses 4.5-14
4.5.6 Evaluation of System Performance for Normal Conditions of Handling and Onsite Transport 4.5-14

4.6 Regulatory Compliance 4.6-1
4.6.1 Normal Conditions of Storage 4.6-1
4.6.2 Short Term Operations 4.6-2

4.7 References 4.7-1

APPENDIX 4.A INTENTIONALLY DELETED
APPENDIX 4.B CONSERVATISMS IN THE THERMAL ANALYSIS OF THE HI-STORM 100 SYSTEM

4.I SECTION RESERVED FOR FUTURE USE 4.I-1

4.II THERMAL EVALUATION OF HI-STORM 100 SYSTEM FOR IP1 ..... 4.II-1
4.II.1 Introduction 4.II-1
4.II.2 Thermal Properties of Materials 4.II-1
4.II.3 Technical Specifications of Components 4.II-1
4.II.4 Normal Storage Thermal Evaluation 4.II-1

4.II.5 Thermal Evaluation of Short Term Operations 4.II-4
4.II.6 Thermal Evaluation of Off-Normal and Accident Conditions 4.II-4
4.II.7 Regulatory Compliance 4.II-6

CHAPTER 5: SHIELDING EVALUATION 5.0-1

5.0 INTRODUCTION 5.0-1

5.1 DISCUSSION AND RESULTS 5.1-1
5.1.1 Normal and Off-Normal Operations 5.1-4
5.1.2 Accident Conditions 5.1-8

5.2 SOURCE SPECIFICATION 5.2-1
5.2.1 Gamma Source 5.2-2
5.2.2 Neutron Source 5.2-4
5.2.3 Stainless Steel Clad Fuel Source 5.2-6
5.2.4 Non-fuel Hardware 5.2-6
5.2.5 Choice of Design Basis Assembly 5.2-10
5.2.6 Thoria Rod Canister 5.2-15
5.2.7 Fuel Assembly Neutron Sources 5.2-15
5.2.8 Stainless Steel Channels 5.2-17

5.3 MODEL SPECIFICATIONS 5.3-1
5.3.1 Description of the Radial and Axial Shielding Configuration 5.3-1
5.3.2 Regional Densities 5.3-7

5.4 SHIELDING EVALUATION 5.4-1
5.4.1 Streaming Through Radial Steel Fins and Pocket Trunnions and Azimuthal Variations 5.4-5
5.4.2 Damaged Fuel Post-Accident Shielding Evaluation 5.4-6
5.4.3 Site Boundary Evaluation 5.4-8
5.4.4 Stainless Steel Clad Fuel Evaluation 5.4-10
5.4.5 Mixed Oxide Fuel Evaluation 5.4-10
5.4.6 Non-Fuel Hardware 5.4-11
5.4.7 Dresden Unit 1 Antimony-Beryllium Neutron Sources 5.4-12
5.4.8 Thoria Rod Canister 5.4-13
5.4.9 Regionalized Dose Rate Evaluation 5.4-14

5.5 REGULATORY COMPLIANCE 5.5-1

5.6 REFERENCES 5.6-1

APPENDIX 5.A: SAMPLE INPUT FILE FOR SAS2H
APPENDIX 5.B: SAMPLE INPUT FILE FOR ORIGEN-S
APPENDIX 5.C: SAMPLE INPUT FILE FOR MCNP
APPENDIX 5.D: DOSE RATE COMPARISON FOR DIFFERENT COBALT IMPURITY LEVELS
APPENDIX 5.E: DOSE RATES FOR A HI-STORM 100 OVERPACK WITH AND WITHOUT AN INNER SHIELD SHELL

APPENDIX 5.F: ADDITIONAL INFORMATION ON THE BURNUP VERSUS DECAY HEAT AND ENRICHMENT EQUATION

5.I SECTION RESERVED FOR FUTURE USE 5.I-1

5.II SHIELDING EVALUATION OF THE HI-STORM 100 SYSTEM FOR IP1 ..... 5.II-1
5.II.0 Introduction 5.II-1
5.II.1 Discussion and Results 5.II-1
5.II.2 Source Specification 5.II-3
5.II.3 Model Specifications 5.II-4
5.II.4 Shielding Evaluation 5.II-5
5.II.5 Regulatory Compliance 5.II-5

CHAPTER 6: CRITICALITY EVALUATION 6.1-1

6.1 DISCUSSION AND RESULTS 6.1-2

6.2 SPENT FUEL LOADING 6.2-1
6.2.1 Definition of Assembly Classes 6.2-1
6.2.2 Intact PWR Fuel Assemblies 6.2-2
6.2.3 Intact BWR Fuel Assemblies in the MPC-68 and MPC-68FF 6.2-5
6.2.4 BWR and PWR Damaged Fuel Assemblies and Fuel Debris 6.2-6
6.2.5 Thoria Rod Canister 6.2-9

6.3 MODEL SPECIFICATION 6.3-1
6.3.1 Description of Calculational Model 6.3-1
6.3.2 Cask Regional Densities 6.3-3
6.3.3 Eccentric Positioning of Assemblies in Fuel Storage Cells 6.3-4

6.4 CRITICALITY CALCULATIONS 6.4-1
6.4.1 Calculational or Experimental Method 6.4-1
6.4.2 Fuel Loading or Other Contents Loading Optimization 6.4-2
6.4.3 Criticality Results 6.4-6
6.4.4 Damaged Fuel and Fuel Debris 6.4-7
6.4.5 Fuel Assemblies with Missing Rods 6.4-16
6.4.6 Thoria Rod Canister 6.4-16
6.4.7 Sealed Rods replacing BWR Water Rods 6.4-16
6.4.8 Non-Fuel Hardware in PWR Fuel Assemblies 6.4-17
6.4.9 Neutron Sources in Fuel Assemblies 6.4-17
6.4.10 Applicability of HI-STAR Analyses to HI-STORM 100 System 6.4-18
6.4.11 Fixed Neutron Absorber Material 6.4-18
6.4.12 Annular Fuel Pellets 6.4-19

6.5 CRITICALITY BENCHMARK EXPERIMENTS 6.5-1

6.6 REGULATORY COMPLIANCE 6.6-1

6.7 REFERENCES 6.7-1

APPENDIX 6.A BENCHMARK CALCULATIONS
APPENDIX 6.B DISTRIBUTED ENRICHMENTS IN BWR FUEL
APPENDIX 6.C CALCULATIONAL SUMMARY
APPENDIX 6.D SAMPLE INPUT FILES

6.I SECTION RESERVED FOR FUTURE USE 6.I-1

6.II CRITICALITY EVALUATION OF INDIAN POINT 1 FUEL IN THE MPC-32 ..... 6.II-1
6.II.0 Introduction 6.II-1
6.II.1 Discussion and Results 6.II-1
6.II.2 Spent Fuel Loading 6.II-1
6.II.3 Model Specifications 6.II-2
6.II.4 Criticality Calculations 6.II-2
6.II.5 Criticality Benchmarks 6.II-3
6.II.6 Regulatory Compliance 6.II-3

CHAPTER 7: CONFINEMENT 7.0-1

7.0 INTRODUCTION 7.0-1

7.1 CONFINEMENT BOUNDARY 7.1-1
7.1.1 Confinement Vessel 7.1-1
7.1.2 Confinement Penetrations 7.1-2
7.1.3 Seals and Welds 7.1-3
7.1.4 Closure 7.1-3
7.1.5 Damaged Fuel Container 7.1-3
7.1.6 Design and Qualification of Final MPC Closure Welds 7.1-4

7.2 REQUIREMENTS FOR NORMAL AND OFF-NORMAL CONDITIONS OF STORAGE 7.2-1

7.3 CONFINEMENT REQUIREMENTS FOR HYPOTHETICAL ACCIDENT CONDITIONS 7.3-1

7.4 REFERENCES 7.4-1

7.I SECTION RESERVED FOR FUTURE USE 7.I-1

7.II CONFINEMENT 7.II-1

CHAPTER 8: OPERATING PROCEDURES 8.0-1

8.0 INTRODUCTION 8.0-1

8.1 PROCEDURE FOR LOADING THE HI-STORM 100 SYSTEM IN THE SPENT FUEL POOL 8.1-1
8.1.1 Overview of Loading Operations 8.1-1
8.1.2 HI-TRAC and HI-STORM Receiving and Handling Operations 8.1-4
8.1.3 HI-TRAC and MPC Receipt Inspection and Loading Preparation 8.1-7

8.1.4 MPC Fuel Loading 8.1-11
8.1.5 MPC Closure 8.1-12
8.1.6 Preparation for Storage 8.1-23
8.1.7 Placement of HI-STORM into Storage 8.1-25

8.2 ISFSI OPERATIONS 8.2-1

8.3 PROCEDURE FOR UNLOADING THE HI-STORM 100 SYSTEM IN THE SPENT FUEL POOL 8.3-1
8.3.1 Overview of HI-STORM 100 System Unloading Operations 8.3-1
8.3.2 HI-STORM Recovery From Storage 8.3-2
8.3.3 Preparation for Unloading 8.3-5
8.3.4 MPC Unloading 8.3-10
8.3.5 Post-Unloading Operations 8.3-10

8.4 MPC TRANSFER TO HI-STAR 100 OVERPACK FOR TRANSPORT OR STORAGE 8.4-1
8.4.1 Overview of Operations 8.4-1
8.4.2 Recovery from Storage 8.4-1
8.4.3 MPC Transfer into the HI-STAR 100 Overpack 8.4-1

8.5 MPC TRANSFER TO HI-STORM DIRECTLY FROM TRANSPORT 8.5-1
8.5.1 Overview of Operations 8.5-1
8.5.2 HI-STAR Receipt and Preparation for MPC Transfer 8.5-2
8.5.3 Perform MPC Transfer into HI-STORM 100 ..... 8.5-4

8.6 REFERENCES 8.6-1

8.I SECTION RESERVED FOR FUTURE USE 8.I-1

8.II OPERATING PROCEDURES 8.II-1

CHAPTER 9: ACCEPTANCE CRITERIA AND MAINTENANCE PROGRAM 9.0-1

9.0 INTRODUCTION 9.0-1

9.1 ACCEPTANCE CRITERIA 9.1-1
9.1.1 Fabrication and Nondestructive Examination (NDE) 9.1-1
9.1.2 Structural and Pressure Tests 9.1-5
9.1.3 Leakage Testing 9.1-8
9.1.4 Component Tests 9.1-9
9.1.5 Shielding Integrity 9.1-9
9.1.6 Thermal Acceptance Tests 9.1-14
9.1.7 Cask Identification 9.1-14

9.2 MAINTENANCE PROGRAM 9.2-1
9.2.1 Structural and Pressure Parts 9.2-1
9.2.2 Leakage Tests 9.2-1
9.2.3 Subsystem Maintenance 9.2-2

9.2.4 Pressure Relief Valve 9.2-2
9.2.5 Shielding 9.2-2
9.2.6 Thermal 9.2-3

9.3 REGULATORY COMPLIANCE 9.3-1

9.4 REFERENCES 9.4-1

9.I SECTION RESERVED FOR FUTURE USE 9.I-1

9.II ACCEPTANCE CRITERIA AND MAINTENANCE PROGRAM 9.II-1

CHAPTER 10: RADIATION PROTECTION 10.1-1

10.1 ENSURING THAT OCCUPATIONAL RADIATION EXPOSURES ARE AS-LOW-AS-REASONABLY-ACHIEVABLE (ALARA) 10.1-1
10.1.1 Policy Considerations 10.1-1
10.1.2 Design Considerations 10.1-2
10.1.3 Operational Considerations 10.1-4
10.1.4 Auxiliary/Temporary Shielding 10.1-5

10.2 RADIATION PROTECTION DESIGN FEATURES 10.2-1

10.3 ESTIMATED ON-SITE COLLECTIVE DOSE ASSESSMENT 10.3-1
10.3.1 Estimated Exposures for Loading and Unloading Operations 10.3-2
10.3.2 Estimated Exposures for Surveillance and Maintenance 10.3-3

10.4 ESTIMATED COLLECTIVE DOSE ASSESSMENT 10.4-1
10.4.1 Controlled Area Boundary Dose for Normal Operations 10.4-1
10.4.2 Controlled Area Boundary Dose for Off-Normal Conditions 10.4-2
10.4.3 Controlled Area Boundary Dose for Accident Conditions 10.4.2

10.5 REFERENCES 10.5-1

10.I SECTION RESERVED FOR FUTURE USE 10.I-1

10.II RADIATION PROTECTION 10.II-1

CHAPTER 11: ACCIDENT ANALYSIS 11.1-1

11.1 OFF-NORMAL CONDITIONS 11.1-1
11.1.1 Off-Normal Pressures 11.1-2
11.1.2 Off-Normal Environmental Temperatures 11.1-4
11.1.3 Leakage of One Seal 11.1-7
11.1.4 Partial Blockage of Air Inlets 11.1-8
11.1.5 Off-Normal Handling of HI-TRAC 11.1-10
11.1.6 Malfunction of FHD System 11.1-12
11.1.7 SCS Power Failure 11.1-14

11.2 ACCIDENTS 11.2-1
11.2.1 HI-TRAC Transfer Cask Handling Accident 11.2-1
11.2.2 HI-STORM Overpack Handling Accident 11.2-4
11.2.3 Tip-Over 11.2-6
11.2.4 Fire Accident 11.2-9
11.2.5 Partial Blockage of MPC Basket Vent Holes 11.2-18
11.2.6 Tornado 11.2-20
11.2.7 Flood 11.2-22
11.2.8 Earthquake 11.2-24
11.2.9 100% Fuel Rod Rupture 11.2-25
11.2.10 Confinement Boundary Leakage 11.2-27
11.2.11 Explosion 11.2-27
11.2.12 Lightning 11.2-29
11.2.13 100% Blockage of Air Inlets 11.2-30
11.2.14 Burial Under Debris 11.2-35
11.2.15 Extreme Environmental Temperature 11.2-37
11.2.16 Supplemental Cooling System (SCS) Failure 11.2-39

11.3 REFERENCES 11.3-1

11.I SECTION RESERVED FOR FUTURE USE 11.I-1

11.II OFF-NORMAL AND ACCIDENT EVALUATION FOR HI-STORM 100S-185 ..... 11.II-1
11.II.0 Introduction 11.II-1
11.II.1 Off-Normal Events 11.II-1
11.II.2 Accident Events 11.II-4

CHAPTER 12: OPERATING CONTROLS AND LIMITS 12.0-1

12.0 INTRODUCTION 12.0-1

12.1 PROPOSED OPERATING CONTROLS AND LIMITS 12.1-1
12.1.1 NUREG-1536 (Standard Review Plan) Acceptance Criteria 12.1-1

12.2 DEVELOPMENT OF OPERATING CONTROLS AND LIMITS 12.2-1
12.2.1 Training Modules 12.2-1
12.2.2 Dry Run Training 12.2-2
12.2.3 Functional and Operating Limits, Monitoring Instruments, and Limiting Control Settings 12.2-3
12.2.4 Limiting Conditions for Operation 12.2-3
12.2.5 Equipment 12.2-3
12.2.6 Surveillance Requirements 12.2-3
12.2.7 Design Features 12.2-3
12.2.8 MPC 12.2-4
12.2.9 HI-STORM Overpack 12.2-4
12.2.10 Verifying Compliance with Fuel Assembly Decay Heat, Burnup, and Cooling Time Limits 12.2-4

12.3 TECHNICAL SPECIFICATIONS 12.3-1

12.4 REGULATORY EVALUATION 12.4-1

12.5 REFERENCES 12.5-1

APPENDIX 12.A TECHNICAL SPECIFICATION BASES FOR THE HOLTEC HI-STORM 100 SPENT FUEL STORAGE CASK SYSTEM

12.I SECTION RESERVED FOR FUTURE USE 12.I-1

12.II OPERATING CONTROLS AND LIMITS 12.II-1

CHAPTER 13: QUALITY ASSURANCE 13.0-1

13.0 QUALITY ASSURANCE PROGRAM 13.0-1
13.0.1 Overview 13.0-1
13.0.2 Graded Approach to Quality Assurance 13.0-2

13.1 through 13.5 INTENTIONALLY DELETED

13.6 REFERENCES 13.6-1

13.I SECTION RESERVED FOR FUTURE USE 13.I-1

13.II QUALITY ASSURANCE 13.II-1