

Regional Medical Center South Bend

May 16, 2008

Colleen Carol Casey United State Nuclear Regulatory Commission Region III, Licensing Section 2443 Warrenville Road, Suite 210 Lisle, Illinois 60532-4352

Re: Mail Control Number 316781 USNRC License # 13-02650-02

Dear Ms. Casey:

On December 10, 2007, we submitted a request to amendment our license.

Now we have received Amendment No. 39 to replace Amendment No. 38.

In reviewing the amendment, we noticed that we had requested several changes that are not included in the final amendment including:

- Sub-item No. 6. E. We have disposed our 300 Kilogram Depleted Uranium.
- 2. Sub-item No. 9. H. We no longer have animal study and research, 10CFR 30.4.
- 3. Sub-item No.13. We no longer have animal research.
- Sub-item No. 12. C. Brett A Stephens, M.D. no longer uses Technetium-99 for animal research studies.

Please also note, our VariSource HDR Remote After-Loader Unit, does not have Depleted Uranium. Therefore, the Sub-item No. 6. E. also should be omitted from Sub-item 10. B.

Would you please make the above- mentioned corrections to Amendment No 39?

Respectfully,

Lori Price Chief Operating Officer Saint Joseph Regional Medical Center

801 East LaSalle Avenue South Bend, Indiana 46617 574.237.7111 www.simed.com

RECEIVED MAY 1 9 2002

