

STPEGS UFSAR

TABLE OF CONTENTS

CHAPTER 2

SITE CHARACTERISTICS

<u>Section</u>	<u>Title</u>	<u>Page</u>
2.1	GEOGRAPHY AND DEMOGRAPHY	2.1-1
2.1.1	Site Location and Description	2.1-1
2.1.2	Exclusion Area Authority and Control	2.1-2
2.1.3	Population Distribution	2.1-2
2.2	NEARBY INDUSTRIAL, TRANSPORTATION AND MILITARY FACILITIES	2.2-1
2.2.1	Location and Routes	2.2-1
2.2.2	Descriptions	2.2-3
2.2.3	Evaluation of Potential Accidents	2.2-6
APPENDIX 2.2.A	GAS WELL ACCIDENT ANALYSIS	2.2.A-1
2.2.A.1	Nature of Potential Accidents	2.2.A-1
2.2.A.2	Analysis of Consequences	2.2.A-2
2.2.A.3	Discussion	2.2.A-4
2.2.A.4	Toxic Gas Release	2.2.A-5
APPENDIX 2.2.B	CELANESE PIPELINES	2.2.B-1
2.3	METEOROLOGY	2.3-1
2.3.1	Regional Climatology	2.3-1
2.3.2	Local Meteorology	2.3-13
2.3.3	Onsite Meteorological Measurement Program	2.3-19
2.3.4	Short-Term (Accident) Diffusion Estimates	2.3-20
2.3.5	Long-Term (Routine) Diffusion Estimates	2.3-22
2.4	HYDROLOGIC ENGINEERING	2.4-1
2.4.1	Hydrologic Description	2.4-2
2.4.2	Floods	2.4-7
2.4.3	Probable Maximum Flood on Streams and Rivers	2.4-10
2.4.4	Potential Dam Failures	2.4-17
2.4.5	Probable Maximum Surge and Seiche Flooding	2.4-35
2.4.6	Probable Maximum Tsunami Flooding	2.4-37
2.4.7	Ice Effects	2.4-38
2.4.8	Cooling Water Canals and Reservoirs	2.4-39
2.4.9	Channel Diversions	2.4-43
2.4.10	Flooding Protection Requirements	2.4-46

LIST OF TABLES

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.4.11	Low Water Considerations	2.4-46
2.4.12	Dispersion, Dilution, and Travel Times of Accidental Releases of Liquid Effluents in Surface Waters	2.4-50
2.4.13	Groundwater	2.4-50
2.4.14	Technical Specification and Emergency Operation Requirements	2.4-69
2.5	GEOLOGY AND SEISMOLOGY	2.5.1-1
2.5.1	Basic Geologic and Seismic Information	2.5.1-1
2.5.2	Vibratory Ground Motion	2.5.2-1
2.5.3	Surface Faulting	2.5.3-1
2.5.4	Stability of Subsurface Materials	2.5.4-1
2.5.5	Stability of Slopes	2.5.5-1
2.5.6	Embankment and Dams	2.5.6-1
APPENDIX 2.5.A	FOUNDATION VERIFICATION	2.5.A-1
2.5.A.1	Introduction	2.5.A-1
2.5.A.2	Plant Area Anticipated Subsurface Conditions	2.5.A-2
2.5.A.3	ECP and ECW Structures and Piping, Anticipated Subsurface Conditions	2.5.A-3
2.5.A.4	Foundation Verification Procedure	2.5.A-4
2.5.A.5	Results from the Plant Area	2.5.A-7
2.5.A.6	Results from ECP and ECW Structures and Piping Area	2.5.A-10
2.5.A.7	Conclusion: Plant Area	2.5.A-12
2.5.A.8	Conclusion: ECP & ECW Structures & Piping	2.5.A-14
APPENDIX 2.5.B	GEOLOGIC MAPPING INDEX	2.5.B-1
2.5.B.1	Introduction	2.5.B-1
2.5.B.2	Geologic Mapping Procedures	2.5.B-2
2.5.B.3	Soil and Geologic Classification	2.5.B-4
2.5.B.4	Geologic Framework of the South Texas Project	2.5.B-4
2.5.B.5	Geologic Mapping Results	2.5.B-8
2.5.B.6	Geologic Mapping Conclusions	2.5.B-14
APPENDIX 2.5.C	GEOTECHNICAL MONITORING	2.5.C-1
2.5.C.1	Introduction	2.5.C-1
2.5.C.2	Elevation and Location Base Line Control	2.5.C-1
2.5.C.3	Data Accumulation, Processing, and Storage	2.5.C-2
2.5.C.4	Settlement Monitoring Program	2.5.C-2
2.5.C.5	Regional Subsidence Monitoring Program	2.5.C-9
2.5.C.6	Construction Monitoring Program	2.5.C-15
2.1-1	Population Distribution - 1985, 1990, 2000,	

LIST OF TABLES

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
	2010, 2020, 2030	2.1-7
2.1-2	Schools Within 10 Miles of South Texas Project	
	Electric Generating Station	2.1-13
2.1-3	Population Comparison	2.1-14
2.1-4	Exclusion Area Boundary Distances	2.1-15
2.2-1	Description of Industrial Facilities	2.2-13
2.2-2	Natural Gas Pipelines	2.2-14
2.2-3	Not Used	
2.2-4	Configuration and Exploitation of Salt Domes in	
	Matagorda County and Adjacent Gulf Coast Region	2.2-15
2.2-7	Effects of Tank Ruptures/Explosions for	2.2-16
	Gases Stored in Bulk On-Site	
2.2-8	Effects of Breaks in Natural Gas Pipelines	2.2-17
2.2.A-1	Reflected Air Shock Overpressure	2.2.A-8
2.2.A-2	Maximum Ground Accelerations	2.2.A-9
2.2.A-3	Explosive-Generated Missile Impact Conditions	2.2.A-10
2.2.B-1	Celanese Pipeline Data	2.2.B-2
2.3-1	Meteorological Stations Used to Determine	
	Regional Climatology and Local Meteorology	2.3-30
2.3-2	Extreme Mile-Wind Speeds at the STPEGS Site,	
	Based on Thom	2.3-31
2.3-3	Extreme Mile-Wind Speeds at the STPEGS Site,	
	Based on the Brooks and Carruthers Approach	2.3-32
2.3-4	Site Region Meteorological Extremes	2.3-33
2.3-5	Maximum Recorded Rainfall at Corpus Christi,	
	Galveston and Victoria for Periods of 5 Min-	
	utes to 24 Hours	2.3-34
2.3-6	Monthly Cloud Cover (Computed to the Average	
	Year) for the Extreme Dry Years at Victoria	
	(1948)	2.3-35

STPEGS UFSAR

LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.3-7	Seasonal and Annual Frequencies of Cloud-to-Ground Lightning in the Vicinity of the STPEGS Site, Based on Victoria Data	2.3-36
2.3-8	Median (50%) Precipitation With and Without Tropical Cyclone Effects in the STPEGS Site Region	2.3-37
2.3-9	Annual Average Wind Speeds and Frequencies of Calms for Victoria, Corpus Christi, Galveston, and STPEGS	2.3-38
2.3-10	Not Used	
2.3-11	Seasonal and Annual Frequency of Stability Indices for Victoria, Corpus Christi, and Galveston	2.3-39
2.3-12	Seasonal and Annual Frequency of Stability Indices for Victoria and Corpus Christi (in Percent) Based on the July 1973 Through June 1977 Period	2.3-41
2.3-13	Stability Distributions, $\Delta T(195'-33')$ for the STPEGS Site (July 21, 1973 - July 20, 1977)	2.3-42
2.3-14	Normals, Means, and Extremes, Victoria, Texas	2.3-43
2.3-15	Normals, Means, and Extremes, Corpus Christi, Texas	2.3-44
2.3-16	Normals, Means, and Extremes, Galveston, Texas	2.3-45
2.3-17	Not Used	
2.3-18	Normals, Means, and Extremes, Bay City, Texas	2.3-46
2.3-19	Normals, Means, and Extremes, Matagorda, Texas	2.3-47
2.3-20	Normals, Means, and Extremes, Palacios, Texas	2.3-48
2.3-21	Monthly Average Temperature and Dew Point, STPEGS (July 21, 1973 - July 20, 1977)	2.3-49
2.3-22	Meteorological Data for Evaluation of Maximum Temperature for the Essential Cooling Pond	2.3-50
2.3-22A	Meteorological Data for Evaluation of Maximum Evaporation for the Essential Cooling Pond	2.3-73
2.3-23	Meteorological Instrumentation, STPEGS Onsite Meteorological Program (Operation)	2.3-88

STPEGS UFSAR

LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.3-24	Data Collection and Recording Equipment STPEGS Onsite Meteorological Measurement Program (Operation)	2.3-89
2.3-25	Sector χ/Q Values (sec/m^3) at STPEGS Based on 10-60m Delta-T and 10 Meter Winds - July 21, 1973 - September 30, 1977	2.3-90
2.3-26	STPEGS χ/Q (sec/m^3) Based on $\Delta T(60\text{m} - 10\text{m})$ Stability Data and 10-meter Winds (July 21, 1973 through September 30, 1977	2.3-91
2.3-27	Annual Average Ground Level χ/Q Values at the Exclusion Area Boundary (Site Boundary) Ground Level Release	2.3-92
2.3-28	Average Meteorological Relative Concentration Data Period 7/21/73 to 9/30/77	2.3-93
2.3-29	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-96
2.3-30	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-97
2.3-31	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-98
2.3-32	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-99
2.3-33	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-100
2.3-34	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-101
2.3-35	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-102
2.3-36	Wind Frequency Distribution Frequency in Percent of Total Observations	2.3-103
2.3-37	Not Used	
2.3-38	Not Used	
2.3-39	Extreme Mile-Wind Speeds at the STPEGS Site Based on the Brooks and Carruthers Approach	2.3-104
2.3-40	100-Year Recurrent Fastest Mile Wind Speed Based on Type I and Weibull Distributions	2.3-105
2.3-41	Hurricane Carla (September 9-12, 1961)	2.3-106

STPEGS UFSAR

LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.3-42	Hurricane Celia (July 23-August 5, 1970)	2.3-108
2.4-1	Summary of Flood Analyses Results	2.4-77
2.4.1-1	Colorado River Dam and Lake J.B. Thomas	2.4-79
2.4.1-2	Colorado City Dam and Lake Colorado City	2.4-81
2.4.1-3	Champion Creek Dam and Champion Creek Reservoir	2.4-83
2.4.1-4	Robert Lee Dam and E. V. Spence Reservoir	2.4-85
2.4.1-5	Oak Creek Dam and Oak Creek Reservoir	2.4-87
2.4.1-6	San Angelo Dam and O. C. Fisher Lake	2.4-89
2.4.1-7	Twin Buttes Dam and Twin Buttes Reservoir	2.4-91
2.4.1-8	Nasworthy Dam and Lake Nasworthy	2.4-93
2.4.1-9	Pecan Bayou Dam and Lake Clyde	2.4-95
2.4.1-10	Hords Creek Dam and Hords Creek Reservoir	2.4-97
2.4.1-11	Coleman Dam and Lake Coleman	2.4-99
2.4.1-11a	S.W. Freese Dam	2.4-101
2.4.1-12	Brownwood Dam and Brownwood Reservoir	2.4-103
2.4.1-13	Brady Creek Dam and Brady Creek Reservoir	2.4-105
2.4.1-14	Buchanan Dam and Lake Buchanan	2.4-107
2.4.1-15	Roy Inks Dam and Inks Lake	2.4-109
2.4.1-16	Alvin Wirtz Dam and Lake Lyndon B. Johnson	2.4-110
2.4.1-17	Max Starcke Dam and Marble Falls Lake	2.4-111
2.4.1-18	Mansfield Dam and Lake Travis	2.4-112
2.4.1-19	Tom Miller Dam and Lake Austin	2.4-114
2.4.1-20	Decker Creek Dam and Decker Lake	2.4-115
2.4.1-21	Bastrop Dam and Lake Bastrop	2.4-116
2.4.1-22	Baylor Creek and Cedar Creek Dams and Reservoirs	2.4-117
2.4.1-23	Eagle Lake Dam and Eagle Lake	2.4-120
2.4.1-24	Proposed Columbus Bend Dam and Reservoir	2.4-121
2.4.1-25	USGS Stream Gauge Data for the Lower Colorado River	2.4-122
2.4.1-26	Physical Data for the Lower Colorado River	2.4-123
2.4.1-27	Historic Spillages from the Colorado River Basin	2.4-124
2.4.2-1	Effects of Upstream Flood Control on USGS Gauge for Colorado River at Columbus, Texas	2.4-125
2.4.2-2	Seven Maximum Discharges, USGS Gauge at Bay City on the Colorado River	2.4-126
2.4.2-3	Discharge-Frequency Data, Colorado River-Austin to Bay City	2.4-127

STPEGS UFSAR

LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.4.3-1	Critical Location Data for Hearne Storm Over Colorado River Basin Below Mansfield Dam	2.4-128
2.4.3-2	Not Used	
2.4.3-3	Reconstitution Data for Colorado River Backwater Runs Computed Stages Compared to Recorded Stages	2.4-129
2.4.4-1	Earth Dams Within 75 Miles of Epicentral Region	2.4-130
2.4.4-2	Computation of Manning's Roughness Coefficient	2.4-133
2.4.4-3	Maximum Results of Postulated Failures	2.4-135
2.4.4-4	Large Reservoirs Upstream from STP Site	2.4-136
2.4.5-1	Determination of Probable Maximum Hurricane Parameters Considered	2.4-137
2.4.5-2	Major Historical Hurricanes in Texas	2.4-138
2.4.5-3	Probable Maximum Hurricane Surge Heights	2.4-139
2.4.7-1	Minimum Monthly River Water Temperature, USGS Gauge No. 08-1620, Colorado River at Wharton, Texas	2.4-140
2.4.11-1	Low-Flow Duration at USGS Gage at Bay City, Period: 1948-1962	2.4-142
2.4.13-1	Tabulation of Water Wells in the Vicinity of the STPEGS Through 1967, Table 7, Hammond, 1969	2.4-143
2.4.13-2	Tabulation of Water Wells Inventoried for South Texas Project, 1973	2.4-157
2.4.13-3	Aquifer Test Summary	2.4-163
2.4.13-4A	Not Used	
2.4.13-4B	Summary of Hypothetical Spill Analysis in Lower Shallow Aquifer	2.4-164
2.4.13-5	Not Used	
2.4.13-6	Not Used	
2.4.13-7	Summary of Hypothetical Spill in Deep Aquifer	2.4-165
2.5.1-1	Tabulation of Oil and Gas Exploration Wells Drilled Subsequent to 1975	2.5.1-147
2.5.1-2	Summary of 1985 Lineament Evaluation Results	2.5.1-153
2.5.1-3	Fault Summary Chart	2.5.1-154
2.5.2-4	All Tectonic Earthquakes Within 200 Miles of the Site	2.5.2-31

STPEGS UFSAR
LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.5.2-5	All Tectonic Earthquakes Within 600 Miles of the Site With Intensity V and Greater Magnitude 3.5 and Greater	2.5.2-32
2.5.4-1	Summary of Laboratory Tests	2.5.4-112
2.5.4-2	Unconfined Compression Test Data	2.5.4-127
2.5.4-2A	Sensitivity of Clay Samples	2.5.4-132
2.5.4-3	Average Undrained Shear Strength of Clay Layers from Unconfined Compression Tests	2.5.4-133
2.5.4-4	Average Undrained Shear Strength of Clay Layers Determined from UU Triaxial Compression Tests	2.5.4-134
2.5.4-5	Shear-Strength Parameters of Clay Determined from CIU Triaxial Compression Tests	2.5.4-135
2.5.4-6	Shear-Strength Parameters of Compacted Onsite Clay Soil Determined from CIU Triaxial Compression Tests	2.5.4-136
2.5.4-7	Oedometer Test Data	2.5.4-137
2.5.4-8	Compressibility Index (Unload-Recompression)	2.5.4-144
2.5.4-9	Coefficient of Consolidation	2.5.4-147
2.5.4-10	Prorated Average Oedometer Test Data	2.5.4-160
2.5.4-11	Drained Clay Modulus Values	2.5.4-161
2.5.4-12	Drained Sand Modulus Values	2.5.4-162
2.5.4-13	Coefficient of Lateral Earth Pressure at Rest	2.5.4-163
2.5.4-14	Summary of Vertical and Horizontal Zero Volume Change Stress Tests	2.5.4-164
2.5.4-15	Laboratory Density Test Results	2.5.4-165
2.5.4-16	Strain-Controlled Cyclic Triaxial Test Summary, In Situ Soils	2.5.4-166
2.5.4-17	Strain-Controlled Cyclic Triaxial Test Summary, Gifford Hill Fill Material (Composite)	2.5.4-169
2.5.4-18	Resonant Column Test Summary, Gifford Hill Fill Material (Composite)	2.5.4-170
2.5.4-19	Piezometers Within the Plant Site Area Installed During Exploration Program	2.5.4-174
2.5.4-20	Piezometers Outside the Plant Site Area Installed During Exploration Program	2.5.4-175
2.5.4-21	Shear-Wave Velocity Data Unit No. 1	2.5.4-178
2.5.4-22	Shear-Wave Velocity Data Unit No. 2	2.5.4-180

STPEGS UFSAR

LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.5.4-23	Subgrade Preparation - Density Results	2.5.4-182
2.5.4-24	Summary of Data: Modulus Reduction Curves and Damping Curves, In Situ Soils	2.5.4-184
2.5.4-25	Summary of Material Numbers Defining Modulus Reduction Curves and Damping Curves for In Situ Soil Layers	2.5.4-188
2.5.4-26	Summary of Data Used to Define Shear Modulus and Damping Ratio for Gifford Hill Sand	2.5.4-189
2.5.4-27	Material Properties of In Situ Soils, Horizontal Analysis Cases for Average Properties	2.5.4-192
2.5.4-28	Not Used	
2.5.4-29	Not Used	
2.5.4-30	Not Used	
2.5.4-31	Loading Conditions	2.5.4-193
2.5.4-32	Selected Static Soil Properties	2.5.4-194
2.5.4-33	Aquifer and Backfill Hydraulic Characteristics	2.5.4-195
2.5.4-34	Calibration of Vibratory Table for Maximum Relative Density Determination	2.5.4-196
2.5.4-35	Summary of Simplified Liquefaction Analyses Based on SPT Data	2.5.4-197
2.5.4-36	Computed Equivalent Uniform Shear Stresses	2.5.4-199
2.5.5-1	Strength Parameters for Slope Stability Analyses	2.5.5-8
2.5.5-2	Essential Cooling Pond - Summary of Slope Stability Analysis	2.5.5-9
2.5.6-1	Main Cooling Reservoir Foundation Models Design and Post-Construction Phase (1975 to March 1983)	2.5.6-30
2.5.6-2	Main Cooling Reservoir Soil Strength Parameters Design and Post-Construction Phase (1975 to March 1983)	2.5.6-31
2.5.6-3	Main Cooling Reservoir Factor of Safety at End of Construction of Embankment Interior Slopes and of Dike Slopes	2.5.6-32

STPEGS UFSAR
LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.5.6-4	Main Cooling Reservoir Factor of Safety for Long-Term Steady Seepage Conditions of Embankment Exterior Slopes	2.5.6-33
2.5.6-5	Main Cooling Reservoir Soil Strength Parameters Further Study Phase (March 1983 - October 1984)	2.5.6-34
2.5.6-6	Main Cooling Reservoir Factor of Safety of Embankment Slopes Further Study Phase (March 1983 - October 1984)	2.5.6-35
2.5.6-7	Main Cooling Reservoir Yield Accelerations for Deep-Seated Failure Surfaces Further Study Phase (March 1983 - October 1984)	2.5.6-36
2.5.6-8	Main Cooling Reservoir Exploration Further Study Phase (March 1983 - October 1984)	2.5.6-37
2.5.6-9	Logs of Test Pits Dug at the Essential Cooling Pond Floor	2.5.6-38
2.5.6-10	Factors of Safety Against Liquefaction	2.5.6-44
2.5.A.2-1	Plant and Field Acceptance Criteria	2.5.A-16
2.5.A.3-1	ECP and ECW Structures and Pipeline, Field Acceptance Criteria	2.5.A-17
2.5.A.5-1	Plant Area Summary Data Tabulation	2.5.A-18
2.5.A.6-1	ECP and ECW Piping Areas Summary Data Tabulation	2.5.A-43
2.5.A.7-1	Comparison of Actual and Anticipated Types of Soil	2.5.A-64
2.5.C-1	Frequency of Observation - Site Monitoring Program	2.5.C-19
2.5.C-2	Permanent Shallow Aquifer Piezometer Installation Data	2.5.C-20
2.5.C-2A	Permanent Deep Aquifer Piezometer Installation Data	2.5.C-21
2.5.C-3	Regional Horizontal Strain Monitoring Data	2.5.C-22

STPEGS UFSAR
LIST OF TABLES (Continued)

CHAPTER 2

<u>Table</u>	<u>Title</u>	<u>Page</u>
2.5.C-4	Projected Maximum Anticipated Differential Settlements from Construction Day 3400, Unit 1	2.5.C-39
2.5.C-5	Projected Maximum Anticipated Tilt from Construction Day 3400, Unit 1	2.5.C-40
2.5.C-6	Projected Maximum Anticipated Differential Settlement from Construction Day 3400, Unit 2	2.5.C-41
2.5.C-7	Projected Maximum Anticipated Tilt from Construction Day 3400, Unit 2	2.5.C-42

STPEGS UFSAR

LIST OF FIGURES

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>	<u>Reference Number</u>
2.1-1	Region Surrounding the South Texas Project	
2.1-2	Immediate Environs of the South Texas Project	
2.1-3	Aerial Photograph of Site and Surrounding Area	
2.1-4	Site Layout and Surrounding Areas of South Texas Project	
2.1-4a	Site Boundary	
2.1-5	Abutting and Adjacent Properties and Nearby Developments of South Texas Project	
2.1-6	Population Distribution, Based on Field Survey Results, South Texas Project, 1985	
2.1-7	Population Distribution, 0-10 and 10-50 Miles, South Texas Project, 1990 (Time of Plant Startup - Unit 1)	
2.1-8	Population Distribution, 0-10 and 10-50 Miles, South Texas Project, 2000	
2.1-9	Population Distribution, 0-10 and 10-50 Miles, South Texas Project, 2010	
2.1-10	Population Distribution, 0-10 and 10-50 Miles, South Texas Project, 2020	
2.1-11	Population Distribution, 0-10 and 10-50 Miles, South Texas Project, 2030 (Time of Plant Retirement)	
2.1-12	Site Development Plan	9Y510HO1104
2.1-13	Schools, Parks and Recreation Areas in the Environs of the South Texas Project	

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.2-1	Industrial Facilities in the Immediate Environs of the South Texas Project
2.2-2	Airfields Within 10 Miles of the South Texas Project
2.2-3	Natural Gas and Commodity Pipelines and Production Fields Within 5 Miles of the South Texas Project
2.2-4	Location Map - Salt Domes in Matagorda County and Adjacent Region
2.2-5	Schematic Model of Control Room
2.2-6	USACE Diversion Project
2.3-1	STP Regional Site Area
2.3-2	Gross Wind Roses: Galveston, Victoria, and Corpus Christi, Texas
2.3-3	South Texas Project Gross Wind Rose, 10 Meter Level
2.3-4a	Corpus Christi Gross Wind Rose
2.3-4b	Victoria Gross Wind Rose
2.3-5	Wind Direction Persistence Probability
2.3-6	Maximum Wind Persistence Episodes in Hours, Victoria, Galveston, and Corpus Christi, Texas
2.3-7	South Texas Project Maximum Persistence Wind Direction, 10 Meter Level
2.3-8	Annual Fog Occurrence, Victoria, Corpus Christi, and Galveston
2.3-9	Monthly Percentage Occurrences of Fog, Victoria, Corpus Christi, and Galveston
2.3-10	Regional Topographic Map (5-Mile Radius)

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.3-11	Regional Topographic Map (50-Mile Radius)
2.3-12	Met. Data Collection Point
2.3-13	Relationship Between Digital and Analog Wind Speed Data for STP (Based on November 5, 1974 to January 6, 1975 Data)
2.3-14	Relationship Between Digital and Analog Wind Direction Data for STP (Based on November 5, 1974 to January 6, 1975 Data)
2.3-15	Relationship Between Digital and Analog Temperature Differential Data for STPEGS (Based on November 5, 1974 to January 6, 1975 Data)
2.3-16	Standard Deviation of Analog Wind Speed Versus Digital Wind Speed for STP (Based on November 5, 1974 to January 6, 1975 Data)
2.3-17	Standard Deviation of Analog Wind Direction Versus Digital Wind Direction for STP (Based on November 5, 1974 to January 6, 1975 Data)
2.3-18	Standard Deviation of Analog Temperature Difference Versus Digital Temperature Difference for STPEGS (Based on November 5, 1974 to January 6, 1975 Data)
2.4-1	Site Region
2.4-2	Colorado River Basin - Reservoirs and Hydrologic Regions
2.4.1-1	Vicinity Map
2.4.1-2	Site Layout
2.4.1-3	Effects of STPEGS on Local Drainage
2.4.1-4	Topography of Colorado River Basin Below Lake Travis

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.4.1-5	River Basins Adjacent to Lower Colorado River Basin
2.4.2-1	Locations of Dredging and Typical River Cross-Sections
2.4.2-3	Discharge-Frequency Relationships, Colorado River Gages, Austin to Bay City
2.4.3-1	Depth-Area-Duration Curves, Original Hearne Storm, June 27-July 1, 1899
2.4.3-2	Isohyetal Map, Original Hearne Storm, Historical Location, June 27-July 1, 1899
2.4.3-3	Isohyetal Map, Hearne Storm, Transposed to Lower Colorado River Basin Below Mansfield Dam
2.4.3-4	Probable Maximum Precipitation, 1,000 to 20,000 Square Miles, Durations 6 to 96 Hours, Colorado River Basin
2.4.3-5	Critical Location, Optimization Curve, PMP Below Lake Travis
2.4.3-6	Probable Maximum Precipitation, 10 to 1,000 Square Miles, Durations 6 to 96 Hours, Colorado River Basin
2.4.3-7	Probable Maximum Precipitation for U.S. East of 105th Meridian, 200 Square Miles - 24 Hours, To All Season Envelope
2.4.3-8	6-Hour Unit Hydrograph, 3,520 Square Miles, Mansfield Dam to Bay City
2.4.3-9	Flood Routings, Mansfield Dam & Columbus Bend Dam to STPEGS Site
2.4.3-10	PMF Envelope Curve for STPEGS Hydrologic Region
2.4.3-11	Bay City, SPF-PMF Hydrographs Combined

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.4.3-12	Reservoirs and Region for Basis of PMF Envelope Curve
2.4.3-13	Unit Hydrograph, 4.5 Square Miles Remaining, Local to Relocated Little Robbins Slough
2.4.3-15	Historic Basin Spillage (Profiles)
2.4.3-16	Lower Colorado River Basin Plan Columbus to Gulf
2.4.3-17	Coastal Adjacent Basins
2.4.3-18	Colorado River, Typical Cross Sections
2.4.3-19	FM 521 Bridge Cross Section
2.4.3-20	Cross Sections Near Plant Area, Coastal Adjacent Basins - Sheet 1 of 3
2.4.3-21	Cross Sections Near Plant Area, Coastal Adjacent Basins - Sheet 2 of 3
2.4.3-22	Cross Sections Near Plant Area, Coastal Adjacent Basins - Sheet 3 of 3
2.4.3-23	Tres Palacios Creek Rating Curves
2.4.3-24	Colorado River Rating Curves
2.4.3-25	Peyton Creek Rating Curves
2.4.3-26	Discharge Rating at Site (Bay City Q Vs. STPEGS Stage)
2.4.3-28	Colorado River, Velocity-Discharge Rating Curves
2.4.3-29	Backwater Profiles
2.4.3-30	Determination of Fetch Length for Basin Flooding
2.4.4-4	Extreme Approximation of Embankment Failure by Downstream Translation

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.4.4-5	Transposed Equivalent Breach Openings from Extreme Approximation
2.4.4-6	Combined Conservative Equivalent Breach from Extreme Approximation
2.4.4-7	Limits of Coarse and Fine Grids Used in Two-Dimensional Analysis
2.4.4-8	Breach Length Vs. Model No. 1 Analysis Runup on Plant Structures
2.4.4-9	Flow Profiles Between Structures - 420 Ft. Breach Vs. 1,890 Ft. Breach
2.4.4-10	Plant Layout For Model No. 1 Analysis
2.4.4-11	Coarse Grid and Plant Layout For Model No. 2 Analysis
2.4.4-12	Fine Grid and Plant Layout For Model No. 2 Analysis
2.4.4-13	Grid Positions on Plant Layout For Fine Grid Analysis
2.4.4-14	Breach Location for Model No. 3 Analysis
2.4.4-16	Wave Runup Confirmation by One-Dimensional Analysis
2.4.5-1	Historical Hurricanes - Landfall Locations
2.4.5-2	Depth Traverse for Hurricane Surge
2.4.6-1	Earthquake Potential for Maximum Tsunami Flooding
2.4.8-1	Spillway Discharge Channel
2.4.8-2	Relocated Little Robbins Slough - Typical Section
2.4.8-3	Cooling Reservoir Embankment and Interior Dikes - Typical Sections

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.4.8-4	Spillway Plan and Profile
2.4.8-5	Spillway Rating Curve
2.4.8-6	Probable Maximum Flood and Standard Project Flood on Cooling Reservoir
2.4.8-7	Area-Capacity Curve - Cooling Reservoir
2.4.8-8	Determination of Effective Fetch - Intake Structure
2.4.8-9	Determination of Effective Fetch - Discharge Structure
2.4.8-10	Determination of Effective Fetch - Makeup Structure
2.4.8-11	Determination of Effective Fetch - Spillway
2.4.8-12	Determination of Effective Fetch - Southeast Embankment
2.4.8-13	Determination of Effective Fetch - South Embankment
2.4.8-14	Determination of Effective Fetch - Southwest Embankment
2.4.8-15	Determination of Effective Fetch - North Embankment
2.4.9-1	Topographic Features of Site Vicinity
2.4.9-2	Growth of Colorado River Delta
2.4.11-1	Colorado River Locks, River Elevation Vs. Percent of Time Greater Than or Equal To
2.4.13-1	Piezometric Levels, Deep Aquifer Zone
2.4.13-2	Grain Size Analysis of Deep Aquifer Zone Sands
2.4.13-3A	Generalized Geohydrologic Cross Section A'-A'''
2.4.13-3B	Generalized Geohydrologic Cross Section A'-A''

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.4.13-3C	Generalized Geohydrologic Cross Section B-B' and B-B''
2.4.13-4	Borehole Location Map
2.4.13-6	Ground-Water Contour Map, Deep Aquifer Zone (1967)
2.4.13-7	Ground-Water Contour Map, Deep Aquifer Zone (1973)
2.4.13-8	Well Locations
2.4.13-9	Pump Test Layout Plan
2.4.13-10	Typical Pump-Test Well Construction
2.4.13-11	Typical Piezometer Construction
2.4.13-12	Profile Showing Salt Water Wedge in the Deep Aquifer
2.4.13-13	Well Schematic Diagram
2.4.13-14	Water Well Inventory Map
2.4.13-15	Historic Piezometric Levels of Deep Aquifer Zone
2.4.13-16	Water Level Observations, Deep Aquifer Zone
2.4.13-17	Ground Water Contour Map, Lower Shallow Aquifer Zone
2.4.13-17A	Ground Water Contour Map, Lower Shallow Aquifer Zone
2.4.13-18	Water Level Observations, 1973
2.4.13-19	Ground Water Contour Map, Upper Portion of the Shallow Aquifer Zone
2.4.13-19A	Ground Water Contour Map, Upper Portion of the Shallow Aquifer Zone
2.5.1-1	Oil and Gas Fields and Salt Domes
2.5.1-1A	Location of Oil and Gas Exploration Wells and Seismic

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
	Reflection Lines Subsequent to 1975
2.5.1-1B	Regional Stratigraphic Section - NS
2.5.1-1C	Regional Stratigraphic Section - EW
2.5.1-1D	Stratigraphy - Chronology Correlation Chart
2.5.1-1E	Correlation Chart
2.5.1-2	Power Station Plan Foundation Borings
2.5.1-3	Soil Engineering Section Generalized Profile A-A
2.5.1-4	Soil Engineering Section Generalized Profile B-B
2.5.1-5	Soil Engineering Section Generalized Profile C-C
2.5.1-6	Shotpoint Map Showing Location of Seismic Reflection Lines
2.5.1-6B	Seismic Data and Well Locations
2.5.1-7A	Shallowest Contours of Fault Planes "A" through "J"
2.5.1-8A	Seismic Stratigraphic Cross Sections
2.5.1-9A	Seismic Stratigraphic Cross Section
2.5.1-10A	Depth of Contours of Fault Plane "A"
2.5.1-11A	Depth of Contours of Fault Plane "B"
2.5.1-12A	Depth of Contours of Fault Plane "C"
2.5.1-13A	Depth of Contours of Fault Planes "D", "E", and "F"
2.5.1-14A	Depth of Contours of Fault Planes "G", "H", "I", and "J"
2.5.1-15	1985 Lineament Study

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.1-16	Lineaments with 5-Mile Radius, 1985 Study
2.5.1-17	Projection of Growth Faults A & I on 1975 Lineament Study, 5-Mile Radius
2.5.1-18	Projection of Growth Faults A & I on 1985 Lineament Study, 5-Mile Radius
2.5.1-19	Mapping of Relocated Little Robbins Slough on Projection of Growth Fault I
2.5.1-20	Section View of Mapping of Relocated Little Robbins Slough on Projection of Growth Fault I
2.5.2-3	Epicenters within 200 Miles
2.5.2-4	Epicenters within 600 Miles
2.5.4-1	Physical Properties Gifford Hill Fill Material
2.5.4-2	Unconfined Compression Tests - Shear Strength Vs. Depth
2.5.4-3	Unconsolidated Undrained Tests - Shear Strength Vs. Depth
2.5.4-4	UU Triaxial Tests - Layer A ₁ - Compacted
2.5.4-5	CIU Triaxial Test - Layer D
2.5.4-6	CIU Triaxial Test - Layer F
2.5.4-7	CIU Triaxial Test - Layer J
2.5.4-8	CIU Triaxial Test - Layer J
2.5.4-9	CIU Triaxial Tests - Layer A ₂
2.5.4-10	CIU Triaxial Tests - Layer B (Clay)
2.5.4-11	CIU Triaxial Tests - Layer B (Silt)

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-12	CIU Triaxial Tests - Layer D
2.5.4-13	CIU Triaxial Tests - Layer F
2.5.4-14	CIU Triaxial Tests - Layer A ₁ – Compacted
2.5.4-15	CIU Triaxial Tests - Layer A ₂ - Compacted
2.5.4-16	CIU Triaxial Tests - Layer B - Compacted
2.5.4-17	CIU Triaxial Tests - Layer B - Compacted
2.5.4-18	CID Triaxial Test - Layer D
2.5.4-19	CID Triaxial Test - Layer F ₁
2.5.4-20	CID Triaxial Test - Layer F ₂
2.5.4-21	CID Triaxial Test - Layer J
2.5.4-22	CID Triaxial Test - Layer J
2.5.4-23	CID Triaxial Test - Layer J
2.5.4-24	CID Triaxial Test - Layer L
2.5.4-25	CID Triaxial Test - Layer N
2.5.4-26	Residual Direct Shear Test - Essential Cooling Pond
2.5.4-27	Residual Direct Shear Test - Layer A ₂
2.5.4-28	Dutch Cone Penetration Reduction Factor
2.5.4-29	Dutch Cone Penetration - Shear Strength Vs. Depth
2.5.4-30	CID Triaxial Test - Layer E
2.5.4-31	CID Triaxial Test - Layer E

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-32	CID Triaxial Tests - Potential Backfill From Gifford Hill
2.5.4-33	Consolidation Tests - Boring 136
2.5.4-34	Consolidation Tests - Boring 146
2.5.4-35	Consolidation Tests - Boring 226
2.5.4-36	Consolidation Tests - Boring 227
2.5.4-37	Consolidation Tests - Boring 229
2.5.4-38	Consolidation Tests - Boring 230
2.5.4-39	Consolidation Tests - Boring 231
2.5.4-40	Consolidation Test - Boring 232
2.5.4-41	Consolidation Test - Boring 250
2.5.4-42	Young's Modulus vs. Depth Static Triaxial Test (UU)
2.5.4-43	Undrained Young's Modulus for Clay
2.5.4-44	Young's Modulus vs. Strain - Cyclic Triaxial Tests
2.5.4-45	Drained Sand - Modulus vs. Depth
2.5.4-46	Relationship Between K_o , PI, & OCR
2.5.4-47	Lateral Earth Pressure at Rest (K_o) - Triaxial Test
2.5.4-48	Lateral Earth Pressure at Rest (K_o) - Triaxial Test
2.5.4-49	Total Overburden Pressure vs. Depth 2.5.4-50 Piezometer Locations in Plant Area
2.5.4.-50	Piezometer Locations in Plant Area

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-51	Location of Piezometers Outside Plant Site Area
2.5.4-52	Plant Area Excavation - Plan
2.5.4-53	Plant Area Excavation - Section A-A
2.5.4-53A	Plant Area Excavation and Structural Backfill - Section B-B
2.5.4-54	Plant Area Excavation and Structural Backfill - Section C-C
2.5.4-54A	Plant Excavation and Structural Backfill - Section D-D
2.5.4-55	Slope Stability - Unit 1
2.5.4-56	Slope Stability - Unit 2
2.5.4-57	Unit 1 - Laboratory Proctor Curves for Subgrade Preparation of Soil Layers B, C and D
2.5.4-58	Unit 2 - Laboratory Proctor Curves for Subgrade Preparation of Soil Layers B, C and D
2.5.4-59	Gradation - Thorstenberg
2.5.4-60	Gradation - Parker Brothers
2.5.4-61	Statistically Estimated Probability Curves of In-Place Structural Backfill Density - Unit 1
2.5.4-62	Statistically Estimated Probability Curves of In-Place Structural Backfill Density - Unit 2
2.5.4-63	Not Used
2.5.4-64	Dewatering System Layout
2.5.4-65	Piezometric Level Vs. Time - Unit 1
2.5.4-65A	Piezometric Level Vs. Time - Unit 1
2.5.4-65B	Piezometric Level Vs. Time - Unit 1

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-65C	Piezometric Level Vs. Time - Unit 1
2.5.4-65D	Piezometric Level Vs. Time - Unit 1
2.5.4-66	Piezometric Level Vs. Time - Unit 2
2.5.4-66A	Piezometric Level Vs. Time - Unit 2
2.5.4-66B	Piezometric Level Vs. Time - Unit 2
2.5.4-66C	Piezometric Level Vs. Time - Unit 2
2.5.4-66D	Piezometric Level Vs. Time - Unit 2
2.5.4-67	Historic Piezometric Levels in Shallow Aquifer Zone
2.5.4-68	Historic Piezometric Levels in Shallow Aquifer Zone
2.5.4-69	Historic Piezometric Levels in Shallow Aquifer Zone
2.5.4-70	Historic Piezometric Levels of Deep Aquifer Zone
2.5.4-70A	Historic Piezometric Levels of Deep Aquifer Zone
2.5.4-70B	Historic Piezometric Levels of Deep Aquifer Zone
2.5.4-70C	Historic Piezometric Levels of Deep Aquifer Zone
2.5.4-70D	Historic Piezometric Levels of Deep Aquifer Zone
2.5.4-71	Measured Shear Wave Velocities and Velocity Values Used in SSI Analyses
2.5.4-72	Layers A, D, and F - $G/G_{\max}$ vs Shear Strain
2.5.4-73	Layer B - $G/G_{\max}$ vs Shear Strain
2.5.4-74	Layers C and E - $G/G_{\max}$ vs Shear Strain
2.5.4-75	Layers J and L - $G/G_{\max}$ vs Shear Strain
2.5.4-76	Layer A - Damping Ratio vs Shear Strain
2.5.4-77	Layer B - Damping Ratio vs Shear Strain

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-78	Layers C and E - Damping Ratio vs Shear Strain
2.5.4-79	Layers D, F, J, and L - Damping Ratio vs Shear Strain
2.5.4-80	Modulus Reduction Curve and Damping Ratio Curve Material -Type 1
2.5.4-81	Modulus Reduction Curve and Damping Ratio Curve Material - Type 2
2.5.4-82	Modulus Reduction Curve and Damping Ratio Curve Material - Type 3
2.5.4-83	Modulus Reduction Curve and Damping Ratio Curve Material - Type 4
2.5.4-84	Modulus Reduction Curve and Damping Ratio Curve Material - Type 5
2.5.4-85	Gifford Hill Fill Material - Shear Modulus at Effective Mean Normal Stress of 1,000 psf
2.5.4-86	Gifford Hill Fill Material - Damping Ratio vs Shear Strain

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-87	Gifford Hill Fill Material - Modulus Reduction and Damping Curves
2.5.4-88	Plant Site Layout and Arrangement
2.5.4-89	Soil Pressure, Category I Structures
2.5.4-90	Soil Pressure, Non-Category I Structures
2.5.4-91	Not Used
2.5.4-92	Not Used
2.5.4-93	Units 1 and 2 Ultimate Settlement
2.5.4-94	Not Used
2.5.4-95	Not Used
2.5.4-96	Not Used
2.5.4-97	Not Used
2.5.4-98	Not Used
2.5.4-99	Not Used
2.5.4-100	Not Used
2.5.4-101	Not Used
2.5.4-102	Not Used
2.5.4-103	Not Used
2.5.4-104	Not Used
2.5.4-105	Containment Structure Models, Finite Element Analysis

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-106	Foundation Soil Model - Finite Element Analysis
2.5.4-107	Short Term Vertical Loading - Reactor Containment Building
2.5.4-108	Stresses Below Reactor Containment Mat
2.5.4-109	Recommended K_s Values for Vertical Loading - Reactor Containment Building
2.5.4-110	Recommended K_s Values for Internal Pressure Loading - Reactor Containment Building
2.5.4-111	Allowable Side Wall Tension Stresses - Reactor Containment Building
2.5.4-112	Final Tornado Lateral Loading - Reactor Containment Building
2.5.4-113	Recommended K_s Values for Tornado Lateral Loading - Reactor Containment Building
2.5.4-114	Recommended K_s Values for Seismic Lateral Loading - Reactor Containment Building
2.5.4-115	Surcharge Lateral Pressures
2.5.4-116	Extent of Concrete Mudseals
2.5.4-117	Extent of Remedial Work Resulting from Foundation Verification
2.5.4-117A	Extent of Remedial Work in ECW Trench Areas Resulting From Foundation Verification
2.5.4-117B	Extent of Remedial Work in ECP Resulting From Foundation Verification
2.5.4-118	Extent of Vibroflotation - SPT Boring Locations - Unit 1
2.5.4-118A	Extent of Concrete Mudslabs in ECW Trench Areas

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.4-119	SPT vs Constant Relative Density - Unit 1
2.5.4-120	SPT Boring Locations & SPT vs Constant Relative Density - Unit 2
2.5.4-121	Relationship Between Maximum Relative Density and Vibratory Table Amplitude
2.5.4-121A	Relationship Between Maximum Relative Density and Vibratory Table Amplitude
2.5.4-122	At Rest Earth Pressure Distribution For Rigid, Non-Yielding Walls
2.5.4-123	Liquefaction Potential in Plant Areas
2.5.4-124	Liquefaction Potential Below Bottom of Essential Cooling Pond
2.5.4-125	Results of Standard Penetration Tests in Plant Area
2.5.4-126	Liquefaction Potential in Plant Area (In Situ Soil With Top 40 ft Replaced By Compacted Structural Backfill)
2.5.4-127	Velocity Function
2.5.5-1	Essential Cooling Pond Slope Stability Analyses Static Conditions
2.5.5-1A	Essential Cooling Pond Slope Stability Analyses Earthquake Condition A=0.1G
2.5.5-1B	Essential Cooling Pond Slope Stability Analyses Rapid Drawdown Conditions
2.5.5-2	Essential Cooling Pond Subsurface Explorations
2.5.6-1	Location and Vicinity Map

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.6-2	Site Map
2.5.6-3	Reservoir Layout (Sheet 1 of 4)
2.5.6-4	Reservoir Layout (Sheet 2 of 4)
2.5.6-5	Reservoir Layout (Sheet 3 of 4)
2.5.6-6	Reservoir Layout (Sheet 4 of 4)
2.5.6-7	Spillway and Blowdown Facilities Layout
2.5.6-8	Spillway Plan, Profile and Sections
2.5.6-9	Spillway Discharge Channel (Sheet 1 of 2)
2.5.6-10	Spillway Discharge Channel (Sheet 2 of 2)
2.5.6-11	Reservoir Makeup Pumping Facilities, General Layout
2.5.6-12	Essential Cooling Pond Layout
2.5.6-13	Essential Cooling Pond Sections and Details
2.5.6-13A	Essential Cooling Pond Stratigraphy
2.5.6-14	Borrow Sources
2.5.6-15	Reservoir Embankment and Dikes, Sections and Details (Sheet 1 of 2)
2.5.6-16	Reservoir Embankment and Dikes, Sections and Details (Sheet 2 of 2)
2.5.6-20	Wave Wall at Circulating Water Intake Chute
2.5.6-21	Wave Wall at Circulating Water Discharge Chute
2.5.A.3-1	Soil Profile for ECW Pipeline Along Section A-A'-A"

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.A.3-2	Soil Profile for ECW Pipeline Along Section B-B'-B''
2.5.A.3-3	Soil Profile for ECW Pipeline Along Section C-C'-C''
2.5.A.4-1	Unit 1 - Foundation Verification Zones
2.5.A.4-2	Unit 2 - Foundation Verification Zones
2.5.A.4-3	Essential Cooling Pond - Foundation Verification Zones
2.5.A.4-4	Unit 1 Essential Cooling Water Pipelines - Foundation Verification Zones
2.5.A.4-6	Verification Event Diagram
2.5.A.7-1	Cumulative Frequency of Occurrence Vs. Normalized Shear Strength Plant Areas
2.5.A.7-1A	Cumulative Frequency of Occurrence Vs. Normalized Shear Strength ECP and Piping Areas
2.5.A.7-2	Frequency of Occurrence Vs. Normalized TVA Penetration for All Layers
2.5.A.7-3	Cumulative Frequency of Occurrence Vs. Normalized Dry Density Plant Areas
2.5.A.7-3A	Cumulative Frequency of Occurrence Vs. Normalized Dry Density ECP and Piping Areas
2.5.B.2.3-1	Typical Field Map and Typical Drafted Map of a Segment
2.5.B.5.3-1	Geologic Map
2.5.B.5.3-2	Plant Area Excavation Geologic Cross Sections 1 & 2
2.5.B.5.3-3	Plant Area Excavation Geologic Cross Sections 3 & 4
2.5.B.5.3-4	Plant Area Excavation Geologic Cross Sections 5 & 6

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.B.5.3-5	Columnar Sections
2.5.B.5.3-6	Geologic Maps of the Excavations for the Essential Cooling Water Intake and Discharge Structures
2.5.B.5.3-7	Test Pit Locations Essential Cooling Pond
2.5.B.5.3-8	Geologic Map Essential Cooling Pond
2.5.B.5.3-9	Test Pit Logs of Essential Cooling Pond
2.5.B.5.3-10	Contact of Sublayers A ₁ & A ₂ Also Cohesive and Cohesionless Soils in the Essential Cooling Pond Floor
2.5.B.5.3-11	Essential Cooling Water Pipeline Geologic Mapping
2.5.B.5.3-12	Geologic Mapping of ECW Trench Segments AA through DD
2.5.B.5.3-13	Geologic Mapping of ECW Trench Segments EE through HH
2.5.B.5.3-14	Geologic Mapping of ECW Trench Segments II through LL
2.5.B.5.3-15	Geologic Mapping of ECW Trench Segments MM through OO
2.5.C-1	Location Map, Horizontal and Vertical Baseline and Control Monuments
2.5.C-2	Geotechnical Instrumentation Locations - Borehole Heave Point and Sonde Extensometer
2.5.C-3	Permanent Structural Bench Mark Location
2.5.C-4	Geotechnical Instrumentation Design, Sonde Extensometer (Sondex) & Borehole Heave Point (BHP)
2.5.C-9	Geotechnical Instrumentation Heave/Settlement Movement for Unit I (RCB, FHB) (2 sheets)
2.5.C-9A	Geotechnical Instrumentation Heave/Settlement Movement

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
	for Unit 1 (DGB, MEAB) (2 sheets)
2.5.C-10	Geotechnical Instrumentation Heave/Settlement Movement for Unit 2 (RCB, FHB) (2 sheets)
2.5.C-10A	Geotechnical Instrumentation Heave/Settlement Movement for Unit 2 (DGB, MEAB) (2 sheets)
2.5.C-11	Differential Movements Between Buildings - Unit 1
2.5.C-11A	Differential Movements Between Buildings - Unit 1
2.5.C-11B	Differential Movements Between Buildings - Unit 1
2.5.C-11C	Differential Movements Between Buildings - Unit 1
2.5.C-12	Differential Movements Between Buildings - Unit 2
2.5.C-12A	Differential Movements Between Buildings - Unit 2
2.5.C-12B	Differential Movements Between Buildings - Unit 2
2.5.C-12C	Differential Movements Between Buildings - Unit 2
2.5.C-13A	Differential Movement Profile Within Buildings - Unit 1
2.5.C-13B	Differential Movement Profile Within Buildings - Unit 1
2.5.C-13C	Differential Movement Profile Within Buildings - Unit 1
2.5.C-13D	Differential Movement Profile Within Buildings - Unit 1
2.5.C-13E	Differential Movement Profile Within Buildings - Unit 1
2.5.C-13F	Differential Movement Profile Within Buildings - Unit 1
2.5.C-14	Differential Movement Profile Within Buildings - Unit 2
2.5.C-14A	Differential Movement Profile Within Buildings - Unit 2
2.5.C-14B	Differential Movement Profile Within Buildings - Unit 2
2.5.C-14C	Differential Movement Profile Within Buildings - Unit 2
2.5.C-14D	Differential Movement Profile Within Buildings - Unit 2
2.5.C-14E	Differential Movement Profile Within Buildings - Unit 2
2.5.C-15	Locations of Differential Movement Profiles Within Buildings

STPEGS UFSAR
LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.C-18	Locations of Permanent Piezometer Installations
2.5.C-19	Regional Near-Surface Subsidence Monitoring
2.5.C-19A	Regional Near-Surface Subsidence Monitoring (2 sheets)
2.5.C-19B	Regional Near-Surface Subsidence Monitoring (2 sheets)
2.5.C-20	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20A	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20B	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20C	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20D	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20E	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-20F	Regional Upper Shallow Aquifer Monitoring Data
2.5.C-21	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21A	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21B	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21C	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21D	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21E	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-21F	Regional Lower Shallow Aquifer Monitoring Data
2.5.C-22	Regional Deep Aquifer Monitoring Data
2.5.C-22A	Regional Deep Aquifer Monitoring Data
2.5.C-22B	Regional Deep Aquifer Monitoring Data
2.5.C-22C	Regional Deep Aquifer Monitoring Data
2.5.C-22D	Regional Deep Aquifer Monitoring Data
2.5.C-22E	Regional Deep Aquifer Monitoring Data
2.5.C-22F	Regional Deep Aquifer Monitoring Data
2.5.C-23	Cross-Section L-M Horizontal Strain - Regional Subsidence Monitoring Data Combined
2.5.C-23A	Cross-Section L-M Horizontal Strain - Regional Subsidence Monitoring Data Combined

STPEGS UFSAR

LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
2.5.C-23B	Cross-Section L-M Horizontal Strain - Regional Subsidence Monitoring Data Combined
2.5.C-24	Cross-Section H-E Horizontal Strain - Regional Subsidence Monitoring Data Combined
2.5.C-24A	Cross-Section H-E Horizontal Strain - Regional Subsidence Monitoring Data
2.5.C-24B	Cross-Section H-E Horizontal Strain - Regional Subsidence Monitoring Data Combined
2.5.C-25	Regional Subsidence and Deck Aquifer Piezometric Differential Decline
2.5.C-25A	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25B	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25C	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25D	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25E	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25F	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25G	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25H	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25I	Regional Subsidence and Deep Aquifer Piezometric Differential Decline
2.5.C-25J	Regional Subsidence and Deep Aquifer Piezometric Differential Decline

STPEGS UFSAR

LIST OF FIGURES (Continued)

CHAPTER 2

<u>Figure Number</u>	<u>Title</u>
	Differential Decline
2.5.C-25K	Regional Subsidence and Deep Aquifer Piezometric Differential Decline