NRC FORM 591M PART 1
(10-2003)
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:	2. NRC/REGIONAL OFFICE
Certified Testing Laboratories, Inc. **155 U.S. Route 130** **Bordentown, NJ 08505** REPORT Nos 2008-001	**U.S. Nuclear Regulatory Commission** **Region I, 475 Allendale Road** **King of Prussia, Pennsylvania 19406-1415**

3. DOCKET NUMBER(S)	4. LICENSE NUMBER(S)	5. DATE(S) OF INSPECTION
03012145	29-14150-01	April 21, 2008

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

[ ] 1. Based on the inspection findings, no violations were identified.

[X] 2. Previous violation(s) closed.

[ ] 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.

[ ] Non-Cited Violation(s) was/were discussed involving the following requirement(s) and Corrective Action(s):

[X] 4. During this inspection certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

49 CFR 172.201(d) requires that hazardous material shipping papers contain an emergency response telephone number. 49 CFR 172.604(a)(2) requires that this telephone number be monitored by someone who is knowledgeable of the shipment or has access to someone who is knowledgeable of the hazardous material being shipped. Contrary to this requirement, one of the emergency telephone numbers listed on the licensee's radiography camera shipping papers was no longer staffed by knowledgeable personnel. Licensee agrees to remove/replace the telephone number from the shipping papers before any further shipment of hazardous material.

Licensee's Statement of Corrective Actions for Item 4, above.

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE	Terry Kifer	Terry Kifer	4-29-08
NRC INSPECTOR	James Schmidt	James Schmidt	4/21/2008

NRC FORM 591M PART 1 (Rev. by RI 07/06) G:\Docs\Current\Insp Record\R29-14150-01.2008001.591MP1.wpd

SUNSI Review Completed By: / RA / James Schmidt [X] Public [X] Non-Sensitive