

July 1, 2008

Mr. J. A. Stall
Senior Vice President, Nuclear and
Chief Nuclear Officer
Florida Power and Light Company
P.O. Box 14000
Juno Beach, Florida 33408-0420

Mr. Richard L. Anderson
Vice President
Duane Arnold Energy Center
3277 DAEC Road
Palo, IA 52324-9785

Mr. Gene F. St. Pierre, Site Vice President
c/o James M. Peschel
Seabrook Station
PO Box 300
Seabrook, NH 03874

Mr. James H. McCarthy
Site Vice President
FPL Energy Point Beach, LLC
6610 Nuclear Road
Two Rivers, WI 54241

SUBJECT: ST. LUCIE UNITS 1 AND 2, TURKEY POINT UNITS 3 AND 4, SEABROOK
STATION, DUANE ARNOLD ENERGY CENTER, POINT BEACH UNITS 1
AND 2 - REQUEST FOR ADDITIONAL INFORMATION RE: SECURITY
BULLETIN 2007-01 (TAC NOS. MD7645, MD7646, MD7662, MD7663, MD7651,
MD7697, MD7637, MD7638)

Dear Sirs:

By letter dated February 11, 2008, Florida Power and Light (FPL, the licensee) submitted the required written response to Security Bulletin 2007-01 "Security Officer Attentiveness." The response was submitted to the Nuclear Regulatory Commission (NRC) in accordance with Title 10 of the *Code of Federal Regulations* (10 CFR), Section 50.54(f) or 10 CFR 70.22(d).

The NRC staff has reviewed your submittal and has determined that additional information is required to complete the final staff assessment of the licensee response to the Security Bulletin. Security Bulletin 2007-01 requested licensees to provide information regarding administrative and managerial programs and controls established to prevent, identify and correct security personnel inattentiveness, complicity, and failures to implement the behavioral observation program by individuals among licensee security personnel including security contractors and subcontractors. The NRC staff will use the additional information received to inform the Commission and to determine if further regulatory action is warranted or if additional assessment of licensee program implementation is needed.

The specific information requested is addressed in the enclosure to this letter. The draft questions were sent to Mr. John Lafferty, from FPL, to ensure that the questions were understandable, the regulatory basis for the questions was clear, and to determine if the information was previously docketed. On June 30, 2008, Mr. Mark Dryden, from FPL, indicated that FPL understands the questions and will respond within 45 days of the date of this letter. Before submitting responses to the NRC, licensees must evaluate them for proprietary, sensitive, safeguards, or classified information and mark such information appropriately.

If you have any questions, please contact me at 301-415-2048.

Sincerely,

/ra/

Justin C. Poole, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-335, 50-389, 50-250, 50-251,
50-443, 50-331, 50-266, and 50-301

Enclosure:
Request for Additional Information

cc w/encl: See next page

The specific information requested is addressed in the enclosure to this letter. The draft questions were sent to Mr. John Lafferty, from FPL, to ensure that the questions were understandable, the regulatory basis for the questions was clear, and to determine if the information was previously docketed. On June 30, 2008, Mr. Mark Dryden, from FPL, indicated that FPL understands the questions and will respond within 45 days of the date of this letter. Before submitting responses to the NRC, licensees must evaluate them for proprietary, sensitive, safeguards, or classified information and mark such information appropriately.

If you have any questions, please contact me at 301-415-2048.

Sincerely,

/ra/

Justin C. Poole, Project Manager
Plant Licensing Branch III-1
Division of Operating Reactor Licensing
Office of Nuclear Reactor Regulation

Docket Nos. 50-335, 50-389, 50-250, 50-251,
50-443, 50-331, 50-266, and 50-301

Enclosure:
Request for Additional Information

cc w/encl: See next page

DISTRIBUTION:

PUBLIC	LPL3-1 r/f	LPL1-2 r/f
LPL2-2 r/f	RidsNrrDorlLpl1-2	RidsNrrDorlLpl2-2
RidsNrrDorlLpl3-1	RidsRgn1MailCenter	RidsAcrcAcnw&mMailCenter
RidsRgn2MailCenter	RidsRgn3MailCenter	JPoole, NRR
RidsNrrDorlDpr	RidsNrrLATHarris	RidsNrrPMBMozafari
RidsNrrPMKFeintuch	RidsNrrPMEMiller	RidsNrrPMPPointBeach
RidsOgcRp	PPeduzzi, NSIR	RCorreia, NSIR
LRegner, NRR		

ADAMS Accession Number: ML081780102

*Per email dated June 30, 2008

OFFICE	LPLIII-1/PM	LPLI-2/PM	LPLII-2/PM	LPLIII-1/PM	LPLIII-1/LA
NAME	JPoole	EMiller	BMozafari	KFeintuch	THarris
DATE	07/ 1 /08	06/26/08	06/26/08	06/26/08	06/27/08
OFFICE	NSIR/DSO	LPLI-2/BC	LPLII-2/BC	LPLIII-1/BC	
NAME	GWest for RCorreia*	HChernoff	EBrown for TBoyce	LJames	
DATE	06/30/08	07/ 1 /08	06/27/08	07/ 1 /08	

OFFICIAL RECORD COPY

REQUEST FOR ADDITIONAL INFORMATION

REVIEW OF SECURITY BULLETIN RESPONSES

SUBMITTED IN RESPONSE TO SECURITY BULLETIN 2007-01

FPL COMPANY, ST. LUCIE UNITS 1 AND 2, TURKEY POINT UNITS 3 AND 4

FPL ENERGY SEABROOK, LLC, SEABROOK STATION

FPL ENERGY DUANE ARNOLD, LLC, DUANE ARNOLD ENERGY CENTER

FPL ENERGY POINT BEACH, LLC, POINT BEACH UNITS 1 AND 2

In responding to each of the following questions, licensee should provide information that addresses measures that are currently in place, and any additional planned actions with expected completion dates:

The Nuclear Regulatory Commission (NRC) staff reviewed your response to Question 1a and requests the following additional information:

1. Describe the process for security post rotations including the rotation process for isolated positions.

Include the following information in your response:

A description of the security post rotation process including, but not limited to: (1) a discussion of the types of posts a typical security officer would rotate through during a normal shift; (2) a discussion on whether the type of activity (i.e. roving or foot patrol or stationary in a Bullet Resisting Enclosure [BRE]) performed at each individual post is taken into consideration when a security officer moves from post to post throughout the shift; and, (3) the length of time at each post. When responding, particular emphasis should be placed on whether the licensee takes into consideration the activities associated with each post assignment when formulating their post rotation schedules for each shift (i.e., rotating from foot patrol to BRE to Vital Area patrol or rotating from BRE to ready room to BRE etc.)

The NRC staff reviewed your response to Question 1b and requests the following additional information:

2. Describe any licensee processes or programs that are in place to identify problems in climate controlled security areas. What methods are used to track, inspect, and ensure timely repairs are completed?

Include the following information in your response:

A description of how the security areas are maintained including, but not limited to: (1) a discussion of the maintenance and/or preventive maintenance process and programs in place for these security areas including an overview and brief discussion on routine inspection schedules by maintenance personnel; (2) a discussion on the process a security officer can follow to report concerns with the upkeep and maintenance of his or her post; and, (3) a discussion on the timeliness of repairs and any follow-up actions taken by the licensee to ensure the repairs are completed and resolved adequately.

The NRC staff reviewed your response to Question 1 and requests the following additional information:

3. Are security personnel provided opportunities to participate in any personnel surveys regarding the work environment? If so, what is the frequency of the surveys, the average participation rate of security personnel as compared to the general site average, and the process for providing feedback and addressing the results from the survey?
4. How is the licensee's policy regarding site employee attentiveness and/or inattentiveness communicated to personnel, both licensee and contractor, and at what frequency?

The NRC staff reviewed your response to Question 2 and requests the following additional information:

5. Describe the process for employees to file reports through the site corrective action program (CAP). Can employees file CAP reports without prior supervisory/management review or approval?

Include the following information in your response:

Describe the process for employees to file reports through the CAP. Discuss the supervisor/management review and/or approval process including, but not limited to: (1) does a supervisor/manager have the authority to reject a report before entering it into the corrective action program without additional management review and approval; and, (2) does a supervisor/manager have the authority to modify the report before such report has been entered into the CAP.

6. Can employees view the status and disposition of reports directly, or must this information be requested? If yes, please describe the process.

The NRC staff reviewed your response to Question 4 and requests the following additional information:

7. Are formal assessments of the security program conducted by organizations/individuals that do not have direct responsibility for the security program? If so, provide information on the process, including, but not limited to, the organizations and levels of management involved, the frequency of such activities, and any tracking of how findings are resolved.

The NRC staff reviewed your response to Question 5 and requests the following additional information:

8. How do you assess the effectiveness of your oversight of contractors and subcontractors?

Include the following information in your response:

Describe the licensee's program for oversight of contractors and subcontractors including, but not limited to: (1) a brief overview and description of licensee's procedures that describe the oversight process; (2) include a detailed list (bulleted is preferred) of assigned duties for the licensee supervisor(s) or manager(s) responsible for overseeing contractors and subcontractors at the site; (3) include a detailed list (bulleted is preferred) of the assigned duties for the contractor and subcontractor supervisor(s) or manager(s) responsible for overseeing the contractor and subcontractor staff at the site; and, (4) a brief discussion of the corporate (management) involvement with the oversight of contractors and subcontractors at the site.

Duane Arnold Energy Center

cc:

Steven R. Catron
Manager, Regulatory Affairs
Duane Arnold Energy Center
3277 DAEC Road
Palo, IA 52324

U. S. Nuclear Regulatory Commission
Resident Inspector's Office
Rural Route #1
Palo, IA 52324

Mr. D. A. Curtland
Plant Manager
Duane Arnold Energy Center
3277 DAEC Rd.
Palo, IA 52324-9785

Daniel K. McGhee
Iowa Department of Public Health
Bureau of Radiological Health
321 East 12th Street
Lucas State Office Building, 5th Floor
Des Moines, IA 50319-0075

Chairman, Linn County
Board of Supervisors
930 1st Street SW
Cedar Rapids, IA 52404

Point Beach Nuclear Plant, Units 1 and 2

cc:

Licensing Manager
FPL Energy Point Beach, LLC
6610 Nuclear Road
Two Rivers, WI 54241

Mr. Ken Duveneck
Town Chairman
Town of Two Creeks
13017 State Highway 42
Mishicot, WI 54228

Resident Inspector's Office
U.S. Nuclear Regulatory Commission
6612 Nuclear Road
Two Rivers, WI 54241

Chairman
Public Service Commission of Wisconsin
P.O. Box 7854
Madison, WI 53707-7854

Mr. Antonio Fernandez
Senior Attorney
FPL Energy, LLC
P. O. Box 14000
Juno Beach, FL 33408-0420

J. Kitsembel
Electric Division
Public Service Commission of Wisconsin
P. O. Box 7854
Madison, WI 53707-7854

**ST. LUCIE PLANT
TURKEY POINT PLANT**

cc:

Mr. Mano Nazar
Senior Vice President
and Nuclear Chief Operating Officer
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408

Senior Resident Inspector
St. Lucie Plant
U.S. Nuclear Regulatory Commission
P.O. Box 6090
Jensen Beach, Florida 34957

Craig Fugate, Director
Division of Emergency Preparedness
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100

M. S. Ross, Managing Attorney
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Marjan Mashhadi, Senior Attorney
Florida Power & Light Company
801 Pennsylvania Avenue, NW.
Suite 220
Washington, DC 20004

William Jefferson, Jr.
Site Vice President
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

Douglas Anderson
County Administrator
St. Lucie County
2300 Virginia Avenue
Ft. Pierce, Florida 34982

Christopher R. Costanzo
Plant General Manager
St. Lucie Nuclear Plant
6351 South Ocean Drive
Jensen Beach, Florida 34957

County Manager
Miami-Dade County
111 Northwest 1 Street, 29th Floor
Miami, Florida 33128

Senior Resident Inspector
Turkey Point Nuclear Plant
U.S. Nuclear Regulatory Commission
9762 SW. 344th Street
Florida City, Florida 33035

William A. Passetti, Chief
Department of Health
Bureau of Radiation Control
2020 Capital Circle, SE, Bin #C21
Tallahassee, Florida 32399-1741

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Michael Kiley
Plant General Manager
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

Paul Infanger, Licensing Manager
Florida Power and Light Company
Turkey Point Nuclear Plant
9760 SW. 344th Street
Florida City, FL 33035

**ST. LUCIE PLANT
TURKEY POINT PLANT**

cc:

Don E. Grissette
Vice President, Nuclear Training
and Performance Improvement
Florida Power and Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Mark Warner, Vice President
Nuclear Operations Support
Florida Power and Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Rajiv S. Kundalkar
Vice President, Nuclear Technical Services
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Gordon L. Johnston
Site Vice President
St. Lucie Nuclear Plant
6351 South Ocean Drive
Jensen Beach, Florida 34957

Bill Parks
Operations Manager
St. Lucie Nuclear Plant
6351 South Ocean Drive
Jensen Beach, Florida 34957-2000

Seth B. Duston
Training Manager
St. Lucie Nuclear Plant
6351 South Ocean Drive
Jensen Beach, Florida 34957-2000

Terry L. Patterson
Licensing Manager
St. Lucie Nuclear Plant
6351 South Ocean Drive
Jensen Beach, Florida 34957

J. Kammel
Radiological Emergency
Planning Administrator
Department of Public Safety
6000 Southeast Tower Drive
Stuart, Florida 34997

Seabrook Station, Unit No. 1

cc:

Mr. Peter Brann
Assistant Attorney General
State House, Station #6
Augusta, ME 04333

Resident Inspector
U.S. Nuclear Regulatory Commission
Seabrook Nuclear Power Station
P.O. Box 1149
Seabrook, NH 03874

Town of Exeter
10 Front Street
Exeter, NH 03823

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Office of the Attorney General
One Ashburton Place, 20th Floor
Boston, MA 02108

Board of Selectmen
Town of Amesbury
Town Hall
Amesbury, MA 01913

Mr. Robert Poole
Federal Emergency Management Agency
Region I
99 High Street, 6th Floor
Boston, MA 02110

Mr. Tom Crimmins
Polestar Applied Technology
One First Street, Suite 4
Los Altos, CA 94019

John Giarrusso
Massachusetts Emergency Management
Agency
400 Worcester Road
Framingham, MA 01702-5399

Ms. Kelly Ayotte, Attorney General
Mr. Orvil Fitch, Deputy Attorney General
33 Capitol Street
Concord, NH 03301

Mr. Christopher M. Pope, Director
Homeland Security & Emergency Mgmt.
New Hampshire Department of Safety
Bureau of Emergency Management
33 Hazen Drive
Concord, NH 03301

Michael O'Keefe
Regulatory Programs Manager
FPL Energy Seabrook, LLC
PO Box 300
Seabrook, NH 03874

Mr. Joseph Roy
Director of Operations
Massachusetts Municipal
Wholesale Electric Company
Moody Street
Ludlow, MA 01056