

**TREAT AS
SENSITIVE
INFORMATION**

"Saving People Money So They Can Live Better"



Environmental Services

Rich Dailey, Sr. Director
Radiation Safety Officer

1300 SE 8th Street, MS 0605
Bentonville, AR 72716-0605
Phone 479.204.9914
Rich.Dailey@wal-mart.com
www.walmart.com

July 1, 2008

Charles Miller, Director
Office of Federal and State Materials
and Environmental Management Programs
U.S. Nuclear Regulatory Commission
One White Flint North
11545 Rockville Pike
Rockville, MD 20852
Subject: Supplemental Report of Damaged Tritium Exit Sign

Dear Dr. Miller:

On June 4, 2008, consistent with 10 CFR § 31.5(c)(5), Wal-Mart Stores, Inc. ("Wal-Mart") provided the U.S. Nuclear Regulatory Commission ("NRC") with a report regarding one damaged TES that it discovered at store #1752 located in Bay City, Michigan. In that report, Wal-Mart committed to provide a supplemental report regarding a visit by a Certified Health Physicist from Dade Moeller & Associates to that store. That supplemental report is provided herein as Attachment A.

Information on the damaged TES is provided below:

<u>Serial #</u>	<u>Curies</u>	<u>Damage Date</u>	<u>Store Location</u>
300050	11.5	Prior to 01/2008 (est.)	3921 Wilder Rd., Bay City, MI

Please contact me at (479) 204-9914, if you have any questions regarding this letter or the attached report.

Sincerely,

Richard Dailey

Radiation Safety Officer
Wal-Mart Stores, Inc.

cc: Angela Washington, Wal-Mart Stores, Inc.
Thomas Poindexter, Morgan Lewis & Bockius LLP

FSMEL0

Attachment A

A. Actions Taken

As reported on June 4, 2008, the Radiation Safety Officer (“RSO”) for Wal-Mart Stores, Inc. (“Wal-Mart”) directed a Certified Health Physicist (“CHP”) from Dade Moeller & Associates (“Dade Moeller”) to visit store #1752 in Bay City, Michigan to conduct radiological surveys, package the TES for disposal, and decontaminate the area to ALARA levels, as necessary. A CHP visited that store on June 17, 2008. The CHP interviewed store managers and associates and also conducted swipe surveys of the areas deemed likely to have become contaminated by wiping a 100 cm² area (approximately 4 X 4 inches) with a paper disk. Wal-Mart has not yet received the report from the CHP and, therefore, will have to provide another supplemental report. Wal-Mart anticipates providing the NRC with an additional supplemental report within 30 days of the date of the CHP visit.

B. Shipping Details

Wal-Mart transferred the damaged TES to a specific licensee authorized to receive the damaged TES on June 17, 2008. Wal-Mart will provide the NRC with a report of that transfer within 30 days of that transfer date.