



**UNITED STATES
NUCLEAR REGULATORY COMMISSION**

REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

JUL 07 2008

Edward M. Stevens, M.D.
Radiation Safety Officer
Heartland Regional Medical Center
5325 Faraon Street
St. Joseph, MO 64506

Dear Dr. Stevens:

Enclosed is Amendment No. 40 to your NRC Material License No. 24-18287-01 in accordance with your request dated June 3, 2008. Please note that the changes made to your license are printed in **bold** font.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that in accordance with my phone conversation with Andrew Martin of your staff on June 27, 2008, Dr. Rosebrook was not listed on your NRC license at this time since your request did not include a preceptor attestation as required by 10 CFR 35.290. When this information is available, you may request a new amendment to your NRC license. Also, Mr. Martin did not feel that the Suite No. in License Condition 10. B. was necessary, therefore, it was removed for security purposes.


You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

E. M. Stevens, M.D.

2

Sincerely,


James R. Mullauer, M.H.S.
Health Physicist
Materials Licensing Branch

License No. 24-18287-01
Docket No. 030-14791

Enclosure: Amendment No. 40