

***Alaska Rim Engineering, Inc.***

*Engineers – Planners- Surveyors*

DATE: July 21, 2008

TIME: 3:08 PM

FROM: Alaska Rim Engineering, Inc.  
 P.O. Box 2749  
 Palmer, AK 99645

PHONE: (907) 745-0222  
 FAX: (907) 746-0222  
 E-MAIL: akrim@alaskarim.com

TO: Larry Donovan  
 NRC

PHONE: \_\_\_\_\_  
 FAX: 817-860-8263

Total number of pages, including cover sheet **8 pages**

COMMENTS:

**THANK YOU**

<b>NRC FORM 314</b> (4-2008) 10 CFR 30.38(j)(1); 40.42(j)(1); 70.38(j)(1); and 72.54(k)(5)(1)(1)	<b>U.S. NUCLEAR REGULATORY COMMISSION</b>	<b>APPROVED BY OMB: NO. 3150-0028</b> <b>EXPIRES: 08/31/2010</b> <small>Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.</small>
<b>CERTIFICATE OF DISPOSITION OF MATERIALS</b>		

<b>LICENSEE NAME AND ADDRESS</b> ALASKA RIM ENGINEERING P.O. Box 2749 PALMER AK 99645	<b>LICENSE NUMBER</b> 50-29256-01	<b>DOCKET NUMBER</b> 030-37429
<b>LICENSE EXPIRATION DATE</b> 5/31/2017		

This license has expired.  **A. LICENSE STATUS (Check the appropriate box)**  
 This license has not yet expired; please terminate it.

**B. DISPOSAL OF RADIOACTIVE MATERIAL**

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

1. No radioactive materials have ever been procured or possessed by the licensee under this license.

2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.

a. Transfer of radioactive materials to the licensee listed below: *(see attached)*

b. Disposal of radioactive materials:

1. Directly by the licensee:

2. By licensed disposal site:

3. By waste contractor:

c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

**C. SURVEYS PERFORMED AND REPORTED**

1. A radiation survey was conducted by the licensee. The survey confirms:

a. the absence of licensed radioactive materials

b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.

2. A copy of the radiation survey results:

a. is attached; or  b. is not attached (Provide explanation); or  c. was forwarded to NRC on: \_\_\_\_\_ Date \_\_\_\_\_

3. A radiation survey is not required as only sealed sources were ever possessed under this license, and

a. The results of the latest leak test are attached; and/or  b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME <i>Charles Heet</i>	TITLE <i>President</i>	TELEPHONE (include Area Code) <i>907-745-0222</i>	E-MAIL ADDRESS <i>Chuck@alaskarim.com</i>
-----------------------------	---------------------------	--	--

Mail all future correspondence regarding this license to: *Same*

**C. CERTIFYING OFFICIAL**

**I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT**

PRINTED NAME AND TITLE <i>Charles A. Heet, Pres</i>	SIGNATURE <i>Charles A. Heet</i>	DATE <i>7/21/08</i>
--	-------------------------------------	------------------------

**WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.**

## CERTIFICATE OF DISPOSITION OF MATERIALS

PLEASE READ THESE INSTRUCTIONS BEFORE COMPLETING NRC FORM 314.

Subpart E of 10 CFR Part 20 establishes the radiological criteria for license terminations/decommissioning of facilities licensed under 10 CFR Parts 30, 40, 50, 60, 61, 70, and 72, as well as other facilities subject to the Commission's jurisdiction under the Atomic Energy Act of 1954, as amended, and the Energy Reorganization Act of 1974, as amended.

### INSTRUCTIONS

#### Section B, Item 2.

Licensees should describe the specific radioactive material transfer actions. If radioactive wastes were generated in terminating this license, the licensee should describe the disposal actions taken, including the disposition of low-level radioactive waste, mixed waste, greater-than-Class-C waste, and sealed sources.

#### Section B, Item 2.a.

The information provided concerning the transfer of radioactive material to another licensee should specify the date of the transfer, the name of the licensee recipient, an individual contact name and telephone number for the licensee recipient, and the recipient's NRC or Agreement State license number.

#### Section B, Item 2.b.

For disposal of radioactive materials, licensees should describe the specific disposal method or procedure (e.g., decay-in-storage). For those cases when radioactive materials are disposed of by a licensed disposal site or by a waste contractor, the licensee should specify the name, address, and telephone number of the licensed disposal site operator or waste contractor.

#### Section B, Item 2.c.

"Residual radioactivity," as defined in 10 CFR 20.1003, means radioactivity in 'areas' (structures, materials, soils, etc.) remaining as a result of activities (licensed and unlicensed) under the licensee's control from sources used by the licensee, excluding background radiation. ALARA is defined in 10 CFR 20.1003.

### FILE CERTIFICATES AS FOLLOWS:

#### IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND CERTIFICATES TO:

LICENSING ASSISTANT SECTION  
NUCLEAR MATERIALS SAFETY BRANCH  
U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
475 ALLENDALE ROAD  
KING OF PRUSSIA, PA 19406-1415

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND CERTIFICATES TO:

MATERIALS LICENSING SECTION  
U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
2443 WARRENVILLE ROAD, SUITE 210  
LISLE, IL 60532-4352

#### IF YOU ARE LOCATED IN:

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND CERTIFICATES TO:

MATERIAL RADIATION PROTECTION SECTION  
U. S. NUCLEAR REGULATORY COMMISSION, REGION IV  
812 E. LAMAR BOULEVARD, SUITE 400  
ARLINGTON, TX 76011-4125

NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 4 PAGES  
Amendment No. 02

**MATERIALS LICENSE**

**(CORRECTED COPY)**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Buzdor Engineering</p> <p>2. 3705 Arctic Blvd. #1593 Anchorage, Alaska 99503</p>	<p>In accordance with application and letter dated January 30, 2006, and February 13, 2006, respectively</p> <p>3. License number 50-27622-01 is amended in its entirety to read as follows:</p> <hr/> <p>4 Expiration date November 30, 2015</p> <hr/> <p>5. Docket No. 030-34945 Reference No.</p>
--	--

<p>6. Byproduct source and/or special nuclear material</p> <p>A. Cesium-137</p> <p>B. Americium-241</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed sources (AEA Technology/QSA, Inc., Model No. CDCW558; Isotope Product Laboratories Model No. HEG-137)</p> <p>B. Sealed neutron sources (AEA Technology/QSA, Inc., Model No. AMNV.997; Isotope Product Laboratories Models No. Am1.NO2, 3021 or 3027)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p>
---	---	---

9. Authorized use:

A. and B. To be used in Troxler Electronic Laboratories, Inc., Model No. 3400 series portable gauging devices for measuring physical properties of materials.

**CONDITIONS**

10. Licensed material may be used or stored at the licensee's facilities located at:

A. 22396 East Clare Way, Palmer, Alaska.

B. Temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 2 of 4 PAGES								
<b>MATERIALS LICENSE SUPPLEMENTARY SHEET</b>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">License Number</td> <td style="padding: 2px;">50-27622-01</td> </tr> <tr> <td style="padding: 2px;">Docket or Reference Number</td> <td style="padding: 2px;">030-34645</td> </tr> <tr> <td style="padding: 2px;">Amendment No.</td> <td style="padding: 2px;">02</td> </tr> <tr> <td colspan="2" style="padding: 2px; text-align: center;"><b>(CORRECTED COPY)</b></td> </tr> </table>	License Number	50-27622-01	Docket or Reference Number	030-34645	Amendment No.	02	<b>(CORRECTED COPY)</b>	
License Number	50-27622-01									
Docket or Reference Number	030-34645									
Amendment No.	02									
<b>(CORRECTED COPY)</b>										
<p>If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.</p>										
<ol style="list-style-type: none"> <li>11. Licensed material shall only be used by, or under the supervision and in the physical presence of, individuals who have received the training described in application dated February 1, 1999.</li>   <li>12. A. The Radlation Safety Officer (RSO) for this license is John A. Buzdor.</li>   <li style="padding-left: 20px;">B. Before assuming the duties and responsibilities as RSO for this license, future RSOs shall have successfully completed one of the training courses described in Criteria in Section 8.7 of NUREG-1556, Volume 1, Revision 1, dated November 2001.</li>   <li>13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State.</li>   <li style="padding-left: 20px;">B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.</li>   <li style="padding-left: 20px;">C. Sealed sources need not be leak tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.</li>   <li style="padding-left: 20px;">D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region IV, 611 Ryan Plaza Drive, Suite 400, Arlington, Texas 78011, ATTN: Director, Division of Nuclear Materials Safety. The report shall specify the source involved, the test results, and corrective action taken.</li>   <li style="padding-left: 20px;">E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.</li>   <li style="padding-left: 20px;">F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.</li> </ol>										

NRC FORM 374A	U.S. NUCLEAR REGULATORY COMMISSION	PAGE 3 of 4 PAGES
<b>MATERIALS LICENSE SUPPLEMENTARY SHEET</b>		License Number 50-27622-01
		Docket or Reference Number 030-34645
		Amendment No. 02 (CORRECTED COPY)
<p>14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.</p> <p>15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license.</p> <p>16. Except for maintaining labeling as required by 10 CFR Part 20 or 71, the licensee shall obtain authorization from the U.S. Nuclear Regulatory Commission before making any changes in the sealed source, device, or source-device combination that would alter the description or specifications as indicated in the respective Registration Certificates issued either by the Commission pursuant to 10 CFR 32.210 or by an Agreement State.</p> <p>17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.</p> <p>18. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.</p> <p>19. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing financial assurance for decommissioning.</p> <p>20. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.</p> <p>B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.</p> <p>21. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."</p>		

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 4 of 4 PAGES

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number  
50-27622-01


Docket or Reference Number  
030-34645

Amendment No. 02  
**(CORRECTED COPY)**

22. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated February 1, 1999
- B. Letter dated June 4, 2002

FOR THE U.S. NUCLEAR REGULATORY COMMISSION



By

Jack E. Whitten, Chief  
Nuclear Materials Licensing Branch  
Region IV  
Arlington, Texas 76011

Date April 19, 2008

InstroTek, Inc.  
 5908 Triangle Drive  
 Raleigh, NC 27617  
 (919)875-8371 Fax (919)875-8328

7/7/2008  
 Test Number: 1

CHARLES A. LEET-RSO  
 ALASKA RIM ENGINEERING' INC  
 P.O. BOX 2749  
 PALMER, AK 99645

Phone: (907)745-0222  
 Fax: (907)746-0222

## LEAK TEST CERTIFICATE

NC Materials License #092-1073-1

This certifies that leak test analysis was conducted on the sample with the following information. The results shown below accurately represent the level of removable contamination.

Gauge Model: 3411B Gauge S/N: 9436 Test Date: 6/30/2008

Source (Model/Serial#)	Reading in microCuries
47-5956	0.00000
40-6781	0.00025

Note: 0.005 microCuries (185 Bq) or greater is considered a leaking source.° The source(s) tested above may remain in use.

Reviewed by: *J. D. [Signature]*

Date: 7/07/08

RSO Signature: *Charles A. Leet*

Date: 7/11/08

°CPN gauges are 50 mCi Am241:Be and 10 mCi Cs-137. Humboldt gauges are 40 mCi Am241:Be and 10 mCi Cs-137. InstroTek Gauge is 40 mCi Am241:Be and 10 mCi Cs-137. Troxler gauges all, except 4640, are 40 mCi Am241:Be and 8 mCi Cs-137. Troxler 4640 is 8 mCi Cs-137.

## ACCEPTANCE REVIEW MEMO (ARM)

**Licensee:** Alaska Rim Engineering, Inc.      **License No.:** 50-29256-01  
**Docket No.:** 030-37429      **Mail Control No.:** 471872  
**Type of Action:** Term      **Date of Requested Action:** 7-21-08  
**Reviewer Assigned:**      **ARM reviewer(s):**

Response	Deficiencies Noted During Acceptance Review
	<input type="checkbox"/> Open ended possession limits. Submit inventory. Limit possession. <input type="checkbox"/> Submit copies of latest leak test results. <input type="checkbox"/> Add IC L.C./Fingerprint LC, add SUNSI markings to license. <input type="checkbox"/> Confirm with licensee if they have NARM material.

**Reviewer's Initials:** \_\_\_\_\_ **Date:** \_\_\_\_\_

- Yes  No Request for unrestricted release Group 2 or >. Consult with Bravo Branch.
- Yes  No Termination request < 90 days from date of expiration
- Yes  No Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
- Yes  No TAR needed to complete action.

**Branch Chief's and/or HP's Initials:** \_\_\_\_\_ **Date:** \_\_\_\_\_

### SUNSI Screening according to RIS 2005-31

Yes  No **Sensitive and Non-Publicly Available** if any item below is checked

General guidance:

- \_\_\_\_\_ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- \_\_\_\_\_ Exact location of RAM [suite #, bldg. #, location different from mailing address] (whether = or > than Category 3 or not)
- \_\_\_\_\_ Design of structure and/or equipment (site specific)
- \_\_\_\_\_ Information on nearby facilities
- \_\_\_\_\_ Detailed design drawings and/or performance information
- \_\_\_\_\_ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- \_\_\_\_\_ RAM quantities and inventory
- \_\_\_\_\_ Manufacturer's name and model number of sealed sources & devices
- \_\_\_\_\_ Site drawings with exact location of RAM, description of facility
- \_\_\_\_\_ RAM security program information (locks, alarms, etc.)
- \_\_\_\_\_ Emergency Plan specifics (routes to/from RAM, response to security events)
- \_\_\_\_\_ Vulnerability/security assessment/accident-safety analysis/risk assess
- \_\_\_\_\_ Mailing lists related to security response

**Branch Chief's and/or HP's Initials:** JOC **Date:** 7/22/08

JUL 25 2008

DATE

This is to acknowledge the receipt of your letter/application dated 7-21-08, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

---

The action you requested is normally processed within 90 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 471872.  
When calling to inquire about this action, please refer to this mail control number.  
You may call me at 817-860-8103.

Sincerely,



Licensing Assistant

BETWEEN:

License Fee Management Branch, ARM  
and  
Regional Licensing Sections

: (FOR LFMS USE)  
: INFORMATION FROM LTS  
: -----  
: Program Code: 03121  
: Status Code: 0  
: Fee Category: 3P  
: Exp. Date: 20170531  
: Fee Comments:  
: Decom Fin Assur Req: N  
: ::::::::::::::::::::::::::::::::::::::

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: ALASKA RIM ENGINEERING, INC.  
Received Date: 20080721  
Docket No: 3037429  
Control No.: 471872  
License No.: 50-29256-01  
Action Type: Termination

2. FEE ATTACHED

Amount: \_\_\_\_\_  
Check No.:       /      

3. COMMENTS

Signed           Colleen Munnahan            
Date           7-22-08          

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /\_/)

1. Fee Category and Amount: \_\_\_\_\_

2. Correct Fee Paid. Application may be processed for:

Amendment \_\_\_\_\_  
Renewal \_\_\_\_\_  
License \_\_\_\_\_

3. OTHER \_\_\_\_\_  
\_\_\_\_\_

Signed \_\_\_\_\_  
Date \_\_\_\_\_