

From: Pederson Ronda M (AREVA NP INC) [Ronda.Pederson@areva.com]
Sent: Thursday, July 31, 2008 6:09 PM
To: Getachew Tesfaye
Cc: John Rycyna; DELANO Karen V (AREVA NP INC); BENNETT Kathy A (OFR) (AREVA NP INC)
Subject: Response to U.S. EPR Design Certification Application RAI No. 22, FSAR Ch. 19
Attachments: RAI 22 Response US EPR DC.pdf

Getachew,

Attached please find AREVA NP Inc.'s response to the subject request for additional information (RAI). The attached file, "RAI 22 Response US EPR DC.pdf" provides technically correct and complete responses to 6 of the 16 questions.

Appended to this file are affected pages of the U.S. EPR Final Safety Analysis Report in redline-strikeout format which supports the response to RAI 22 Questions 19-152, 19-153, and 19-155.

The following table provides the page(s) in the response document, "RAI 22 Response US EPR DC.pdf" containing the response to each question.

Question #	Start Page	End Page
RAI 22— 19-146	2	2
RAI 22— 19-147	3	3
RAI 22— 19-148	4	4
RAI 22— 19-149	5	5
RAI 22— 19-150	6	6
RAI 22— 19-151	7	7
RAI 22— 19-152	8	8
RAI 22— 19-153	9	9
RAI 22— 19-154	10	10
RAI 22— 19-155	11	11
RAI 22— 19-156	12	12
RAI 22— 19-157	13	13
RAI 22— 19-158	14	14
RAI 22— 19-159	15	15
RAI 22— 19-160	16	16
RAI 22— 19-161	17	19

Complete answers are not provided for 10 of the 16 questions. The schedule for technically correct and complete responses to these questions is provided below.

Question #	Response Date
RAI 22— 19-147	September 8, 2008
RAI 22— 19-148	October 3, 2008
RAI 22— 19-149	September 8, 2008
RAI 22— 19-150	September 8, 2008
RAI 22— 19-151	September 8, 2008
RAI 22— 19-154	September 8, 2008
RAI 22— 19-158	November 4, 2008
RAI 22— 19-159	October 3, 2008
RAI 22— 19-160	November 4, 2008
RAI 22— 19-161	October 3, 2008

The provided response meets NRC's stated expectation and supports the established review schedule for the U.S. EPR design certification application.

Sincerely,

Ronda Pederson

ronda.pederson@areva.com

Licensing Manager, U.S. EPR Design Certification

New Plants Deployment

AREVA NP, Inc.

An AREVA and Siemens company

3315 Old Forest Road

Lynchburg, VA 24506-0935

Phone: 434-832-3694

Cell: 434-841-8788

From: John Rycyna [mailto:John.Rycyna@nrc.gov]

Sent: Thursday, July 03, 2008 11:06 AM

To: ZZ-DL-A-USEPR-DL

Cc: Edward Fuller; Hossein Hamzehee; Getachew Tesfaye; Joseph Colaccino; John Rycyna

Subject: USEPR Design Certification Application RAI No. 22 Ch. 19

Attached please find the subject request for additional information (RAI). A draft of the RAI was provided to you on June 19, 2008 and discussed with your staff on June 26, 2008. Question 19-146 was changed as a result of that discussion. The schedule we have established for review of your application assumes technically correct and complete responses within 30 days of receipt of RAIs. For any RAIs that cannot be answered within 30 days, it is expected that a date for receipt of this information will be provided to the staff within the 30 day period so that the staff can assess how this information will impact the published schedule.

John Rycyna, PE
Project Manager
Division of New Reactor Licensing
Office of New Reactors
U.S. Nuclear Regulatory Commission
301-415-4122

E-mail Properties

Mail Envelope Properties (5CEC4184E98FFE49A383961FAD402D31104B36)

Subject: Response to U.S. EPR Design Certification Application RAI No. 22, FSAR
Ch. 19

Sent Date: 7/31/2008 6:09:32 PM

Received Date: 7/31/2008 6:09:32 PM
From: Pederson Ronda M (AREVA NP INC)

Created By: Ronda.Pederson@areva.com

Recipients:

Getachew.Tesfaye@nrc.gov (Getachew Tesfaye)
Tracking Status: None
John.Rycyna@nrc.gov (John Rycyna)
Tracking Status: None
Karen.Delano@areva.com (DELANO Karen V (AREVA NP INC))
Tracking Status: None
Kathy.Bennett@areva.com (BENNETT Kathy A (OFR) (AREVA NP INC))
Tracking Status: None

Post Office:
AUSLYNCMX02.adom.ad.corp

Files	Size	Date & Time
MESSAGE	202266	7/31/2008
RAI 22 Response US EPR DC.pdf	150170	

Options

Expiration Date:
Priority: olImportanceNormal
ReplyRequested: False
Return Notification: False

Sensitivity: olNormal
Recipients received: