UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD STE 210
LISLE, ILLINOIS 60532-4352

AUG 13 2008

Kristin F. Bronson
Radiation Safety Officer
Michigan State University
Office of Radiation, Chemical & Biological Safety
C124 Research Complex - Engineering
East Lansing, MI 48824-1326

Dear Ms. Bronson:

Enclosed is Amendment No. 75 to your NRC Material License No. 21-00021-29 in accordance with your request. Please note that at this time the NRC does not have jurisdiction over NARM material, and therefore we have not added authorization for iodine-123 to your license. Please also be aware that the University must follow and comply with 10 CFR Part 35, "Medical Use of Byproduct Material", as it relates to the conduct of activities authorized under Subitem N. of Items 6., 7., 8., and 9. of the enclosed license. 10 CFR Part 35 is enclosed for your review.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at http://www.nrc.gov/reading-rm/adams.html (the Public Electronic Reading Room).

If you have any questions, feel free to contact me at (630) 829-9854.

Sincerely,

Kevin G. Null
Materials Licensing Branch

License No. 21-00021-29
Docket No. 030-00806

Enclosures: Amendment No. 75
10 CFR Part 35