

Tennessee V. Authority, +101 Market Street, Chattangoga, Tennessee 37402-2801

August 30, 1994

U.S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, DC 20555

Gentlemen:

In the Matter of) Docket Nos. 50-259 50-390
Tennessee Valley Authority	50-260 50-391
	50-296 50-438
) 50-327 50-439
BEN TO BENEVE IN BENEVE I	50-328

FITNESS FOR DUTY (FFD) PROGRAM PERFORMANCE DATA: JANUARY-JUNE 1994

In accordance with 10 CFR 26.71(d), enclosed is TVA's FFD Program Performance Data for the six-month period of January 1-June 30. Enclosure 1 contains the trends and management initiatives for TVA's FFD program. Enclosures 2-5 contain the performance data and summary of TVA management actions for TVA's nuclear plant sites (Browns Ferry, Sequoyah, Watts Bar, and Bellefonte). The data for TVA's Nuclear Power corporate organization (primarily employees assigned to Chattanooga and Knoxville) is consolidated as Enclosure 6. There was one FFD event reported to the NRC pursuant to 10 CFR 26.73 during this six-month period which is included as Enclosure 7.

The random testing rate for drug and alcohol use is designed at an annual rate equal to or greater than 50 percent of the workforce that is subject to random testing.

If you have any questions concerning this information, please telephone Percy J. Hammons at (615) 751-2736.

Sincerely,

Roger W. Huston

Manager

Nuclear Licensing and Regulatory Affairs

Enclosures cc: See page 2

060138

A021

U.S. Nuclear Regulatory Commission Page 2 August 30, 1994

cc (Enclosures):

Mr. D. E. LaBarge, Project Manager U.S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Rockville, Maryland 20852

NRC Resider Inspector Browns Ferry luclear Plant 10833 Shaw Road Athens, Alabama 35611

NRC Resident Inspector Sequoyah Nuclear Plant 2600 Igou Ferry Road Soddy Daisy, Tennessee 37379

NRC Resident Inspector Watts Bar Nuclear Plant Route 2, Box 700 Spring City, Tennessee 37381

Mr. Peter S. Tam, Project Manager U.S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Rockville, Maryland 20852

Mr. M. C. Thadani, Project Manager U.S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Rockville, Maryland 20852

U.S. Nuclear Regulatory Commission Region II 101 Marietta Street, NW, Suite 2900 Atlanta, Georgia 30323

Mr. J. F. Williams, Project Manager U.S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Rockville, Maryland 20852

TENNESSEE VALLEY AUTHORITY (TVA) FITNESS FOR DUTY PERFORMANCE DATA JANUARY 1 - JUNE 30, 1994

Significant Fitness For Duty (FFD) Events

There were several events in the FFD program of which TVA would like to make the Nuclear Regulatory Commission (NRC) aware. Listed below are the circumstances and the corresponding corrective actions.

I. Prior FFD Violation not Reported by a Contract Company

A. Summary

The Tennessee Valley Authority Nuclear (TVAN) FFD policy states that an individual who has had a positive test will not be considered for work until three years following the positive test. Contrary to this, on December 18, 1993, a contract employee indicated on a suitable inquiry that he had tested positive at another utility. The contract company did not acknowledge the prior positive test until February 3, 1994, when they discovered the error. The individual had been allowed to work at Watts Bar Nuclear Plant (WBN) from December 14, 1993 through January 27, 1994, at which time the individual voluntarily resigned.

B. Corrective Action

The individual from the contract company who made the error was counselled.

II. Discovery of Suspect Substance Onsite

A. Summary

On March 11, 1994, a janitor found a balloon in a hallway in the East Access Building within the protected area at Browns Ferry Nuclear Plant. The balloon contained a white, powdery substance. A call was made to the NRC Operations Center and the substance was sent to a forensic laboratory for analysis. The results of the analysis indicated that the substance was not an illegal drug.

B. Corrective Action

None necessary.

III. Subversion of Testing

A. Summary

On June 20, 19°2 a radcon shift supervisor at BFN was administered a random drug and alcohol test. Based on questionable specific gravity and creatinine the specimen was sent to a forensic toxicologist for analysis. The determination was that based on the chemical and physical properties of the specimen, that the specimen was not human urine, and appeared to be water. The individual met with the Medical Review Officer (MRO) but was unable to provide any explanation for the results of the test.

B. Corrective Action

The individual's TVA employment was terminated.

JANUARY 1, 1994 - JUNE 30, 1994

TRENDS

The confirmed positive test rate for all categories (preemployment, prebadging, for cause, postaccident, random, follow-up, and other) for this reporting period was 0.6 percent (45 positive tests) which was the same as the last reporting period. The rate of random confirmed positive was 0.2 percent (11 positive tests), which is 0.1 percent lower than the last reporting period.

SUMMARY OF MANAGEMENT ACTIONS FOR SROWNS FERRY NUCLEAR PLANT

the preaccess category, one licensee employee and five contract comployees tested positive. The licensee employee was referred to the EAP and did not return to work during this reporting period. The contract employees were denied access and returned to the contractor.

In the random testing category, one contract employee and one licensee employee tested positive. The contractor employee had an unescorted access kadge. The badge was revoked and the individual was returned to the contractor. The licensee employee who tested positive was referred to the FAP and did not return to work during this reporting period.

In the for cause testing category, three contract employees tested positive. The contract employees had their unescorted access badges revoked and the individuals were returned to the contractor.

TE	NNESSEE VA	LLEY AUTHORITY	<u>,</u>	JUNE 30,	1994
		mpany S		6 Months End	the officer was price and the property of property and property in page 4. See A.
		ERRY NUCLEAR PL	ANT		Description of the second of t
	Co 10 St. Deeps. Andrew Contract Contract of Y	. HAMILTON		(615) 751-20	024
	Cont	Lì Name		Phone (include are	ea code)
Cutoffs:	Screen/Co	onfirmation		A to 10 CFR 26	
Marijuana	I	Amphetamines			1
Cocaine	1	Pheney lidine			1 >
Opiates		Alcot.ol(%BAC)	- u / E		1

Testir	ng Results	Licensee E	mployees	Long Contracto	g-Term or Personnel	Short- Contractor			
	e Number with	3 × 188	32		200	2054			
Cutegories		Tested	Positive	Tested	// Positive	# Tested	Positive		
Pre-Access		66		N/A	N/A	660 =	5		
For	Post accident	- 0	0	N/A	N/A	0	0		
Cause Observed behavior	erved behavior 5 0	0	N/A	N/A	3	3 0			
Randon		783	- 1 5	N/A	N/A	940	1		
Follow-	wp .	22	0 -	N/A	N/A	0	0		
Other *		2	0	N/A	N/A	2	0		
Total		878	2	N/A	N/A	1605	9		

	Marijum	Creatine	Opiates	Amphe- ternines	Phency cliding	Alcohol	Refusal to test	1	2	3	4	5	6	
Licensee Employees	0	:	0	•	0	0	0	0	0	0	0	•	ó	
Long-Term Contractors	N/A	N/A	N/A	N/A	N/A	NA O	N/A	N/A	N/A	N'A	N/A	N'A	N/A	
Short-Term Contractors	7	:	0	0 '	0	2	0	0	0	(6)	0 (1)	0	i	
Total	7	4	0	0	0		0	0	0	0	0	0.0		

		Cutoff I	Cutoff Levei (ng/ml)				
DRUG NUMBER	SUBSTANCE	Screen	Confirmation				
1	Barbiturates	300	200				
2	Benzodiazepines	300	250				
3	Methadone	300	250				
4	Methaqualone	300	250				
5	Propoxyphene	300	300				
6	LSD	0.5	0.2				

^{*} The other test category includes: Employment; Transfer to Nuclear Power from other TVA organizations; Administrative Follow-up (3); and Program Integrity Clearance/Update (1).

SUMMARY OF MANAGEMENT ACTIONS FOR SEQUOYAH NUCLEAR PLANT

In the preaccess category, ten contract employees tested positive. These contract employees were denied access and returned to the contractor.

In the random testing category, one contract employee tested positive. The contract employee had unescorted access. The badge was revoked and the individual was removed from TVA work and returned to the contractor.

In the "Other" testing category, one student who hired in under contract tested positive in the TVAN preemployment testing. The contract employee was removed from TVA work.

TE	ENNESSEE VA	LLEY AUTHORITY		JUNE 30, 19	94	
	Co	ompany		6 Months Endin		
	SEQUOY	AH NUCLEAR PLANT			9g:455	
	L	eation				
	PAMELA C	C. HAMILTON	a O	(615) 751-202	4	
	Contact Name			Phone (include area	code)	0
Cutoffs:	Cutoffs:Screen/Confirmation			to 10 CFR 26		
Marijuana	1	Amphetamines	1 = 3 = 3		1	
Cocaine	1	Phencyclidine			1	

Testin	ng Results	Licensee	Employees		-Term r Personnel	Short- Contractor		
	e Number with	13	13	°N	/A	618		
Categories		# Tested	# Positive	# Tested	Positive	# Tested	# Positive	
Pre-Acc	ess	106	0	N/A	N/A	970	10	
For	Post accident	0	0	N/A	N/A	0	0	
Cause	Observed behavior	4	0	N/A	N/A	0	0	
Randon	, , , ,	669	0	N/A	N/A	317	\$ 1	
Follow-	up	20	0	N/A	N/A	N/A	N/A	
Other *		1	1	N/A	N/A	0	0	
Total		800	1	N/A	N/A	1287	11	

	Morijuane	Cocaine 0	Opiates	Amphe- tamines	Plency- clidine	Alcohol	Refinal to test	1	2	3	4	5	6
Licensee Employees		0	0	•	0	o a	0	0	0	0	0	0	•
Long-Term Contractors	N/A	N'A	N/A	N/A	N'A	N/A	N/A	N'A	N/A	N/A	N/A	N/A	N/A
Short-Term Contractors	7		0	•	Ċ	0	1.	0	0	0	0	0	0
Total		,	0	0	0	0	o l	0	0	0	0	D	•

		Cutoff Level (ng/ml)						
DRUG NUMBER	SUBSTANCE	Screen	Confirmation					
1	Barbiturates	300	200					
2	Benzodiazepines	300	250					
3	Methadone	300	250					
4	Methaqualone	300	250					
5	Propoxyphene	300	300					
6	LSD	0.5	0.2					

^{*} The other test category includes: Employment (1); Transfer to Nuclear Power from other TVA organizations; Administrative Follow-up; and Program Integrity Clearance/Update.

SUMMARY OF MANAGEMENT ACTIONS FOR WATTS BAR NUCLEAR PLANT

In the random testing category, six contract employees and one licensee employee tested positive. All six contract employees were removed from TVA work and returned to the contractor. The licensee employee was referred to the EAP, and returned to work 18 days after the MRO confirmed the positive test result.

In the for cause testing category, one licensee employee tested positive. The licensee employee had TVA employment terminated.

In the "Other" testing category, twelve contract employees tested positive in TVA's preemployment testing. The contract employees were removed from TVA work and returned to the contractor.

In the follow-up testing category, one licensee employee tested positive. The first positive test for this employee occurred during the July through December 1991 reporting period. The individual's TVA employment was terminated.

TENI	principles of the property described and the second	LLEY AUTHORITY	3	JUNE 3 6 Month	maning stort (maketaka amin'ilitrordongsi) sebutual militar sebutual printer station (militar deliber) deliber
	discussion received with the art product in a con-	BAR NUCLEAR PLAN	r		
	the first or provided the Fig. 5 beautiful to the section	C. HAMILTON act Name	(615) 75 Phone (include	ig it with the first is the property of the second of the	
Cutoffs:S	creen/Co	onfirmation	⊠	Appendix A to 10 CFR 20	6
Marijuana	/	Amphetamines) 	
Cocaine	1	Phencyclidine		<i>I</i> <u> </u>	
Opiates	1	Alcohol(%BAC)		/	

Testin	ig Results	Licensee	Employees 🔾		-Term r Personnel	Short- Contractor	Term Personnel	
	e Number with	N	/A	N	/A	N/A		
Categories		# # # # # Tested Positive Tested Positive		# Positive	# Tested	Positive		
Pre-Acc	ess	N/A	N/A	N/A	N/A	N/A	N/A	
For	Post accident	0	0	N/A	N/A	0	0	
Cause	Observed behavior	2	1	N/A	N/A	0	0	
Random		481	1	N/A	N/A	1252	6	
Follow-	up	19	1	N/A	N/A	0	Ú	
Other **		19	0	N/A	N/A	702	12	
Total		521	3	N/A	N/A	1956	18	

	Morijuma	Cocuine	Opiates	Amphe- tamines	Prency- cliding	Alcohol	Retimal to test	1	2	-3 O	4	5	6	
Licensee Employees	4		0	0	0		0	• %	0	•	•	0	0	
Long-Term Contractors	N A	N A	N A	N A	N'A	N A	N/A	N/A	N/A	N.A	NA .	N/A	NA	
Short-Term Contractors	14	3	0	Ó	0		. 0	0	0	0	lo	0	0	Š
Tral	15		0	0	. 0		0	0	9	0	0	0	0	

		Cutoff Level (ng/ml)					
DRUG NUMBER	SUBSTANCE	Screen	Confirmation				
1	Barbiturates	300	200				
2	Benzodiazepines	300	250				
3	Methadone	300	250				
4	Methaqualone	300	250				
5	Propoxyphene	300	300				
6	LSD	0.5	0.2				

- * This is a construction site at which unescorted access has not yet been established.
- The other test category includes: Employment (TVA 11, Contractor 699); Transfer to Nuclear Power from other TVA organizations (4); Administrative Follow-up (7); and Program Integrity Clearance/Update.

SUMMARY OF MANAGEMENT ACTIONS FOR BELLEFONTE NUCLEAR PLANT (BLN)

In the random testing category, one licensee employee tested positive. The licensee employee was referred to the EAP and returned to work 26 days after the MRO confirmed the positive test result.

TENI	and departed the contraction of	LLEY AUTHORITY		JUNE 30, 1994				
	C	ompany		6 Months Endin				
	The Art (8) The feet of the series of the street because the Sec. The	ONTE NUCLEAR PLAN	<u>T</u>					
		ocation						
3	and the second second	C. HAMILTON		(615) 751-2024				
	Cont	tact Name		Phone (include area	code)			
Cutoffs:S	creen/Co	onfirmation	Appendix A to	o 10 CFR 26				
			ė i					
Marijuana	1 -	Amphetamines	/		į			
Cocaine	- 1	Phencyclidine	<i>T</i>		,			
Opiates	1	Alcohoi(%BAC)	· / · · · <u>-</u>		1			

Testing Results Average Number with Unescorted Access		Licensee	Licensee Employees N/A		-Term r Personnel	Short-Term Contractor Personnel N/A		
		N			/A			
Catego	ries	# Tested	# Positive	# Tested	Positive N/A	Tested N/A	Positive N/A	
Pre-Acc	cess	N/A	N/A	N/A				
For Cause	Post accident	0	0	N/A	N/A	0	0	
	Observed behavior	0	0	N/A	N/A	0	0	
Randon	1	126	ĺ	N/A	N/A	103	0	
Follow-up		12	0	N/A	N/A	N/A	N/A	
Other **		1	0	N/A	N/A	27	0	
Total		139	1	N/A	N/A	130	0	

	Marijuana	Coceine	Opiates	Amphe-	Phency- cliding	Alcohol	Refund to test	i	2	3	. 4	5	6
Licensee Employees	3-4	0	0 0	•	0	0	•	•	0	0	. 0	0,	•
Long-Term Contractors	N A	NA	N A	N/A	N'A	N'A	NA	N'A	NA	NA	N'A	N.A	N.A.
Saort-Term Contractors	0	0	0	•	0	0	•	0	0 8	0	0	0	0
Total			0	0	0	0	6	0	0	0	0	0	

		Cutoff L	Cutoff Level (ng/ml)		
DRUG NUMBER	SUBSTANCE	Screen	Confirmation		
1	Barbiturates	300	200		
2	Benzodiazepines	300	250		
3	Methadone	300	250		
4	Methaqualone	300	250		
5	Propoxyphene	300	300		
6	LSD	0.5	0.2		

^{*} This is a construction site at which unescorted access has not yet been established.

The other test category includes: Employment (Contractors 27); Transfer to Nuclear Power from other TVA organizations (1); Administrative Follow-up; and Program Integrity Clearance/Update.

SUMMARY OF MANAGEMENT ACTIONS FOR CORPORATE NUCLEAR POWER OFFICES

In the "Other" testing category, one contract employee tested positive in TVA's preemployment testing. The individual was removed from TVA work.

TEN	NESSEE VA	LLEY AUTHORITY	JUI	NE 30, 1994				
	C.	ompany	61	Months Ending				
CORPORATE	OFFICES (CHATTANOOGA, KNO	XVILLE, OTHER)					
	L	ocation .	\mathcal{I}					
	Today Baran St. Carlot Baran St. Land Baran S.	C. HAMILTON	(615) 751-2024					
	Cont	tact Name	Phone	(include area code)				
Cutoffs:S	creen/Co	onfirmation	■ Appendix A to 10 CI	FR 26				
Marijuana	1.	Amphetamines	1					
Cocaine	1	Phencyclidine	1					
Opiates	1	Alcohol(%BAC)	1					

Testing Results Average Number with Unescorted Access		Licensee Employees N/A			-Term r Personnel	Short- Contractor	The state of the s
				N	/ A	N/A	
Catego	ries	# Tested	Positive N/A	# Tested	# Positive	// Tested	Positi N/A
Pre-Acc	ess	N/A		N/A	N/A	N/A	
For Cause	Post accident	0	0	N/A	N/A	0	0
	Observed behavior	1	0	N/A	N/A	0	0
Pandom	1 = = = = = = = = = = = = = = = = = = =	346	0	N/A	N/A	3	0
Follow-up		12	0	N/A	N/A	0	0
Other **		32	0	N/A	N/A	4	1
Total		390	0	N/A	N/A	7	1

	Marijumu	Cocuine	Opiates	Amphe- tamines	Phency- cisline	Alcohol	Refunel to test	1	2	3	4	5	6
Licensee Employees	0	•	0		•	•	0	0	0	0	c	0	6
Long-Term Contractors	N4	N A	N/A	N'A	N/A	N/A	N/A	NA	N/A	N/A	N/A	N'A	N/A
Short-Term Contractors	1	0	0	0	0	0	0	0	0	0	0	(o o	0
Total		0	0	0	0	0	0	0	0	0	0	0	0

		Cutoff Level (ng/ml)				
DRUG NUMBER	SUBSTANCE	Screen	Confirmation			
1	Barbiturates	300	200			
2	Benzodiazepines	300	250			
3	Methadone	300	250			
4	Methaqualone	300	250			
5	Propoxyphene	300	300			
6	LSD	0.5	0.2			

^{*} Persons assigned to the corporate organization but with unescorted access at a TVA nuclear site are included in the averages for the site or sites where they hold the unescorted access authorizations.

The other test category includes: Employment (TVA 2, Contractor 3); Transfer to Nuclear Power from other TVA organizations (10); Administrative Follow-up; and Program Integrity Clearance/Update (5); and assignment to Emergency Response duties (16).

SUMMARY OF FITNESS FOR DUTY EVENTS REPORTED TO THE NUCLEAR REGULATORY COMMISSION OPERATIONS CENTER

Events	Date of Notification	Job Title	Substance	Method Discovered	Action Taken
94-001	March 11, 1994	N/A	Suspected Cocaine	Custodian found suspect substance within the	Site Security took custody of the substance and sent it to a forensic
				protected area at BFN	laboratory for analysis. Substance determined not to be cocaine.