

JAN 10 1984

*official*

Tennessee Valley Authority  
ATTN: Mr. H. G. Parris  
Manager of Power  
500A Chestnut Street Tower II  
Chattanooga, TN 37401

Gentlemen:

SUBJECT: REPORT NOS. 50-390/83-53 AND 50-391/83-42

On December 12 -16, 1983, NRC inspected activities authorized by NRC Construction Permit Nos. CPPR-91 and CPPR-92 for your Watts Bar facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed inspection report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress.

Within the scope of the inspection, no violations or deviations were identified.

In accordance with 10 CFR 2.790(a), a copy of this letter, its enclosures, and your reply will be placed in NRC's Public Document Room upon completion of our evaluation of the reply. If you wish to withhold information contained therein, please notify this office by telephone and include a written application to withhold information in your response. Such application must be consistent with the requirements of 2.790(b)(1).

The responses directed by this letter and the enclosures are not subject to the clearance procedures of the Office of Management and Budget issued under the Paperwork Reduction Act of 1980, PL 96-511.

Should you have any questions concerning this letter, please contact us.

Sincerely,

David M. Verrelli, Chief  
Project Branch 1  
Division of Project and  
Resident Programs

Enclosure:  
Inspection Report Nos. 50-390/83-53  
and 50-391/83-42

8402140197 840110  
PDR ADOCK 05000390  
Q PDR

*IE01*  
*1/1*

cc w/encl:

- J. A. Coffey, Director of Nuclear Power
- W. T. Cottle, Plant Superintendent
- G. Wadewitz, Project Manager
- D. L. Williams, Jr., Supervisor,  
Licensing Section
- R. E. Teamer, Project Engineer
- H. N. Culver, Chief, Nuclear Safety  
Review Staff
- J. W. Anderson, Manager  
Office of Quality Assurance
- R. M. Pierce

bcc w/encl:

- NRC Resident Inspector
- Document Control Desk
- State of Tennessee

RII

*JAG*  
LJackson:sa  
01/9/84

RII

*CMU*  
CMUpright  
01/9/84

RII

*ARH*  
ARHerdt  
01/9/84

*RII*  
*P. Fredrickson*  
*1/10/84*

RII

*DM*  
DMVerrelli  
01/10/84