

## University of Connecticut Health Center

Office of Research Safety

Br. August 25, 2008

Nuclear Materials Safety Branch United States Nuclear Regulatory Commission, Region I 475 Allendale Road King of Prussia, PA 19406-1415

RE: USNRC License # 06-13022-02 03001295
Expedited Action Requested

## Gentlemen:

The University of Connecticut Health Center requests a license amendment for our Plutonium-239 instrument calibration sources. Specifically, we request to amend license item 6.L. to possession-storage only for Pu-239. We plan to either transfer these sources to a licensed entity or dispose of as radioactive waste. We understand through Ms. Shirley Crutchfield, of NRC's Accounts Receivable Team, that we will not incur an annual licensing fee for these sources with this license amendment. We will notify you when these sources have been transferred.

Please contact Kenneth Price, the University of Connecticut Health Center Radiation Safety Officer at (860) 679-2250 if you require further information.

Respectfully,

Leonard P. Paplauskas

Associate V.P. for Research, Emeritus

Copy to: James Fomenko

Kenneth Price

Raymond Ryan

An Equal Opportunity Employ Jeff Small

263 Farmington Avenue Farmington, Connecticut 06030-3930

Telephone: (860) 679-2723 Facsimile: (860) 679-3826

NMSS/RGNI MATERIALS-002

includes an administrative reviewer. Please of omissions or require addition	e omissions. Your application was assigned to a
A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.  Your action has been assigned Mail Control Number 142753. When calling to inquire about this action, please refer to this control number. You may call us on (610) 337-5398, or 337-5260.  NRC FORM 532 (RI) Sincerely, Licensing Assistance Team Leader	