

ER Tables

Table 1.3-1—{Federal, State and Local Authorizations}.....	1-20
Table 2.2-1—{Land Use on the Callaway Plant Site}	2-17
Table 2.2-2—{Land Use in the 8 mile (13 km) Vicinity}.....	2-18
Table 2.2-3—{Land Use in the 50 mile (80 km) Region}.....	2-19
Table 2.2-4—{Callaway Plant Site 50 mi (80 km) Region Values of Agricultural Commodities Produced in 2002}	2-20
Table 2.2-5—{Major Public Lands in the 50 mile (80 km) Region}	2-21
Table 2.3-1—{Approximate Length and Average Gradient of Creeks Located near Callaway Plant Unit 2}.....	2-99
Table 2.3-2—{Peak Annual Streamflow for the Hermann, MO USGS Station No. 06934500}.....	2-100
Table 2.3-3—{Monthly Mean Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-101
Table 2.3-4—{Mean Daily Streamflow for Hermann, MO USGS Station No. 06934500,(1957 through 2006)}	2-103
Table 2.3-5—{Maximum Daily Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-104
Table 2.3-6—{Minimum Daily Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-105
Table 2.3-7—{Peak Annual Streamflow for Boonville, MO, USGS Station No. 06909000} ..2-106	
Table 2.3-8—{Monthly Mean Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-107
Table 2.3-9—{Mean Daily Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-109
Table 2.3-10—{Maximum Daily Streamflow for Boonville, MO, USGS Station No. 06909000, 1957 through 2007)}	2-110
Table 2.3-11—{Minimum Daily Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-111
Table 2.3-12—{Details of Harry S. Truman and Bagnell Dams}	2-112
Table 2.3-13—{Callaway Plant Unit 2 Monitoring Well Construction Details}	2-113
Table 2.3-14—{Callaway Plant Unit 2 Formation Depths and Thicknesses}	2-115
Table 2.3-15—{Callaway Plant Unit 2 Monitoring Well Water Level Depths and Elevations}2-120	
Table 2.3-16—{Callaway Plant Unit 2 Groundwater Water Quality Data}	2-123
Table 2.3-17—{Callaway Plant Unit 2 Surface Water Gauge Elevations}	2-128
Table 2.3-18—{Callaway Plant Unit 2 Estimated Average Flow Rates, Velocities and Depths of Streams}.....	2-131
Table 2.3-19—{Callaway Plant Unit 2 Surface Water Quality Data}	2-133
Table 2.3-20—{Callaway Plant Unit 2 Aquifer Hydraulic Gradients}	2-137
Table 2.3-21—{Callaway Plant Unit 2 Monitoring Well Slug Test Results}.....	2-138
Table 2.3-22—{Callaway Plant Unit 2 Pumping Test Results}.....	2-139
Table 2.3-23—{Callaway Plant Unit 2 Aquifer Unit Geotechnical Parameters}	2-140
Table 2.3-24—{Callaway Plant Unit 2 Grain Size Distribution}	2-141
Table 2.3-25—{Callaway Plant Unit 2 Groundwater Flow Velocities and Travel Times}	2-143

ER Tables

Table 2.3-26—{Total Surface Water Usage by Major Water Users}.....	2-144
Table 2.3-27—{Callaway Plant Unit 1 Cooling Tower Blowdown Discharge Permit No. MO-0098001}.....	2-146
Table 2.3-28—{Listing of U.S. Environmental Protection Agency (US EPA) SDWIS Community, Non-Transient Non-Community, and Transient Non-Community Water Systems in Callaway and Osage Counties, Missouri}	2-147
Table 2.3-29—{Listing of Missouri Department of Natural Resources Public Water Use for Callaway and Osage Counties, Missouri}	2-150
Table 2.3-30—{Listing of Local, Public and Private Wells for Callaway and Osage Counties, Missouri}	2-152
Table 2.3-31—{Listing of MDNR Monitoring Well Network}	2-158
Table 2.3-32—{Surface Water Sample Minima, Maxima, and Mean Values for All Sampling Rounds at Callaway Plant Site}.....	2-162
Table 2.3-33—{Groundwater Sample Minima, Maxima, and Mean Values for All Sampling Rounds at Callaway Plant Site}.....	2-164
Table 2.3-34—{Analytical Parameters}.....	2-165
Table 2.4-1—{List of Rare, Threatened or Endangered Species Historically Recorded in Callaway and Osage Counties, Missouri}	2-282
Table 2.4-2—{Important Terrestrial Species and Habitat Identified at the AmerenUE Property 2007-2008}	2-284
Table 2.4-3—{Mammals Observed at the AmerenUE Property, Spring and Fall 2007}.....	2-285
Table 2.4-4—{Birds Observed Seasonally at the AmerenUE Property 2007}	2-286
Table 2.4-5—{Terrestrial Plants Observed Seasonally at the AmerenUE Property, 2007}	2-291
Table 2.4-6—{Herpetofauna Observed Seasonally at the AmerenUE Property 2007}	2-305
Table 2.4-7—{Taxonomic Composition and Abundance in Fish Surveys of the Missouri River and Stream Stations Near Callaway Plant, by Season, 2007-2008}	2-306
Table 2.4-8—{Taxonomic Composition and Abundance in Fish Surveys of the Missouri River Near AmerenUE Property}.....	2-308
Table 2.4-9—{Taxonomic Composition and Catch-Per-Effort by Method in Fish Surveys of the Missouri River and Stream Station Near AmerenUE Property, 2007-2008}	2-309
Table 2.4-10—{Taxonomic Composition and Abundance in Benthic Macroinvertebrate Surveys of the Missouri River and Stream Surveys Near Callaway Plant, Fall 2007 and Spring 2008}.....	2-311
Table 2.4-11—{Taxonomic Composition and Abundance by Method and by Location, in Benthic Macroinvertebrate Surveys of the Missouri River Near AmerenUE Property, 2007-2008}	2-315
Table 2.4-12—{Taxonomic Composition and Abundance in Fish Surveys of Streams in the AmerenUE Property}.....	2-317
Table 2.4-13—{Taxonomic Composition and Abundance in Benthic Macoinvertebrate Surveys of Streams in the AmerenUE Property}.....	2-318
Table 2.4-14—{Summary of Wetland Functional Values}	2-320
Table 2.4-15—{Important Aquatic Species Collected from or Potentially in the Missouri River or Streams Near the AmerenUE Property}	2-321
Table 2.5-1—{Counties of Residence for Callaway Plant Unit 1 Operational Workforce}....	2-403
Table 2.5-2—{Select Demographic and Economic Characteristics of Residential Population By	

ER Tables

Distance from the Callaway Site, 1999}.....	2-404
Table 2.5-3—{Historical and Projected Populations in Boone County, Callaway County, Cole County and Missouri from 1970 to 2060}.....	2-405
Table 2.5-4—{Select Demographic and Economic Characteristics of Persons in Boone County, Callaway County, Cole County, Missouri, and the U.S. from 2000 to 2004}	2-406
Table 2.5-5—{Demographic and Economic Characteristics of Residential Populations in Select Cities and Communities within Boone, Callaway and Cole Counties, 2000}	2-408
Table 2.5-6—{Resident and Transient Populations, by Sector and Distance from the Callaway Site, 2000}	2-409
Table 2.5-7—{Commuting Patterns To and From the ROI, 2000}	2-411
Table 2.5-8—{Current Population and Population Projections for the Callaway Low Population Zone, 2000 - 2060}.....	2-412
Table 2.5-9—{Population Projections from 2000 to 2060 within 50 mi (80 km) of the Callaway Site}	2-413
Table 2.5-10—{Population Projections by Sector and Distance from the Callaway Site from 2000 to 2060 (1)}	2-414
Table 2.5-11—{Civilian Labor Force Data for Boone County, Callaway County, Cole County, and St. Louis, MO-IL MSA, October 2006(1)}	2-420
Table 2.5-12—{Construction and Extraction Occupational Labor Force, Columbia, MO MSA, May 2005}.....	2-421
Table 2.5-13—{Construction and Extraction Occupational Labor Force, Jefferson City, MO MSA, May 2005}	2-422
Table 2.5-14—{Construction and Extraction Occupational Labor Force, St. Louis, MO-IL MSA, May 2005}.....	2-423
Table 2.5-15—{Employment by Sectors and Industry in Boone, Callaway, and Cole Counties}	2-425
Table 2.5-16—{Major Non-Governmental Employers in Boone County, Callaway County, and Cole County}.....	2-426
Table 2.5-17—{Percent of Individuals in Poverty and Median Household Income in Boone County, Callaway County, and Cole County, Missouri and the U.S., 1999 and 2004}.....	2-428
Table 2.5-18—{Mean Annual Wages in Boone County, Callaway County, Cole County, Missouri, and the U.S., 2005}	2-429
Table 2.5-19—{Occupied Housing Units and Vacant (Available) Housing Units in Boone, Callaway, and Cole Counties, and the ROI, 2000}	2-430
Table 2.5-20—{New Housing Units (Single-Family and Multi-Family) Authorized for Construction, in Boone, Callaway, and Cole Counties from 1999 to 2006}.....	2-431
Table 2.5-21—{Apartment and Townhouse Complexes in Boone County, Callaway County, and Cole County}.....	2-432
Table 2.5-22—{Hotels, Motels, and Bed & Breakfasts within 50 Miles of Callaway}	2-439
Table 2.5-23—{Public Schools Located in Boone, Callaway, and Cole County}.....	2-441
Table 2.5-24—{Private Schools Located in Boone, Callaway, and Cole County}	2-444
Table 2.5-25—{Boat Ramps and Public Landing/Launch Sites in Boone County, Callaway County, and Cole County}	2-445

ER Tables

Table 2.5-26—{Campgrounds and RV Parks in Boone, Callaway, and Cole Counties within 25 miles of Callaway Plant}	2-447
Table 2.5-27—{Property and Income Tax Rates (Percent) in Boone County, Callaway County, and Cole County, 2005}.....	2-448
Table 2.5-28—{Fiscal Year 2002 County Revenues and Expenditures in Boone, Callaway and Cole Counties (\$M)}	2-450
Table 2.5-29—{Callaway County General Fund Revenues and County-Wide Taxable Assessed Property Values, 2000 to 2006}.....	2-451
Table 2.5-30—{Water Districts/Systems in Boone, Callaway, and Cole County}	2-452
Table 2.5-31—{Sewer Districts/Systems in Boone, Callaway, and Cole Counties}	2-454
Table 2.5-32—{Law Enforcement Agencies}	2-455
Table 2.5-33—{Fire/EMS Departments in Boone, Callaway, and Cole Counties}.....	2-456
Table 2.5-34—{Traffic Volumes at Selected Sites in Callaway County}.....	2-457
Table 2.5-35—{Peak-Hour Traffic Volumes at Selected Sites in Callaway County}.....	2-458
Table 2.5-36—{Missouri Central Region - Top 10 Occupations}.....	2-459
Table 2.5-37—{Missouri Central Region - Top 10 High Growth Industries, 2nd Quarter 2007 by 2-Digit Sector}	2-460
Table 2.5-38—{Estimated Additional Property Taxes for Callaway County after Start of Construction of Callaway Plant Unit 2}	2-461
Table 2.5-39—{Sales Tax Rates (Percent) in Boone, Callaway and Cole Counties, January through March 2007}	2-462
Table 2.5-40—{Missouri State Personal Income Tax Rate}	2-463
Table 2.5-41—{Job Creation by Employers in Boone, Callaway, and Cole Counties, 1st Quarter 2001 through 3rd Quarter 2006}.....	2-464
Table 2.5-42—{Jails and Correctional Facilities in Boone, Callaway, and Cole Counties}....	2-465
Table 2.5-43—{Summary of Surveyed Architectural Resources}	2-466
Table 2.5-44—{Summary of Surveyed Archaeological Sites}.....	2-467
Table 2.5-45—{Census Block Groups within 50 mile (80 km) of the Callaway Site with Minority and Low Income Populations, 2000}	2-468
Table 2.5-46—{Census Block Groups and Percentages of Minority People within 50 mile (80 km) of the Callaway Site}	2-469
Table 2.5-47—{Census Block Groups and Percentage of Households within 50 mile (80 km) of the Callaway Site with Low Income Populations}	2-470
Table 2.7-1—{Monthly Mean Number of Days with Thunderstorms}.....	2-505
Table 2.7-2—{Maximum Monthly Wind Speed (mph) at Columbia, Missouri 1950-2006} ..	2-506
Table 2.7-3—{Callaway Site Monthly Mean Temperatures (degrees F) (2004-2006)}	2-507
Table 2.7-4—{Callaway Site Monthly Mean Diurnal Temperature Range (2004 – 2006)}....	2-508
Table 2.7-5—{Callaway Site Monthly Mean Extreme Minimum Temperatures (2004-2006)}.....	2-509
Table 2.7-6—{Callaway Site Monthly Mean Daily Maximum Temperatures (2004-2006)}...	2-510
Table 2.7-7—{Callaway Site Monthly Mean Daily Minimum Temperatures (2004-2006)} ..	2-511
Table 2.7-8—{Callaway Site Maximum Hourly Temperatures (2004-2006)}.....	2-512
Table 2.7-9—{Callaway Site Minimum Hourly Temperatures (2004-2006)}	2-513

ER Tables

Table 2.7-10—{Callaway Site Number of Hourly Temperature Values Greater Than or Less Than Indicated Value (2004-2006)}	2-514
Table 2.7-11—{Monthly Mean Temperatures (1971-2000) at Sites Around Callaway Site}	2-515
Table 2.7-12—{Monthly Mean Maximum Temperatures (1971-2000) at Sites Around Callaway Site}	2-516
Table 2.7-13—{Monthly Mean Minimum Temperatures (1971-2000) at Sites Around Callaway Site}	2-517
Table 2.7-14—{Monthly Mean Wet Bulb Temperatures (1984-2006) at Sites Around Callaway Site}	2-518
Table 2.7-15—{Monthly Mean Dew Point Temperatures (1984-2006) at Sites Around Callaway Site}	2-519
Table 2.7-16—{Number of Days with Maximum Hourly Temperature Value Greater Than or Equal to 90°F at Sites Around Callaway Site}	2-520
Table 2.7-17—{Number of Days with Maximum Hourly Temperature Value Less Than or Equal to 32°F at Sites Around Callaway Site}	2-521
Table 2.7-18—{Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 32°F at Sites Around Callaway Site}	2-522
Table 2.7-19—{Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 0°F at Sites Around Callaway Site}	2-523
Table 2.7-20—{Monthly Mean Relative Humidity at Sites Around Callaway Site}	2-524
Table 2.7-21—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Columbia, Missouri (1972-2001)}	2-525
Table 2.7-22—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for St. Louis, Missouri (1972-2001)}	2-526
Table 2.7-23—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Kansas City, Missouri (1972-2001)}	2-527
Table 2.7-24—{Callaway Nuclear Plant Monthly and Annual Precipitation Summaries (2004 - 2006)}	2-528
Table 2.7-25—{Callaway Nuclear Plant Monthly and Annual Percent Frequency of Precipitation Occurrence(2004 - 2006)}	2-529
Table 2.7-26—{Callaway Nuclear Plant Rainfall Rate Distribution (2004-2006)}	2-530
Table 2.7-27—{Callaway Nuclear Plant Measured Extreme Precipitation Hourly Values (2004-2006) }	2-531
Table 2.7-28—{Mean Monthly and Annual Precipitation (1971-2000) At Sites Around Callaway Site}	2-532
Table 2.7-29—Mean Monthly and Annual Snowfall (1971-2000) Around Callaway Site}	2-533
Table 2.7-30—{Monthly Mean Number of Days with Precipitation (1971-2000) Around Callaway Site}	2-534
Table 2.7-31—{Monthly Mean Number of Days with Heavy Fog (1971-2000) Around Callaway Site}	2-535
Table 2.7-32—{Monthly and Annual Average Mixing Height Values (m)}	2-536
Table 2.7-33—{Temperature Inversion Frequency and Persistence, Year 2004}	2-537
Table 2.7-34—{Temperature Inversion Frequency and Persistence, Year 2005}	2-538
Table 2.7-35—{Temperature Inversion Frequency and Persistence, Year 2006}	2-539

ER Tables

Table 2.7-36—{Callaway Site Joint Frequency Distribution -2004-2006, 10m, A Stability}	2-540
Table 2.7-37—{Callaway Site Joint Frequency Distribution -2004-2006, 60m, A Stability}	2-548
Table 2.7-38—{Monthly Mean Wind Speed and Prevailing Wind Direction}	2-556
Table 2.7-39—{Monthly Maximum Two Minute Wind Speed and Direction}	2-557
Table 2.7-40—{Monthly Maximum Five Second Wind Speed and Direction}	2-558
Table 2.7-41—{Callaway Site Meteorological Persistence (2004-2006), 10 m, 1 sector}.....	2-559
Table 2.7-42—{Callaway Site Meteorological Persistence (2004-2006), 60 m, 1 sector}.....	2-561
Table 2.7-43—{Callaway Site 33 ft (10m) Annual Stability Persistence Summary for Years 2004-2006}	2-563
Table 2.7-44—{Callaway Site 197 ft (60m) Annual Stability Persistence Summary for Years 2004-2006}	2-564
Table 2.7-45—{Normal Effluent Annual Average, Undecayed, Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-565
Table 2.7-46— {Normal Effluent Annual Average, Undecayed Undepleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}.....	2-566
Table 2.7-47—{Normal Effluent Annual Average, Depleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}.....	2-567
Table 2.7-48—{Normal Effluent Annual Average, Depleted χ/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}	2-568
Table 2.7-49— {Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-569
Table 2.7-50—{Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}	2-570
Table 2.7-51— {Specific Locations of Receptors of Interest}	2-571
Table 2.7-52—{50th Percentile χ/Q Values}.....	2-573
Table 3.3-1—{Anticipated Water Use}	3-21
Table 3.3-2—{Water Treatment Systems}.....	3-22
Table 3.4-1—Minimal and Nominal Essential Service Water System Flows and Heat Loads at Different Operation Modes Per Train.....	3-30
Table 3.4-2—{Circulating Water System Cooling Tower Design Specifications}	3-31
Table 3.4-3—{Essential Service Water System Cooling Tower Design Specifications}	3-32
Table 3.5-1—Parameters Used in the Calculation of Fission Product Activity in Reactor (Design Basis).....	3-63
Table 3.5-2—Reactor Coolant Radionuclide Concentrations	3-64
Table 3.5-3—Secondary Coolant Radionuclide Concentrations	3-67
Table 3.5-4—Principal Parameters Used in Estimating Realistic Releases of Radioactive Materials in Effluents (GALE Code Input Parameters)	3-70
Table 3.5-5—Average Radioactivity Concentrations in the Spent Fuel Pool (SFP) Area.....	3-74
Table 3.5-6—Liquid Waste Release Source Term Inputs	3-76
Table 3.5-7—Annual Expected Liquid Waste Releases (in Curies)	3-77
Table 3.5-8—Annual Gaseous Effluent Releases	3-81
Table 3.5-9—Gaseous Waste Release Source Term Inputs.....	3-85
Table 3.5-10—Annual Solid Waste Generation Volumes	3-86

ER Tables

Table 3.5-11—Liquid Waste Management System Tank Capacity	3-87
Table 3.5-12—Liquid Waste Management System Process Parameters	3-88
Table 3.5-13—Radioactivity Sources for the Liquid Waste System	3-89
Table 3.5-14—Radioactivity Input to the Liquid Waste System	3-90
Table 3.5-15—Radioactive Liquid Releases Due to Anticipated Operational Occurrences...3-92	
Table 3.5-16—{Summary of Radioactive Liquid Releases Including Anticipated Operational Occurrences}	3-93
Table 3.5-17—Annual Radioactive Gaseous Releases Due to Anticipated Operational Occurrences	3-94
Table 3.5-18—Obtainable Dose Benefits for Gaseous Waste System Augment	3-95
Table 3.5-19—{Gaseous Waste System Augment Thyroid Dose Cost Benefit Analysis}.....3-96	
Table 3.5-20—Radiation Monitors	3-97
Table 3.6-1—{Treatment System Processing Chemicals}	3-129
Table 3.6-2—Non-Radioactive Gaseous Effluents.....3-130	
Table 3.6-3—{Anticipated Effluent Water Chemical Concentrations}.....3-131	
Table 3.6-4—{Biennial Hazardous Waste Management Callaway Plant Unit 1}	3-132
Table 3.8-1—Annual Solid Radioactive Wastes	3-143
Table 3.8-2—Transportation Environmental Impact Comparison.....3-144	
Table 4.1-1—{Construction Areas Acreage and Operations Acreage, Land Use}	4-10
Table 4.1-2—{Prime Farmland Along the Missouri River}.....4-11	
Table 4.2-1—{Estimated Amounts of Potable Water by Construction Year Needed for Callaway Plant Unit 2}	4-32
Table 4.3-1—{Vegetation (Plant Community) Impacts in Acres (Hectares) from Construction of Proposed Callaway Plant Unit 2}.....4-54	
Table 4.3-2— {Wetland Impacts in Acres (Hectares) from Construction of Proposed Callaway Plant Unit 2}	4-55
Table 4.3-3— {Stream Impacts from Construction of Proposed Callaway Plant Unit 2}.....4-57	
Table 4.4-1—Typical Noise Levels of Construction Equipment.....4-80	
Table 4.4-2—{Estimated Average FTE Construction Workers, by Construction Year/Quarter at the Callaway Site}	4-81
Table 4.4-3—Total Peak On-Site Nuclear Power Plant Construction Labor Force Requirements (based on an average of single power plants)	4-82
Table 4.4-4—Peak On-Site Nuclear Power Plant Construction Craft Labor Force Requirements (based on an average of single power plants)	4-83
Table 4.4-5—Nuclear Power Plant Craft Labor Force Composition by Phases of Construction	4-84
Table 4.4-6—{Estimates of In-Migrating Construction Workforce in Boone, Callaway, and Cole Counties, 2011-2015}	4-85
Table 4.4-7—{Minority and Low Income Populations Within About 50 Linear Miles (32 km) of the Callaway Site}.....4-86	
Table 4.5-1—{Historical Gaseous Releases for Callaway Plant Unit 1 2001 through 2006}...4-94	
Table 4.5-2—{Projected Gamma Air Dose Rates from Plant Vent Effluent for all Areas Around Callaway Plant Unit 1 (mrad per 2200 hours per year)}.....4-96	

ER Tables

Table 4.5-3—{Projected TEDE Dose Rates from All Sources in Construction Areas}	4-97
Table 4.5-4—{Projected Construction Worker Census 2012 to 2017 And Estimated Collective Dose}.....	4-98
Table 4.5-5—{Average Unit 1 Effluent Release Rates in 2004 Used to Estimate Conservative Dose to Workers}	4-99
Table 4.5-6—{Annual Average TEDE Dose Rates for 2200 Hour per Year Occupation Includes Direct Dose of 0.1 mrem/yr.}.....	4-100
Table 4.6-1—{Summary of Measures and Controls to Limit Adverse Impacts During Construction}.....	4-104
Table 5.1-1—{Land Use at the Callaway Site}	5-12
Table 5.1-2—{Land Use Within the 8 mile (13 km) Radius of the Callaway Site}.....	5-13
Table 5.3-1—{CORMIX Thermal Plume Simulation Receiving Water Input Parameters}	5-39
Table 5.3-2—{Conditions for High Ambient River Temperature Analysis}	5-40
Table 5.3-3—{Plume Impact on Important Species}.....	5-41
Table 5.3-4—{CWS Cooling Tower, SACTI Input Parameters}.....	5-43
Table 5.3-5—{Drift drop Size Distribution Used in SACTI Calculations}.....	5-44
Table 5.3-6—{Modeled Plume Parameters for Each Unit 2 Tower}	5-45
Table 5.3-7—{Maximum Salt Deposition Rate}.....	5-46
Table 5.4-1—{Liquid Pathway Parameters}	5-59
Table 5.4-2—{Recreational Liquid Pathway Usage Parameters for MEI}	5-60
Table 5.4-3—{Locations for Gaseous Effluent Maximum Dose Evaluations}	5-61
Table 5.4-4—{Gaseous Pathway Parameters}	5-62
Table 5.4-5—{Gaseous Pathway Consumption Factors for MEI}.....	5-63
Table 5.4-6—{Distance to Nearest Gaseous Dose Receptors}	5-64
Table 5.4-7—{Total Body Dose from Liquid Effluent to MEI}	5-65
Table 5.4-8—{Limiting Organ Dose from Liquid Effluent to MEI}.....	5-66
Table 5.4-9—{Summary Liquid Effluent Annual Dose to MEI}.....	5-67
Table 5.4-10—{General Population Doses from Liquid Effluents}	5-68
Table 5.4-11—{Gaseous Pathway Doses for Maximally Exposed Individuals (MEI)}	5-69
Table 5.4-12—{Callaway Plant Unit 2 Gaseous Effluent MEI Dose Summary}	5-70
Table 5.4-13—{50 Mi (80 km) Population Doses from Gaseous Effluents(1) Person-Sieverts (Person-Rem)}	5-71
Table 5.4-14—{Annual Historical Dose Compliance with 40 CFR 190 for Callaway Plant Unit 1}.....	5-72
Table 5.4-15—{40 CFR 190 Annual Site Dose Compliance}	5-73
Table 5.4-16—{Biota Exposure Pathways}	5-74
Table 5.4-17—{Terrestrial Biota Parameters}.....	5-75
Table 5.4-18—{Biota Residence Time}.....	5-76
Table 5.4-19—{Dose to Biota from Liquid and Gaseous Effluents}	5-77
Table 5.4-20—{Biota Doses Compared to 40 CFR 190 Whole Body Dose Criterion (25 mrem/yr)}.....	5-78
Table 5.4-21—{Important Biota Species and Analytical Surrogates}	5-79

ER Tables

Table 5.4-22—{Cow Milk Production lb/year (kg/year)}	5-80
Table 5.4-23—{Beef Production Sold lb/year (kg/year)}	5-81
Table 5.4-24—{Corn Production lb/year (kg/year)}.....	5-82
Table 5.4-25—{Soybean Production lb/year (kg/year)}	5-83
Table 5.4-26—{Hogs and Pig Production Sold lb/year (kg/year)}.	5-84
Table 5.7-1—NRC Table S-3 of Uranium Fuel Cycle Environmental Data (a) Compared to the U.S. EPR Configuration (Normalized to Model LWR Annual Fuel Requirement (WASH-1248) or Reference Reactor Year (NUREG-0116))	5-109
Table 5.7-2—Average Nominal Annual Fuel Cycle Requirements (U.S. EPR Scaled to the 1,000 MWe Reference LWR)	5-111
Table 5.8-1—{Estimates of In-Migrating Operational Workforce in Boone, Callaway, and Cole Counties, from 2017 to 2057}.....	5-128
Table 5.10-1—{Summary of Measures and Controls to Limit Adverse Impacts During Operation}.....	5-132
Table 5.11-1—Summary of Environmental Impacts of Transportation of Fuel and Waste to and from One Light Water Reactor, taken from 10 CFR 51.52 Table S-4.....	5-155
Table 5.11-2—Decay Heat for EPR Irradiated Fuel Assembly.....	5-156
Table 5.11-3—{RADTRAN & TRAGIS Model Input Parameters}	5-157
Table 5.11-4—Annual EPR Solid Radioactive Waste	5-158
Table 5.11-5—{Evaluated Transportation Dose per Shipment Under Normal Conditions} ..	5-159
Table 5.11-6—{Evaluated Annual Transportation Dose Under Normal Conditions}.....	5-160
Table 5.11-7—ORIGEN2.1 Decay Heat Input Parameters for EPR Irradiated Fuel.....	5-161
Table 5.11-8—Additional RADTRAN Input Parameters	5-162
Table 6.1-1—{USGS Missouri River at Hermann Monthly Mean Discharge, cubic feet per second}.....	6-8
Table 6.2-1—{Effluent Exposure Pathways and Environmental Sampling Media in 2007} ...	6-16
Table 6.2-2—{Radiological Environmental Monitoring Program for Callaway Plant in 2007} 6-17	
Table 6.2-3—{Environmental Monitoring Sites for Callaway Plant in 2007}.....	6-18
Table 6.2-4—{Lower Limits of Detection (LLD) for Environmental Media}	6-21
Table 6.2-5—{Typical Sample Sizes for Environmental Media}.....	6-22
Table 6.3-1—{Callaway Plant Unit 1 NPDES Hydrological Monitoring Program in 2007}	6-30
Table 6.4-1—{Tower Instrument Specifications and Accuracies for Meteorological Monitoring Program (Pre-Application, Pre-Operational, and Operational)}	6-39
Table 6.6-1—{Statistical Summary of USGS Water Quality Sampling Results, February 2000 to September 2005, USGS Station 06934500-Missouri River at Hermann, MO}	6-55
Table 6.6-2—{Summary of Pre-Application Sampling Upstream and Downstream of Callaway Site Discharge}.....	6-56
Table 6.7-1—{Thermal Monitoring}	6-61
Table 6.7-2—{Radiological Monitoring}	6-62
Table 6.7-3—{Hydrological Monitoring}.....	6-63
Table 6.7-4—{Meteorological Monitoring}	6-64
Table 6.7-5—{Terrestrial Ecology Monitoring}	6-65

ER Tables

Table 6.7-6—{Aquatic Ecology Monitoring}	6-66
Table 6.7-7—{Chemical Monitoring}	6-67
Table 7.1-1—Design Basis Accidents	7-6
Table 7.1-2—U.S. EPR Design Basis Primary Coolant Activity	7-8
Table 7.1-3—U.S. EPR Design Basis Secondary Coolant Activity)	7-11
Table 7.1-4—U.S. EPR Bounding Core Inventory	7-13
Table 7.1-5—{50th Percentile Callaway Site Atmospheric Dispersion Factors}.....	7-15
Table 7.1-6—{Steam System Piping Failure}	7-16
Table 7.1-7—{Reactor Coolant Pump Locked Rotor Accident / Broken Shaft}	7-17
Table 7.1-8—{Failure of Small Lines Carrying Primary Coolant Outside Containment}	7-18
Table 7.1-9—{Steam Generator Tube Rupture (SGTR)}	7-19
Table 7.1-10—{Loss of Coolant Accident (LOCA)}	7-20
Table 7.1-11—{Fuel Handling Accident}.....	7-21
Table 7.1-12—{Rod Ejection Accident (REA)}	7-22
Table 7.1-13—{Summary of DBA Radiological Consequences at Offsite Receptors from Callaway Plant Unit 2}	7-23
Table 7.1-14—{Radionuclide Releases to Atmosphere for Main Steam Line Break with Pre-Accident Iodine Spike}	7-24
Table 7.1-15—{Radionuclide Releases to Atmosphere for Main Steam Line Break with Concurrent Iodine Spike}.....	7-26
Table 7.1-16—{Radionuclide Releases to Atmosphere for Main Steam Line Break with Accident-Induced 1.24% Clad Failure}	7-28
Table 7.1-17—{Radionuclide Releases to Atmosphere for Pump Locked Rotor Accident (LRA) with Accident-Induced 8.0% Clad Failure}.....	7-30
Table 7.1-18—{Radionuclide Releases to Atmosphere for Design-Basis Small Line Break} ..	7-32
Table 7.1-19—{Radionuclide Releases to Atmosphere for SGTR with Pre-Accident Iodine Spike}	7-33
Table 7.1-20—{Radionuclide Releases to Atmosphere for SGTR with Concurrent Iodine Spike}	7-35
Table 7.1-21—{Radionuclide Releases to Atmosphere for Design Basis LOCA}	7-37
Table 7.1-22—{Radionuclide Releases to Atmosphere for Fuel Handling Accident}.....	7-41
Table 7.1-23—{Radionuclide Releases to Atmosphere for Rod Ejection Accident (REA) with Accident-Induced 26% Clad Failure}	7-42
Table 7.2-1—Release Category Descriptions	7-50
Table 7.2-2—Source Term Release Fractions.....	7-51
Table 7.2-3—{U.S. EPR Severe Accidents Analysis Impacts – 50-mile Radius and 2050 Population}.....	7-52
Table 7.3-1—{Severe Accident Cost Impact}.....	7-57
Table 7.3-2—{SAMDA Candidates – Already Implemented}	7-58
Table 7.4-1—10 CFR 51.52 Summary Table S-4 Excerpt Environmental Impact of Transportation of Fuel and Waste to and from One Light-Water-Cooled Nuclear Power Reactor Accidents in Transport	7-66
Table 7.4-2—{RADTRAN/TRAGIS Model Irradiated Fuel Input Parameters}	7-67

ER Tables

Table 7.4-3—{Irradiated Fuel Source Term}	7-68
Table 7.4-4—{Irradiated Fuel Callaway Plant Model Accident and Fatality Rates}	7-69
Table 7.4-5—{Irradiated Fuel and Radioactive Waste Models Severity and Release Fractions}.....	7-70
Table 7.4-6—{Irradiated Fuel Callaway Transportation Injury Rates}	7-71
Table 7.4-7—{New Fuel Callaway Transportation Fatality and Injury Rates}	7-72
Table 7.4-8—{U.S. EPR Radwaste Annual Generation}.....	7-73
Table 7.4-9—{RADTRAN/TRAGIS Radwaste Model Input Parameters}.....	7-74
Table 7.4-10—{Radwaste Annual Source Term}.....	7-75
Table 7.4-11—{Radwaste Callaway Transportation Accident, Fatality and Injury Rates}.....	7-76
Table 7.4-12—{Population Dose from Transportation Accidents}.....	7-77
Table 7.4-13—{Callaway Plant Unit 2 Summary of Annual Transportation Accident Non-Radiological Impact}	7-78
Table 8.2-1—{AmerenUE Retail Customers}	8-45
Table 8.2-2—{AmerenUE Electricity Sales by Customer Class (GWh)}	8-46
Table 8.2-3—{AmerenUE Peak Load and Energy Annual Forecasts}.....	8-47
Table 8.2-4—{Electric Energy Retail Load Growth}	8-48
Table 8.2-5—{AmerenUE Energy Historical Forecast Accuracy}	8-49
Table 8.2-6—{AmerenUE Forecast of Energy Growth Rate Compared to EIA Forecast Growth Rate (2007-2018)}.....	8-50
Table 8.2-7—{AmerenUE Service Territory Historical and Forecasted Economic Conditions}.....	8-51
Table 8.2-8—{AmerenUE Service Territory Historical and Forecasted Economic Growth Rates}	8-53
Table 8.2-9—{AmerenUE Service Territory Estimated Historical and Forecasted Residential Appliance Saturation Rates}.....	8-55
Table 8.2-10—{AmerenUE Service Territory Estimated Historical and Forecasted Residential Appliance Efficiency Indices}	8-57
Table 8.2-11—{AmerenUE Service Territory Estimated Historical and Forecasted Commercial Appliance Saturation Rates}	8-59
Table 8.2-12—{AmerenUE Service Territory Estimated Historical and Forecasted Residential Appliance Efficiency Indices}	8-60
Table 8.3-1—{AmerenUE's Existing Generation}	8-70
Table 8.3-2—{AmerenUE's Total Generating Capacity}	8-72
Table 8.3-3—{AmerenUE's Total Generating Capacity – 20 Year Projection}	8-73
Table 8.3-4—{AmerenUE's Historical Capacity Factor Information}	8-75
Table 8.3-5—{AmerenUE's Projected Unit Retirements}	8-76
Table 8.4-1—{Preferred Resource Plan Capacity Position with Nuclear Plant}	8-90
Table 8.4-2—{Preferred Resource Plan Capacity Position without Nuclear Plant}.....	8-91
Table 8.4-3—{Renewable Portfolios}	8-92
Table 8.4-4—{Top 18 Alternative Resource Plans}.....	8-96
Table 8.4-5—{Historical Reserve Margins}	8-102
Table 9.2-1—{Impacts Comparison Table}.....	9-25

ER Tables

Table 9.2-2—Air Emissions from Alternative Power Generation Facilities	9-26
Table 9.3-1—{Profile of Demographic Characteristics Chamois Candidate Site (50 Mile Radius)}	9-68
Table 9.3-2—{Profile of Demographic Characteristics Fred Weber Quarry Candidate Site (50 mile Radius)}	9-69
Table 9.3-3—{Profile of Demographic Characteristics Callaway Site (50 mile Radius)}	9-70
Table 9.3-4—{Profile of Demographic Characteristics Lamine Candidate Site}	9-71
Table 9.3-5—{Profile of Demographic Characteristics Paynesville Candidate Site}.....	9-72
Table 9.3-6—{Summary Comparison of Candidate and Potential Sites}.....	9-73
Table 9.3-7—{Summary of LoopNet Greenfield Sites}.....	9-74
Table 9.3-8—{Greenfield Site Comparison Matrix}	9-75
Table 9.4-1—{Comparison of Cooling Tower Evaluation Criteria}	9-111
Table 9.4-2—{Environmental Impacts of Alternative Cooling Tower Systems}.....	9-112
Table 9.4-3—{Alternate Intake Systems}.....	9-114
Table 10.1-1—{Construction-Related Unavoidable Adverse Environmental Impacts}.....	10-7
Table 10.1-2—{Operations-Related Unavoidable Adverse Environmental Impacts}.....	10-12
Table 10.2-1—Summary of Historical Data – Materials Consumed by Nuclear Power Plant Construction in the United States During the 1970's.....	10-19
Table 10.4-1—{Benefit and Costs of the Proposed Project Summarized}.....	10-29