NRC FORM 591M PART 3
(10-2003)
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

Docket File Information

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE	2. NRC/REGIONAL OFFICE
Complete Health Systems REPORT NUMBER(S) **2008-001**	**Region III** **2443 Warrenville Road** **Lisle, IL 60532**

3. DOCKET NUMBER(S)	4. LICENSE NUMBER(S)	5. DATE(S) OF INSPECTION
03036714	21-32543-01	8/18/08

6. INSPECTION PROCEDURES USED	7. INSPECTION FOCUS AREAS
87130	**03.01-03.07**

SUPPLEMENTAL INSPECTION INFORMATION

1. PROGRAM CODE(S)	2. PRIORITY	3. LICENSEE CONTACT	4. TELEPHONE NUMBER
2220	3	Anthony Benn	810/720-3819

[X] Main Office Inspection — Next Inspection Date: 8/2011

[X] Field Office

[ ] Temporary Job Site

PROGRAM SCOPE

Licensee is a nuclear medicine service located in Flint, Michigan. Licensee has a small sized nuclear medicine program conducting routine imaging and diagnostic procedures. The licensee has one tech who performs approximately 7 procedures per day, two days per week. This licensee receives its radiopharmaceuticals in the form of unit doses from Cardinal Health.

Performance Observations

The inspector toured the facilities and interviewed authorized users/staff members. Each appeared knowledgeable in radiation safety and isotope handling techniques. Package receipt procedures were demonstrated for the inspector as well as rad waste handling practices. Independent surveys by the inspector did not detect any abnormal readings.

The inspector observed the nuclear medicine staff perform injections of radiopharmaceuticals. Techniques employed by the staff demonstrated good handling practices as well as adequate knowledge of radiation safety.

No violations of NRC requirements were noted.

NRC FORM 591M PART 1
(4-2008)
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:	2. NRC/REGIONAL OFFICE
Complete Health Systems 5084 Villa Linda Parkway Flint, MI 48532 REPORT NUMBER(S) 2008001	REGION III US NUCLEAR REGULATORY COMMISSION 2443 WARRENVILLE ROAD LISLE IL 60532

3. DOCKET NUMBER(S)	4. LICENSE NUMBER(S)	5. DATE(S) OF INSPECTION
03036714	21-32543-01	Aug 18, 2008

LICENSEE:
The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

☑ 1. Based on the inspection findings, no violations were identified.

☐ 2. Previous violation(s) closed.

☐ 3. The violations(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.

_____ non-cited violation(s) were discussed involving the following requirement(s):

☐ 4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

(Violations and Corrective Actions)

PZZ

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE	DATE
LICENSEE			
NRC INSPECTOR	G. Parker		8/18/08

PRINTED ON RECYCLED PAPER