

AM

RECEIVED

JUL 21 2008

GEOENGINEERS 

July 17, 2008

DNMS

NRC
611 Ryan Plaza Drive
Suite 400
Arlington, Texas 76011-8064

Attention: Colleen Murnahan

Subject: License Changes

I would like to make changes to the GeoEngineers, Inc. Nuclear Gauge License No. 46-27696-01 as follows:

New RSO: Please change from Brian Johnson to Daniel Zimmerman.

Gauge inventory: The rental gauge is being returned. There is now only CPN Model MC-3 Serial number M340802200

Remove gauge storage at the home of Brian Johnson that was originally requested in our license change letter, dated September 15, 2006.

The RSO for the Boise Office is Daniel Zimmerman and he can be contacted at (208) 433-8098. If you have any questions about this letter or the performance of the GeoEngineers, Inc. Radiation Safety Program, please do not hesitate to contact me at (206) 728-2674.

Sincerely,



Leah Alcyon, CIH
Health and Safety Program Manager
GeoEngineers, Inc.

Please note:
Maintain Leah Alcyon as
the Corp. RSO. She is only
providing us w/ the contact
Name @ the Field Office.
Rachel Brown
8/1/08

No. 471880

**FAX TRANSMITTAL**

1525 SOUTH DAVID LANE, BOISE, ID 83705, TELEPHONE: (208) 433-8098, FAX: (208) 433-8902

www.geoengineers.com

To: US NRC Region IV
Texas Health Resources Tower
612 East Lamar Boulevard
Suite 400
Arlington, Texas 70611-4125

Date: September 11, 2008**Fax Number:** 817.860.8188**File:** 00016-001-00**Attention:** Rachel Browder**Regarding:** Nuclear Density Gauge No. M300805835


Pages	Date	Description
6	9/11/08	Fax Transmittal

Total Pages: 6


Comments: Please find attached information pertaining to returned gauge number M300805835 for GeoEngineers, Inc.

Thank you in advance.

Signed:


Michelle L. Holtzclaw

DISCLAIMER: This facsimile and any attachments are confidential and intended solely for the use of the individual or entity to whom they are addressed. Any electronic form, facsimile or hard copy of the original document (email, text, table, and/or figure), if provided, and any attachments are only a copy of the original document. The original document is stored by GeoEngineers, Inc. and will serve as the official document of record.



September 11, 2008

US NRC Region IV
Texas Health Resources Tower
612 East Lamar Boulevard, Suite 400
Arlington, Texas 76011-4125

Attention: Rachel Browder


Subject: Letter
Proof of Return
Nuclear Density Gauge M300805835

This letter is to inform the NRC that leased nuclear density gauge M300805835 was returned to Duane Hevly, Hevly Technical Services, on August 8, 2008.

Please find attached shipping documentation for referenced gauge, including proof of delivery.

You may contact our office at your convenience with additional comments or concerns.

Sincerely,


GeoEngineers, Inc.

Michelle L. Holtzclaw
Boise Office RSO
MLH
Boise: H:\Health & Safety\Radiation Safety\NRC Correspondence\HevlyGaugeReturnLtr_NRC.doc

Attachments: Shipping Documentation, dated August 8, 2008
Proof of Delivery, dated August 13, 2008

One copy faxed

Disclaimer: Any electronic form, facsimile or hard copy of the original document (email, text, table, and/or figure), if provided, and any attachments are only a copy of the original document. The original document is stored by GeoEngineers, Inc. and will serve as the official document of record.

00016 001 00 CORP



FedEx Tracking Number 850458390606



From 8/8/08
 Date 8/8/08
 Sender's Name Michelle Holtzman
 Company GeoEngineers, Inc.
 Address 1525 So. David Lane
 City Boise State ID ZIP 83705

Your Internal Billing Reference
 To Recipient's Name Duane Herby
 Company Herby Technical Services
 Address 331 Valley Mall Pkwy Ste. 352
 City East Wenatchee State WA ZIP 98802

00016 001 00 CORP

4a Express Package Service
☐ FedEx Priority Overnight
☐ FedEx Standard Overnight
☒ FedEx First Overnight
☐ FedEx 2Day
☒ FedEx Express Saver

4b Express Freight Service
☐ FedEx 1Day Freight
☐ FedEx 2Day Freight
☐ FedEx 3Day Freight

5 Packaging
☐ FedEx Envelope
☐ FedEx Pak
☐ FedEx Box
☒ FedEx Tube
☐ Other

6 Special Handling
☐ SATURDAY Delivery
☐ HOLD Weekday
☐ HOLD Saturday
☒ Signature Required
☐ Insured
☐ Fragile
☐ Dry Ice
☐ Restricted
☐ Hazardous

Payment
☒ Bill to Sender
☐ Bill to Recipient
☐ Bill to Third Party
☐ Credit Card
☐ Cash/Check

Total Packages: 1
 Total Weight: 80
 Total Declared Value: \$1000

Try online shipping at fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.
 Questions? Visit our Web site at fedex.com
 or call 1.800.GoFedEx 1.800.463.3339.

8 Sign to Authorize Delivery Without a Signature
 By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.
 467



2622 LOCKHEED LN
 BOISE, ID 83705

Location: BOIA
 Device ID: BOIA-POS1
 Employee: 90748
 Transaction: 68013412639

EXPRESS SAVER
 850458390606 80.00 lb (M) \$131.78
 Total Declared Value \$1000

Shipment subtotal: \$131.78
 Total Due: \$131.78
 FedEx Account: \$131.78
 ****6900

M = Weight entered manually
 S = Weight read from scale
 T = Taxable item

Subject to additional charges. See FedEx Service Guide at fedex.com for details. All merchandise sales final.

Visit us at: fedex.com
 Or call 1.800.GoFedEx
 1.800.463.3339

August 8, 2008 10:56:46 AM

UPS: Tracking Information

Page 1 of 1



Delivery Notification

Dear Customer,

This is in response to your request for delivery information concerning the shipment listed below.

Tracking Number: 1Z 66W 5A6 01 9776 976 1
Service: NEXT DAY AIR
Shipped/Billed On: 08/08/2008
Delivered On: 08/11/2008 9:45 A.M.
Delivered To: EAST WENATCHEE, WA, US
Signed By: FOHS
Location: RECEIVER

Thank you for giving us this opportunity to serve you.

Sincerely,
UPS

Tracking results provided by UPS: 08/12/2008 6:07 P.M. ET

Track Shipments/FedEx Kinko's Orders
Detailed Results

[? Quick Help](#)

Tracking number 850458390606
Signed for by C.HEVLY
Ship date Aug 8, 2008
Delivery date Aug 13, 2008 9:50 AM

Destination EAST WENATCHEE,
WA
Delivered to FedEx Location
Service type Express Saver
Weight 80.0 lbs.

Status Delivered

Signature image available [Yes](#)

Date/Time	Activity	Location	Details
Aug 13, 2008	9:50 AM Delivered	EAST WENATCHEE, WA	
	8:50 AM Held at FedEx location for recipient pickup	EAST WENATCHEE, WA	Package available for pickup at: 3790 AIRPORT WAY BUILDING B
Aug 12, 2008	8:58 AM At local FedEx facility	EAST WENATCHEE, WA	Package not due for delivery
Aug 11, 2008	9:25 AM At local FedEx facility	EAST WENATCHEE, WA	
	9:18 AM At local FedEx facility	EAST WENATCHEE, WA	Package not due for delivery
	9:14 AM At local FedEx facility	EAST WENATCHEE, WA	Package not due for delivery
	9:14 AM At local FedEx facility	EAST WENATCHEE, WA	Package not due for delivery
	7:47 AM At local FedEx facility	EAST WENATCHEE, WA	
Aug 9, 2008	2:37 PM Departed FedEx location	OAKLAND, CA	
Aug 8, 2008	6:59 PM Left FedEx origin facility	BOISE, ID	
	10:56 AM Picked up	BOISE, ID	

[Signature proof](#) [Email alerts](#) [Track more shipments/orders](#)

Subscribe to tracking updates (optional)

Your name:

Your e-mail address:

E-mail address	Language	Exception updates	Delivery updates
<input type="text"/>	English	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	English	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	English	<input type="checkbox"/>	<input type="checkbox"/>
<input type="text"/>	English	<input type="checkbox"/>	<input type="checkbox"/>

Select format: ☒ HTML ☐ Text ☐ Wireless

Add personal message:

Not available for Wireless or non-English characters.

☐ By selecting this check box and the Submit button, I agree to these [Terms and Conditions](#)


August 14, 2008

Dear Customer:

The following is the proof-of-delivery for tracking number **850458390606**.

Delivery Information:

Status:	Delivered	Delivery location:	EAST WENATCHEE, WA
Signed for by:	C.HEVLY	Delivery date:	Aug 13, 2008 09:50
Service type:	Express Saver		



Shipping Information:

Tracking number:	850458390606	Ship date:	Aug 8, 2008
		Weight:	80.0 lbs.

Recipient:
US

Shipper:
BOI US

Thank you for choosing FedEx Express.

FedEx Worldwide Customer Service
1.800.GoFedEx 1.800.463.3339

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: Geoengineers, Inc.

License No.: 46-27696-01

Docket No.: 030-35685

Mail Control No.: 471880

Type of Action: Amend

Date of Requested Action: 07-17-08

Reviewer Assigned: Rachel Browder

ARM reviewer(s): Cook, J.

Response	Deficiencies Noted During Acceptance Review
	<p>[] Open ended possession limits. Submit inventory. Limit possession.</p> <p>[] Submit copies of latest leak test results.</p> <p>[] Add IC L.C./Fingerprint LC, add SUNSI markings to license.</p> <p>[] Confirm with licensee if they have NARM material.</p>
	<p>1) Verify possession limit. 2) Specify gauge storage location(home of Brian Johnson) <i>1 on CPN & one as a buffer</i> <i>2 to remove this location.</i></p>

Reviewer's Initials: RBB

Date: 8/11/08

- ☐ Yes ☐ No Request for unrestricted release Group 2 or >. Consult with Bravo Branch.
- ☐ Yes ☐ No Termination request < 90 days from date of expiration
- ☐ Yes ☐ No Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
- ☐ Yes ☐ No TAR needed to complete action.

Branch Chief's and/or HP's Initials: _____ Date: _____

SUNSI Screening according to RIS 2005-31

☐ Yes ☒ No **Sensitive and Non-Publicly Available** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM [suite #, bldg. #, location different from mailing address] (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

Branch Chief's and/or HP's Initials: JAC Date: AUG - 5 2008

Note: Keep Leah Alcyon as the Corp. RSO. She is only providing the NRC Name of Individual @ field office. RBB

(FOR LFMS USE)
INFORMATION FROM LTS

```

.....
Program Code: 03121
Status Code: 0
Fee Category: 3P
Exp. Date: 20110430
Fee Comments:
Decom Fin Assur Reqd: N
.....

```

```

: Decom Fin Assur Req: N_____
:
: .....

```

```

: Decom Fin Assur Req: N_____
:
: .....

```

- ```

: Decom Fin Assur Req: N_____
:
:

```

```

: Decom Fin Assur Req: N_____
:
:

```

- ```

: Decom Fin Assur Req: N_____
:
: .....

```

```

: Decom Fin Assur Req: N_____
:
: .....

```

- ```

: Decom Fin Assur Req: N_____
:
:

```

```

: Decom Fin Assur Req: N_____
:
:

```

```

: Decom Fin Assur Req: N_____
:
:

```

- ```

: Decom Fin Assur Req: N_____
:
: .....

```

```

: Decom Fin Assur Req: N_____
:
: .....

```

- ```

: Decom Fin Assur Req: N_____
:
:

```

```

: Decom Fin Assur Req: N_____
:
:

```