OP-001-01
ROUTINE SURVEY SCHEDULE

Survey Designation	Location of Survey
001	Garage Work Area - Baseline Survey.
002	" " " " "
003	Garage Work Area - Baseline Survey

Prepared By: J. Weismann Date: 10/27/06

Reviewed By: _____ Date: _____

OP-001-02 Radiological Survey Sheet

Location:	RWP#	Survey #	Survey Type:	
NEW HAVEN DEPOT	N/A	001	BASELINE	pg. 1 of 1

Smear Results

DPM/100cm^2

No.	α	β	No.	α	β
1	0.1	28	26		
2	0.1	12	27		
3	1.5	8	28		
4	-0.6	-6	29		
5	-0.6	5	30		
6	0.8	-6	31		
7			32		
8			33		
9			34		
10			35		
11			36	N/A	
12			37		
13			38		
14			39		
15			40		
16			41		
17	N/A		42		
18			43		
19			44		
20			45		
21			46		
22			47		
23			48		
24			49		
25			50		

Comments



Surveyed By:	Date:
D. Albert	10/25/06
Reviewed By:	**Date:**
[illegible]	10/27/06

Instrument	Serial #	α Eff.	β Eff.	α Bkg.	β Bkg	Cal. Due
L2929	180830	0.36	0.28	0.2	481	1/9/07
N/A						

Key			
○	Smear	*-*	Boundary
□	Dose Rate mr/hr	■	A/S Location
*	Direct Reading DPM/100 cm^2		
△	Grab Sample		

OP-001-02 Radiological Survey Sheet

Location:	RWP#	Survey # 002	Survey Type: Smear	pg. 1 of 1

Smear Results ~~DPM~~ CPM/100cm^2					
No.	α	β	No.	α	β
1	1	191	26		
2	2	194	27		
3	0	179	28		
~~4~~ 54	3	208	29		
~~5~~ 65	1	184	30		
~~6~~ 76	0	206	31		
~~7~~ 87	1	205	32		
~~8~~ 98	0	199	33		
~~9~~ 109	1	175	34		
~~10~~ 110	0	197	35		
11			36		
12			37		
13			38		
14			39		
15			40		
16			41		
17			42		
18			43		
19			44		
20			45		
21			46		
22			47		
23			48		
24			49		
25			50		

Comments



Surveyed By:	Date:	Instrument	Serial #	α Eff.	β Eff.	α Bkg.	β Bkg	Cal. Due
DA/BG	11/6/06	2929						
Reviewed By:	Date:							

Key			
○	Smear	*-*	Boundary
□	Dose Rate mr/hr	■	A/S Location
*	Direct Reading DPM/100 cm^2		
△	Grab Sample		

OP-001-02 Radiological Survey Sheet

Location:	RWP#	Survey #	Survey Type: Smear	pg. 1 of 1

Smear Results

CPM ~~DPM~~/100cm^2

No.	α	β	No.	α	β
1	1	213	26		
2	0	189	27		
3	0	191	28		
4	0	204	29		
5	2	173	30		
6	1	201	31		
7	3	215	32		
8	1	221	33		
9	0	224	34		
10	1	180	35		
11			36		
12			37		
13			38		
14			39		
15			40		
16			41		
17			42		
18			43		
19			44		
20			45		
21			46		
22			47		
23			48		
24			49		
25			50		

Comments



Surveyed By:	Date:
Greg B	11/21/06
Reviewed By:	Date:

Instrument	Serial #	α Eff.	β Eff.	α Bkg.	β Bkg	Cal. Due

Key			
⬭	Smear	*-*	Boundary
□	Dose Rate mr/hr	■	A/S Location
*	Direct Reading DPM/100 cm^2		
△	Grab Sample		