

Figures

Figure 2.1-1	Site Region within 50-Mile Radius	2-5
Figure 2.1-2	Site Vicinity within 7.5-Mile Radius	2-6
Figure 2.1-3	Fermi Property Boundary	2-7
Figure 2.1-4	Fermi 3 Site Plan	2-8
Figure 2.1-5	Aerial View of Main Plant Area Looking North, Fermi Site	2-9
Figure 2.2-1	Land Use within the 7.5-Mile Vicinity	2-50
Figure 2.2-2	Utility Infrastructure within the 7.5-Mile Vicinity	2-51
Figure 2.2-3	Land Use in Existing and Proposed Fermi Transmission Corridor Areas (within 0.5 mile)	2-52
Figure 2.2-4	Land Use within the 50-Mile Region	2-53
Figure 2.2-5	Transportation Resources within the 50-Mile Region	2-54
Figure 2.2-6	Utility Infrastructure within the 50-Mile Region	2-55
Figure 2.2-7	Natural, Public, and Recreation Areas within the 50-Mile Region	2-56
Figure 2.3-1	Great Lakes Drainage Basin	2-263
Figure 2.3-2	Great Lakes Water System	2-264
Figure 2.3-3	Central, Eastern and Western Basin Areas of Lake Erie	2-265
Figure 2.3-4	Lake Erie Subbasin Areas	2-266
Figure 2.3-5	Major Tributaries of Lake Erie	2-267
Figure 2.3-6	Climate Variations in the Great Lakes Region	2-268
Figure 2.3-7	Air Temperatures for Great Lake System (Celsius)	2-269
Figure 2.3-8	Bathymetry of Lake Erie and Lake Saint Clair	2-270
Figure 2.3-9	Historical Inflow and Outflow Water Level Elevations for Lake Erie (IGLD 85)	2-271
Figure 2.3-10	Typical Wind Current Pattern for Lake Erie	2-272
Figure 2.3-11	Typical Water Current Pattern for Lake Erie	2-273
Figure 2.3-12	Map of Detroit River	2-274
Figure 2.3-13	Swan Creek and Stony Creek Watershed Basins	2-275

Figures

Figure 2.3-14	Shore Barrier Plan and Sections	2-276
Figure 2.3-15	FEMA Flood Insurance Rate Map	2-277
Figure 2.3-16	FEMA Flood Insurance Rate Map	2-278
Figure 2.3-17	Site Map	2-279
Figure 2.3-18	Regional Aquifer System ‘	2-280
Figure 2.3-19	Conceptual Cross-Section of Regional Aquifer System	2-281
Figure 2.3-20	Sole Source Aquifers	2-282
Figure 2.3-21	Quarries of Monroe County, Michigan	2-283
Figure 2.3-22	All Wells Within 2 Miles	2-284
Figure 2.3-23	All Wells Within 5 Miles	2-285
Figure 2.3-24	All Wells Within 25 Miles	2-286
Figure 2.3-25	Simulated Pre-Development Water Levels in Bedrock Aquifer	2-287
Figure 2.3-26	1993 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	2-288
Figure 2.3-27	2008 Bedrock Aquifer Potentiometric Surface in Monroe County, MI	2-289
Figure 2.3-28	Overburden Water Table Map 06/29/2007	2-290
Figure 2.3-29	Overburden Water Table Map 09/28/2007-09/29/2007	2-291
Figure 2.3-30	Overburden Water Table Map 12/29/2007	2-292
Figure 2.3-31	Overburden Water Table Map 03/29/2008	2-293
Figure 2.3-32	Bass Islands Aquifer Potentiometric Surface Map 06/29/2007	2-294
Figure 2.3-33	Bass Islands Aquifer Potentiometric Surface Map 09/28/2007- 09/29/2007	2-295
Figure 2.3-34	Bass Islands Aquifer Potentiometric Surface Map 12/29/2007	2-296
Figure 2.3-35	Bass Islands Aquifer Potentiometric Surface Map 03/29/2008	2-297
Figure 2.3-36	Fermi 3 Paired Hydrographs	2-298
Figure 2.3-37	Monroe County Water Level Hydrographs	2-299
Figure 2.3-38	Fermi 3 Overburden Hydraulic Conductivity	2-300

Figures

Figure 2.3-39	Fermi 3 Bedrock Hydraulic Conductivity	2-301
Figure 2.3-40	Groundwater Model Grid Refinement	2-302
Figure 2.3-41	Dewatering Bass Islands Group: Drawdown Contours - Reinforced Diaphragm Concrete Wall With Grouted Base Combination	2-303
Figure 2.3-42	Dewatering Bass Islands Group: Drawdown Contours – Grout Curtain/Freeze Wall Combination with a Grouted Base	2-304
Figure 2.3-43	Effective Monitoring Intervals For Bedrock Wells At The Fermi Site	2-305
Figure 2.3-44	Total Water Withdrawals by Sector in Michigan (MGD) 2000-2004	2-306
Figure 2.3-45	Non-Consumptive Water Use in the Great Lakes Basin	2-307
Figure 2.3-46	Total Water Withdrawals by Sector in Michigan (MGD) 2004	2-308
Figure 2.3-47	Permitted Outfalls Located at the Fermi Site	2-309
Figure 2.3-48	Surface-Water Resources in the Vicinity of the Fermi Site	2-310
Figure 2.3-49	GLEND A Sampling Station	2-311
Figure 2.3-50	Mercury Concentrations at Fermi’s General Service Water Intake	2-312
Figure 2.3-51	Swan Creek and Stony Creek USGS Sampling Stations.....	2-313
Figure 2.3-52	River Raisin USGS and EPA STORET (MDEQ) Sampling Stations	2-314
Figure 2.3-53	Rouge River USGS Sampling Stations	2-315
Figure 2.3-54	Huron River USGS and EPA STORET (MDEQ) Sampling Stations	2-316
Figure 2.3-55	Regional Aquifer Distribution.....	2-317
Figure 2.3-56	USGS and Michigan Department of Agriculture Groundwater Sample Locations	2-318
Figure 2.3-57	Groundwater Well Sampling Locations (Surface-Water Samples Collected at GS-1 and Area of Plant Gauging Station)	2-319
Figure 2.4-1	Topographic Map for 7.5 Mile Radius Vicinity Around the Fermi Site at Monroe, Monroe County, MI (Base Map: USGS 1:100,000 Scale Metric Topographic Map Series)	2-416
Figure 2.4-2	Topographic Map Showing Fermi Property Boundary (Base map: USGS 1:24,000 7.5 Minute Topographic Series)	2-417
Figure 2.4-3	Aerial Photograph of the Fermi Site Taken in 1981	2-418

Figures

Figure 2.4-4	Aerial Photograph of the Fermi Site Taken in 2005	2-419
Figure 2.4-5	Terrestrial Habitats and Developed Areas at the Fermi Site	2-420
Figure 2.4-6	Boundaries of the Detroit River International Wildlife Refuge, Lagoona Beach Unit, Monroe County, MI	2-421
Figure 2.4-7	Fermi Site Map	2-422
Figure 2.4-8	Fermi Site Radius Map	2-423
Figure 2.4-9	Average Phytoplankton Biomass in the Western Basin of Lake Erie	2-424
Figure 2.4-10	Phytoplankton Biomass in Nearshore vs. Offshore Waters of Western Lake Erie	2-425
Figure 2.4-11	Percent Composition of Zooplankton Species Observed in Lake Erie, 1983-1987	2-426
Figure 2.4-12	Mean Population of Individual Macroinvertebrate Taxa at Locust Point, Lake Erie, 1978	2-427
Figure 2.4-13	Percent Composition of Benthic Macroinvertebrates in Western Basin of Lake Erie, 2006	2-428
Figure 2.4-14	Michigan Market Value of Commercial Harvest Landings from Lake Erie .	2-429
Figure 2.4-15	Ohio Market Value of Commercial Harvest Landings in Lake Erie (2006) .	2-430
Figure 2.4-16	Non-Charter Boat Fishery Season Totals*, Michigan, 2006	2-431
Figure 2.4-17	T&E & Important Species Map: Transmission Corridor	2-432
Figure 2.4-18	Offsite transmission route from Fermi to Milan Substation showing location of wetlands and other potentially regulated waters	2-433
Figure 2.4-19	Fermi Site Wetlands Delineation	2-434
Figure 2.5-1	United States and Canadian Counties Wholly or Partly within a 50-mi Radius of Fermi 3 (latitude: 41° 57' 39" N, longitude: 83° 15' 43" W).....	2-602
Figure 2.5-2	Resident Population Distribution by Segment, 0 to 10 Miles (Segmented Concentric Circles) From Fermi 3 (2000)	2-603
Figure 2.5-3	Resident Population Distribution by Segment, 0 to 50 Miles (Segmented Concentric Circles) From Fermi 3 (2000)	2-604
Figure 2.5-4	Census Block Points within Monroe County, MI.....	2-605
Figure 2.5-5	Census Block Points within Each Segment.....	2-606

Figures

Figure 2.5-6	Resident and Transient Population Distribution by Segment, 0 to 10 Miles (Segmented Concentric Circles) From Fermi 3 (2000)	2-607
Figure 2.5-7	Resident and Transient Population Distribution by Segment, 0 to 50 Miles (Segmented Concentric Circles) From Fermi 3 (2000)	2-608
Figure 2.5-8	Example: Sectional Population Growth Rate Calculation.....	2-609
Figure 2.5-9	Regional Census Block Groups (CGBs) within 50-Mile Radius of Fermi 3	2-610
Figure 2.5-10	Census Block Groups (CBGs) within 10-Mile Radius of Fermi 3	2-611
Figure 2.5-11	Census Block Groups (CBGs) within 3-Mile Radius of Fermi 3	2-612
Figure 2.5-12	Detroit CSA	2-613
Figure 2.5-13	Toledo MSA.....	2-614
Figure 2.5-14	Small Population Centers	2-615
Figure 2.5-15	Monroe County Organization Chart.....	2-616
Figure 2.5-16	Natural, Public, and Recreation Areas within the 50-mi Region.....	2-617
Figure 2.5-17	Frenchtown Existing Land Use.....	2-618
Figure 2.5-18	Frenchtown Future Land Use.....	2-619
Figure 2.5-19	Frenchtown Water Service Areas.....	2-620
Figure 2.5-20	Frenchtown Sewer Service Areas	2-621
Figure 2.5-21	Monroe County Fire Districts	2-622
Figure 2.5-22	Frenchtown Fire Department Locations	2-623
Figure 2.5-23	Frenchtown Road Network.....	2-624
Figure 2.5-24	Traffic Volumes Frenchtown Master Township	2-625
Figure 2.5-25	Traffic Counts within a 5-Mile Radius of the Fermi Site	2-626
Figure 2.5-26	Fermi to Milan Transmission Line Cultural Resources Preliminary Survey	2-627
Figure 2.5-27	Fermi 3 Project Archaeological Area of Potential Effect.....	2-628
Figure 2.5-28	Fermi 3 Project Above-Ground Cultural Resources Area of Potential Effect	2-629

Figures

Figure 2.5-29	Minority Counties in the Fermi 3 Region	2-630
Figure 2.5-30	Minority Census Block Groups (CBGs) in the Fermi Region.....	2-631
Figure 2.5-31	Low Income Census Block Groups (CBGs) in the Fermi Region.....	2-632
Figure 2.5-32	Fermi Noise Monitoring Locations (NMLs)	2-633
Figure 2.5-33	Hourly Equivalent Continuous Sound Levels (L_{eq}) for NMLs 1-3, November 27-28, 2007	2-634
Figure 2.5-34	Hourly L_{90} Sound Levels for NMLs 1-3, November 27-28, 2007	2-635
Figure 2.7-1	Climatological Observing Stations near the Fermi Site	2-814
Figure 2.7-2	Total Reports of Severe Hail for the Five-County Area (1955-2007)	2-815
Figure 2.7-3	Total Hail Reports Compared to Population Density for the Five-County Area (1955-2007)	2-816
Figure 2.7-4	Detroit Metropolitan Airport Annual Precipitation Rose (2003-2007)	2-817
Figure 2.7-5	Detroit Metropolitan Airport January Precipitation Rose (2003-2007).....	2-818
Figure 2.7-6	Detroit Metropolitan Airport February Precipitation Rose (2003-2007)	2-819
Figure 2.7-7	Detroit Metropolitan Airport March Precipitation Rose (2003-2007).....	2-820
Figure 2.7-8	Detroit Metropolitan Airport April Precipitation Rose (2003-2007)	2-821
Figure 2.7-9	Detroit Metropolitan Airport May Precipitation Rose (2003-2007).....	2-822
Figure 2.7-10	Detroit Metropolitan Airport June Precipitation Rose (2003-2007).....	2-823
Figure 2.7-11	Detroit Metropolitan Airport July Precipitation Rose (2003-2007)	2-824
Figure 2.7-12	Detroit Metropolitan Airport August Precipitation Rose (2003-2007)	2-825
Figure 2.7-13	Detroit Metropolitan Airport September Precipitation Rose (2003-2007)	2-826
Figure 2.7-14	Detroit Metropolitan Airport October Precipitation Rose (2003-2007).....	2-827
Figure 2.7-15	Detroit Metropolitan Airport November Precipitation Rose (2003-2007)	2-828
Figure 2.7-16	Detroit Metropolitan Airport December Precipitation Rose (2003-2007)	2-829
Figure 2.7-17	Detroit Metropolitan Airport Annual Wind Rose (2003-2007)	2-830
Figure 2.7-18	Detroit Metropolitan Airport January Wind Rose (2003-2007)	2-831
Figure 2.7-19	Detroit Metropolitan Airport February Wind Rose (2003-2007).....	2-832

Figures

Figure 2.7-20	Detroit Metropolitan Airport March Wind Rose (2003-2007)	2-833
Figure 2.7-21	Detroit Metropolitan Airport April Wind Rose (2003-2007)	2-834
Figure 2.7-22	Detroit Metropolitan Airport May Wind Rose (2003-2007)	2-835
Figure 2.7-23	Detroit Metropolitan Airport June Wind Rose (2003-2007)	2-836
Figure 2.7-24	Detroit Metropolitan Airport July Wind Rose (2003-2007).....	2-837
Figure 2.7-25	Detroit Metropolitan Airport August Wind Rose (2003-2007)	2-838
Figure 2.7-26	Detroit Metropolitan Airport September Wind Rose (2003-2007).....	2-839
Figure 2.7-27	Detroit Metropolitan Airport October Wind Rose (2003-2007)	2-840
Figure 2.7-28	Detroit Metropolitan Airport November Wind Rose (2003-2007).....	2-841
Figure 2.7-29	Detroit Metropolitan Airport December Wind Rose (2003-2007).....	2-842
Figure 2.7-30	Fermi Site 10-Meter Annual Wind Rose (2003-2007)	2-843
Figure 2.7-31	Fermi Site 10-Meter January Wind Rose (2003-2007).....	2-844
Figure 2.7-32	Fermi Site 10-Meter February Wind Rose (2003-2007)	2-845
Figure 2.7-33	Fermi Site 10-Meter March Wind Rose (2003-2007)	2-846
Figure 2.7-34	Fermi Site 10-Meter April Wind Rose (2003-2007)	2-847
Figure 2.7-35	Fermi Site 10-Meter May Wind Rose (2003-2007).....	2-848
Figure 2.7-36	Fermi Site 10-Meter June Wind Rose (2003-2007).....	2-849
Figure 2.7-37	Fermi Site 10-Meter July Wind Rose (2003-2007).....	2-850
Figure 2.7-38	Fermi Site 10-Meter August Wind Rose (2003-2007)	2-851
Figure 2.7-39	Fermi Site 10-Meter September Wind Rose (2003-2007).....	2-852
Figure 2.7-40	Fermi Site 10-Meter October Wind Rose (2003-2007).....	2-853
Figure 2.7-41	Fermi Site 10-Meter November Wind Rose (2003-2007).....	2-854
Figure 2.7-42	Fermi Site 10-Meter December Wind Rose (2003-2007).....	2-855
Figure 2.7-43	Fermi Site 60-Meter Annual Wind Rose (2003-2007)	2-856
Figure 2.7-44	Fermi Site 60-Meter January Wind Rose (2003-2007).....	2-857
Figure 2.7-45	Fermi Site 60-Meter February Wind Rose (2003-2007)	2-858

Figures

Figure 2.7-46	Fermi Site 60-Meter March Wind Rose (2003-2007)	2-859
Figure 2.7-47	Fermi Site 60-Meter April Wind Rose (2003-2007)	2-860
Figure 2.7-48	Fermi Site 60-Meter May Wind Rose (2003-2007).....	2-861
Figure 2.7-49	Fermi Site 60-Meter June Wind Rose (2003-2007).....	2-862
Figure 2.7-50	Fermi Site 60-Meter July Wind Rose (2003-2007)	2-863
Figure 2.7-51	Fermi Site 60-Meter August Wind Rose (2003-2007)	2-864
Figure 2.7-52	Fermi Site 60-Meter September Wind Rose (2003-2007).....	2-865
Figure 2.7-53	Fermi Site 60-Meter October Wind Rose (2003-2007).....	2-866
Figure 2.7-54	Fermi Site 60-Meter November Wind Rose (2003-2007).....	2-867
Figure 2.7-55	Fermi Site 60-Meter December Wind Rose (2003-2007).....	2-868
Figure 2.7-56	Topographic Features Within 5 Miles of the Fermi Site	2-869
Figure 2.7-57	Topographic Features Within 50 Miles of the Fermi Site	2-870
Figure 2.7-58	Terrain Elevation Profiles Within 5 Miles of the Fermi Site	2-871
Figure 2.7-59	Terrain Elevation Profiles Within 50 Miles of the Fermi Site	2-873
Figure 3.1-1	Aerial View of Fermi Site Looking North - Fermi 3 Superimposed	3-5
Figure 3.1-2	View of Fermi Site from Dixie Highway Looking East	3-6
Figure 3.1-3	View of Fermi Site from Dixie Highway Looking Southeast	3-7
Figure 3.1-4	View of Fermi Site from Post Road Looking Southeast	3-8
Figure 3.1-5	View of Fermi Site from Swan Creek Road Looking Southeast	3-9
Figure 3.1-6	View of Fermi Site from Toll Road Looking East.....	3-10
Figure 3.1-7	View of Fermi Site from Pointe Aux Peaux Road Looking North	3-11
Figure 3.1-8	View of Fermi Site Taken from Pointe Mouille Marsh State Game Area Approximately 6 Miles from Site*	3-12
Figure 3.2-1	Simplified Flow Diagram of Reactor Power Conversion System.....	3-15
Figure 3.3-1	Water Use Diagram (Sheet 1 of 3)	3-21
Figure 3.3-1	Water Use Diagram (Sheet 2 of 3)	3-22

Figures

Figure 3.3-1	Water Use Diagram (Sheet 3 of 3)	3-23
Figure 3.4-1	Station Water Intake Structure	3-31
Figure 3.4-2	Station Water Intake Structure – Elevation View	3-32
Figure 3.4-3	NPHS Cooling Tower	3-33
Figure 3.4-4	Cooling Tower Performance Curve	3-34
Figure 3.4-5	Cooling Tower Evaporation Curves	3-35
Figure 3.4-6	Outfall Diffuser Arrangement	3-36
Figure 4.2-1	Construction Affected Areas	4-34
Figure 4.2-2	Dewatering Bass Islands Group: Potentiometric Surface Contours – Reinforced Cement Slurry Wall with Grouted Base Combination	4-35
Figure 4.2-3	Dewatering Bass Islands Group: Potentiometric Surface Contours – Grouted Base with a Grout Curtain or Freeze Wall Combination	4-36
Figure 4.2-4	USGS Well G-16 Hydrograph	4-37
Figure 4.3-1	Fermi 3 Impacts to Undeveloped Areas (yellow lines) on Fermi Site (red line)	4-61
Figure 4.3-2	Permanent and Temporary Impacts to Undeveloped Areas from Fermi 3 Construction Overlaid on Existing Terrestrial Communities	4-62
Figure 4.3-3	Permanent and Temporary Impacts to DRIWR, Lagoon Beach Unit from Fermi 3 Construction Overlaid on Existing Terrestrial Communities	4-63
Figure 4.3-4	Permanent and Temporary Impacts to Undeveloped Areas of the Fermi Property (red line) Overlaid on Existing Aquatic Communities	4-64
Figure 4.3-5	Potential Wetlands Construction Impacts	4-65
Figure 4.5-1	Radiation Sources from Fermi 2	4-108
Figure 4.5-2	TLD Locations for Fermi 2	4-109
Figure 5.3-1	Station Layout with Intake, Discharge and Outfalls	5-98
Figure 5.3-2	Daily Average Water Temperature near the Discharge, LEOFS	5-99
Figure 5.3-3	Monthly Mean Water Levels for the Period of Record at NOAA GLIN Buoy	5-100
Figure 5.3-4	Observed Hourly Water Depth Time Series, January 1996-February 2008 Period of Record, Proposed Fermi 3 Outfall Location	5-101

Figures

Figure 5.3-5	Observed Hourly Water Depth Probability Plot, January 1996-February 2008 Period of Record Vicinity of Proposed Fermi 3 Outfall Location	5-102
Figure 5.3-6	Daily Average Current Speed near the Discharge, LEOFS	5-103
Figure 5.3-7	Modeled Current Speed and Direction at Outfall Location, LEOFS, January 2006-February 2008	5-104
Figure 5.3-8	Fermi 3 Maximum Predicted Worst-Case Thermal Plume	5-105
Figure 5.3-9	Annual Salt Deposition Isopleths from NDCT Operation.....	5-106
Figure 5.8-1	Estimated Environmental Noise Emissions—A-Weighted Sound Pressure Level Contours (dB(A))—Resulting from Normal Operation (Fermi 3 Cooling Systems and Transformers)	5-173
Figure 6.2-1	Sample Collection Sites – Within 1 Mile.....	6-20
Figure 6.2-2	Sample Collection Sites – 1 to 5 Miles	6-21
Figure 6.2-3	Sample Collection Sites – Greater than 5 Miles.....	6-22
Figure 6.4-1	Process Flow Diagram of the Fermi Onsite Meteorological Monitoring Program.....	6-41
Figure 8.1-1	Michigan Electric Utility Service Areas	8-14
Figure 8.1-2	Michigan Electric Generation and Grid Network	8-15
Figure 8.1-3	Michigan Transmission Lines	8-16
Figure 8.1-4	ITC <i>Transmission</i> Service Area.....	8-17
Figure 8.1-5	METC Service Area.....	8-18
Figure 8.1-6	Midwest ISO Regional Reliability Area and PJM Service Areas	8-19
Figure 8.1-7	Reliability <i>First</i> Service Area	8-20
Figure 8.2-1	Annual Electric Sales (1990 – 2004)	8-39
Figure 8.2-2	Peak Demand (1990 – 2004)	8-40
Figure 8.2-3	2008 Projection of Energy Sales by Region – Base Case	8-41
Figure 8.2-4	Annual Sales Forecast	8-42
Figure 8.2-5	Peak Demand Forecast	8-43
Figure 8.2-6	Comparison of Electrical Sales Forecasts.....	8-44

Figures

Figure 8.3-1	ITC <i>Transmission</i> Existing Capacity Mix	8-60
Figure 8.3-2	METC Existing Capacity Mix	8-61
Figure 8.3-3	Wolverine Existing Capacity Mix	8-62
Figure 8.3-4	Lansing Board of Water & Light Existing Capacity Mix	8-63
Figure 8.3-5	Transmission System Interface Capability in 2009 (MW).....	8-64
Figure 8.3-6	Low Estimate of Transmission Import Capabilities in 2009 (MW)	8-65
Figure 8.3-7	Expanded Estimate of Transmission Import Capabilities in 2009 (MW)	8-66
Figure 9.2-1	Role of Renewable Energy Consumption in U.S. Energy Supply, 2006	9-43
Figure 9.2-2	Annual Average Wind Power	9-44
Figure 9.2-3	Michigan – 50-meter Wind Power Map	9-45
Figure 9.2-4	Solar Photovoltaic Resource Potential	9-46
Figure 9.2-5	Concentrated Solar Power Resource Potential	9-47
Figure 9.2-6	Geothermal Resource Potential	9-48
Figure 9.2-7	Biomass and Biofuels Resource Potential	9-49
Figure 9.3-1	Site Selection Methodology Flow Chart	9-75
Figure 9.3-2	Michigan Service Area	9-76
Figure 9.3-3	Detroit Edison Service Area	9-77
Figure 9.3-4	Potential Sites	9-78
Figure 9.3-5	Candidate Sites	9-79
Figure 9.3-6	Land Use Within the 7.5 Mile Vicinity of Site F (Greenwood).....	9-80
Figure 9.3-7	Utility Infrastructure Within the 7.5 Mile Vicinity of Site F (Greenwood)	9-81
Figure 9.3-8	Land Use Within the 7.5 Mile Vicinity of Site A (Petersburg)	9-82
Figure 9.3-9	Utility Infrastructure Within 7.5 Mile Vicinity of Site A (Petersburg).....	9-83
Figure 9.3-10	Land Use Within the 7.5 Mile Vicinity of Site C (South Britton)	9-84
Figure 9.3-11	Utility Infrastructure Within the 7.5 Mile Vicinity of Site C (South Britton)	9-85
Figure 9.3-12	Land Use Within the 7.5 Mile Vicinity of Site N (Belle River)	9-86

Figures

Figure 9.3-13	Utility Infrastructure Within the 7.5 Mile Vicinity of Site N (Belle River).....	9-87
Figure 9.3-14	Land Use Within the 7.5 Mile Vicinity of Site W1 (Port Austin)	9-88
Figure 9.3-15	Utility Infrastructure Within the 7.5 Mile Vicinity of Site W1 (Port Austin).....	9-89
Figure 9.3-16	Land Use Within the 7.5 Mile Vicinity of Site W2 (Caseville)	9-90
Figure 9.3-17	Utility Infrastructure Within the 7.5 Mile Vicinity of Site W2 (Caseville).....	9-91
Figure 9.3-18	Land Use Within the 7.5 Mile Vicinity of Site W3 (Bay Port)	9-92
Figure 9.3-19	Utility Infrastructure Within the 7.5 Mile Vicinity of Site W3 (Bay Port).....	9-93