

Carol Lentz
Radiation Safety Officer
Ann Arbor Laboratories
Pfizer Inc.
2800 Plymouth Road
Ann Arbor, MI 48105

September 29, 2008

SUBJECT: LICENSE TERMINATION: WARNER-LAMBERT, LLC FACILITIES, ANN ARBOR, MICHIGAN

Dear Ms. Lentz:

Enclosed is Amendment No. 63 of your NRC Material License No. 21-01443-06 in accordance with your letter dated June 3, 2008, requesting the NRC approve the release of the Warner-Lambert facilities located in Ann Arbor, Michigan for unrestricted use, and to terminate your license. Based on our review of the documentation you submitted in support of the request, we have determined that you have satisfactorily demonstrated that the Warner-Lambert facilities at 2800 Plymouth Road and 1600 Huron Parkway, Ann Arbor, Michigan do not contain residual radiological contamination in excess of NRC release limits. As a result, the facilities can be released for unrestricted use.

The NRC staff prepared an Environmental Assessment (EA) and Finding of No Significant Impact (FONSI) regarding your proposed amendment to release the Warner-Lambert facilities for unrestricted use. An announcement was made in the Federal Register dated September 12, 2008, related to the EA and FONSI.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). The NRC's document system is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Please review the enclosed document carefully and be sure that you understand all conditions. If you have any questions regarding our review or this amendment, do not hesitate to contact me at (630) 829-9871.

Sincerely,
/RA/
William G. Snell
Decommissioning Branch

Docket No. 030-04794
License No. 21-01443-06

Enclosure:
Amendment No. 63
Distribution:
Docket File
C. Lipa, RIII

DOCUMENT NAME: G:\SEC\Work in progress\Warner-Lambert Termination Ltr.doc

To receive a copy of this document, indicate in the box: **C** = Copy without enclosure **E** = Copy with enclosure **N** = No copy

OFFICE	RIII	<input checked="" type="checkbox"/>	RIII	<input type="checkbox"/>	RIII	<input type="checkbox"/>	RIII	<input type="checkbox"/>
NAME	Snell:jc	WGS						
DATE	09/29/08							

OFFICIAL RECORD COPY