

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. College of William and Mary Virginia Institute of Marine Sciences 2. P.O. Box 1346 Gloucester Point, Virginia 23062		In accordance with the letter dated July 10, 2008, 3. License No. 45-07112-01 is amended in its entirety to read as follows:
		4. Expiration Date: September 30, 2015
		5. Docket No. 030-06569

6. Byproduct, source, and/or special nuclear material A. Hydrogen 3 B. Carbon 14 C. Phosphorus 33 D. Sulfur 35 E. Chromium 51 F. Iodine 125 G. Cesium 137 H. Polonium 209 I. Lead 210 J. Plutonium 242 K. Nickel 63	7. Chemical and/or physical form A. Any B. Any C. Any D. Any E. Any F. Any G. Any H. Any I. Any J. Any K. Sealed source (Shimadzu Model GC-84; Varian Model 3300; Varian Model 3400)	8. Maximum amount that licensee may possess at any one time under this license A. 450 millicuries B. 100 millicuries C. 5 millicuries D. 25 millicuries E. 25 millicuries F. 5 millicuries G. 12 millicuries H. 0.01 millicuries I. 0.01 millicuries J. 0.001 millicuries K. 15 millicuries per source; 100 millicuries total
--	---	--

9. Authorized use:

A. through K. Research and development as defined in 10 CFR 30.4.

CONDITIONS

10. Licensed material may be used or stored only at the licensee's facilities located at 1208 Greate Road, Gloucester Point, Virginia and abroad research vessels anywhere the U. S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
45-07112-01Docket No.
030-06569Amendment No.
32

11. A. Licensed material shall be used by, or under the supervision of, Fu-Lin Chu, Rebecca Dickhut, John Graves, Thomas Grose, Rob Hale, Stephen Kaatari, Howard Kator, Steve Kuehl, Patrice L. Mason, Kimberly Reese, Linda Schaffer, Walker O. Smith, or Peter Van Veld.
- B. The Radiation Safety Officer (RSO) for this license is Thomas W. Grose.
12. The licensee shall not use licensed material in or on human beings.
13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U. S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U. S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen-3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha-emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U. S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U. S. Nuclear Regulatory Commission or an Agreement State to perform such services.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
45-07112-01Docket No.
030-06569Amendment No.
32

- H. Records of leak test results shall be kept in units of microcuries and shall be maintained for five years.
14. The licensee is authorized to hold byproduct material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal without regard to its radioactivity if the licensee:
- A. Monitors byproduct material at the surface before disposal and determines that its radioactivity cannot be distinguished from the background radiation level with an appropriate radiation detection survey meter set on its most sensitive scale and with no interposed shielding; and
 - B. Removes or obliterates all radiation labels, except for radiation labels on materials that are within containers and that will be managed as biomedical waste after they have been released from the licensee; and
 - C. Maintains records of the disposal of licensed materials for three years. The record must include the date of disposal, the survey instrument used, the background radiation level, the radiation level measured at the surface of each waste container, and the name of the individual who performed the disposal.
15. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
16. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U. S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated March 18, 2005 [ML051090127]
 - B. Letter dated July 25, 2005 [ML052140591]
 - C. Letter dated August 9, 2005 [ML052270344]
 - D. Letter dated September 7, 2005 [ML052520284]

For the U. S. Nuclear Regulatory Commission

Original signed by Bryan A. ParkerDate October 3, 2008

By

Bryan A. Parker
Commercial and R&D Branch
Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406