

PDR-016



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SEP 23 1986

Mr. Gregory A. Holmes
Associate Consultant
MHB Technical Associates
1723 Hamilton Avenue, Suite K
San Jose, CA 95125

IN RESPONSE REFER
TO FOIA-86-197

Dear Mr. Holmes:

This is in regard to your request, pursuant to the Freedom of Information Act, to which the NRC assigned the above number.

- ☒ This is a partial response to your request. We will notify you upon completion of search for and review of any additional records subject to your request.
- ☐ The staff has completed the search for and review of records subject to your request, and this is the final response to your request.
- ☐ The NRC has no records subject to your request.
- ☒ Records subject to your request are available for public inspection and copying at the NRC Public Document Room (PDR), 1717 H Street, NW, Washington, DC 20555, as noted on the enclosure(s). The PDR accession number is identified beside each record description.
- ☒ Records subject to your request are being made available for public inspection and copying at the NRC Public Document Room (PDR), 1717 H Street, NW, Washington, DC 20555, in the PDR file folder under the above number and your name. These records are listed on the enclosure(s).
- ☐ We are enclosing a notice that provides information about charges and procedures for obtaining records from the PDR.

Sincerely,

Donnie H. Grimsley

Donnie H. Grimsley, Director
Division of Rules and Records
Office of Administration

Enclosure(s): As stated.

8610080239 860923
PDR FOIA
HOLME86-197 PDR

APPENDIX D

<u>DATE</u>	<u>DESCRIPTION</u>
1. 5/1/85	Memo for Diablo Canyon Allegation File, Diablo Canyon Allegation No. 1656 (ATS RV-85-A-004) (1 page) ANO: 8505080105
2. 5/3/85	Ltr. to Allan C. Wade, ATS #RV85A004 (4 pages) ANO: 8505070392
3. 5/6/85	Memo to Hartmut E. Schierling, TMI Action Plan Status for Diablo Canyon Unit 1 (10 pages) ANO: 8505290109
4. 5/7/85	Ltr. to PG&E, Thank You ltr. to Notice of Violation dated March 28, 1985 (2 pages) ANO: 85051500178
5. 5/8/85	Ltr. to PG&E, NRC Inspection of Diablo Canyon Units 1 and 2 (50-275, 50-323) (2 pages) ANO: 8505300495
6. 5/9/85	Ltr. to PG&E, Quality Assurance Program Description for Diablo Canyon (50-275, 50-323) (6 pages) ANO: 8505140240
7. 5/15/85	Green Ticket No. 000125, Mr. Thomas Devine Legal Director, Amended Petition Pursuant to 10 CFR 2.206 (6 pages) ANO: 8505240482
8. 5/15/85	Ltr. to PG&E, NRC Inspection - Diablo Canyon Units 1 and 2 (50-275, 50-323) (10 pages) ANO: 8506060578
9. 5/15/85	Ltr. to PG&E, NRC Inspection - Diablo Canyon Units 1 and 2 (7 pages) ANO: 8506060421
10. 5/22/85	Ltr. to PG&E, Emergency response facilities appraisal (2 pages) ANO: 8505290077
11. 5/30/85	Ltr. to PG&E, ATTN: Mr. J. D. Shiffer, NRC Emergency Power Preparedness Inspection (7 pages) ANO: 8506200439

12. 6/7/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon Units 1 and 2 (28 pages) ANO: 8506260153
13. 6/7/85 Memo for File - DCAF, Allegation Review Board Mtg (2 pages) ANO: 8506130240
14. 6/11/85 Ltr. to PG&E, Investigation Conducted by NRC Office of Investigation - Case No. 5-84-023 (6 pages) ANO: 8506170521
15. 6/10/85 Ltr. to The Honorable Nunzio J. Palladino, ACRS Comments on the Consideration of Earthquakes in Off-Site Emergency Planning (2 pages) ANO: 8506200383
16. 6/11/85 Ltr. to PG&E, NRC Inspection of Inservice Testing (IST) of Pumps and Valves, Diablo Canyon Unit 1 (8 pages) ANO: 8507010237
17. 6/19/85 Ltr. to Dept. of Health Services, Public Hearings in San Luis Obispo County regarding the Storage of radioactive waste at Diablo Canyon (4 pages) ANO: 8507050338
18. 6/20/86 Ltr. to PG&E, Request for a PG&E Cost Estimate to Install an Additional Circuit in Diablo Canyon's EOF and PG&E Permission to Use Site Property for Contingency Telecommunications (2 pages) ANO: 8506250410
19. 6/24/85 Ltr. to PG&E, Investigation Conducted by the NRC Office of Investigation - Case No. 5-84-002 (10 pages) ANO: 8506270488
20. 6/26/85 Ltr. to PG&E, Routine Inspection (2 pages) ANO: 8507020465
21. 6/27/85 United States of America Nuclear Reg. Comm. Atomic Safety and Licensing Appeal Board, Decision Concerning Diablo Canyon Units 1&2 (ALAB-811) (26 pages) ANO: 8506280068
22. 6/27/85 Ltr. to Mr. James D. Shiffer, Examination Rpt. (4 pages) ANO: 8507010340
23. 7/5/85 Memo for Edward L. Jordan, Medical Service Info. for the Diablo Canyon Nuclear Power Station (12 pages) ANO: 8507100074
24. 7/15/85 Joint Intervenors' Petition for Review of ALAB-811 (10 pages) ANO: 8507160678

- 25. 7/16/85 Ltr. to PG&E, Investigation Conducted by the NRC
Office of Investigation - Case No. 5-84-010
(9 pages) ANO: 8507220370
- 26. 7/16/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
Units 1 and 2 (13 pages) ANO: 8508080173
- 27. 7/19/85 Ltr. to PG&E, Acknowledge Receipt of Physical
Security Plan. (4 pages) ANO: 8507260316
- 28. 7/19/85 Ltr. to PG&E, NRC Inspection of Diablo
Canyon Units 1 and 2 (26 pages) ANO: 8508080584
- 29. 7/25/85 Preliminary Notification of event or unusual
occurrence - PNO-V-85-47, Heatup Sequence in
Preparation for Criticality Interrupted (1 page)
ANO: 8507300255
- 30. 7/29/85 PG&E's Answer in Opposition to Joint Intervenor's
Application for Stay (11 pages) ANO: 8507300549
- 31. 7/29/85 Order, Staying the effectiveness of the issuance
of a license for full power operation of Diablo
Canyon, Unit 2 (3 pages) ANO: 8507300547
- 32. 7/29/85 Order, Review of ALAB-811 (8 pages) ANO: 8507300541
- 33. 7/30/85 Ltr. to PG&E, Thank You Ltr. for corrective
steps for the Items brought to NRC's Attn. (2 pages)
ANO: 8508050308
- 34. 7/29/85 NRC Staff's Answer to Joint Intervenor's Petition
for Review of ALAB-811 (12 pages) ANO: 8507310014
- 35. 7/31/85 Order, NRC Staff's Answer to Joint Intervenor's
Application for a stay (13 pages) ANO: 8508010804
- 36. 8/1/85 Memorandum and Order, CLI-85-14 Stay Request (10 pages)
ANO: 8508050415
- 37. 8/6/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
Unit 1 (54 pages) ANO: 8508210446
- 38. 8/7/85 Ltr. to PG&E, FEMA's Prompt Public Notification
System (Alert Notification System or ANS) (2 pages)
ANO: 8508130126
- 39. 8/14/85 Ltr. to PG&E, Emergency Response Facilities
Appraisal (32 pages) ANO: 8508290109

- 40. 8/16/86 Memo for Board and Parties (Docket No. 50-275/
323-OL, ALAB-811 (1 page) ANO: 8508160429
- 41. 8/29/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
Units 1 and 2 (25 pages) ANO: 8509130211
- 42. 9/3/85 Ltr. to The Honorable Nunzio, Appropriateness or
inappropriateness of holding a Public Hearing on
Issues raised by Diablo Canyon licensing process
(6 pages) ANO: 8512110293
- 43. 9/3/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
Units 1 and 2 (7 pages) ANO: 8509180115
- 44. 9/5/85 Ltr. to J. D. Shiffer, Evaluation Investigation
and Response (3 pages) ANO: 8509100281
- 45. 9/16/85 Ltr. to PG&E, NRC Inspection Units 1 and 2 (1 page)
ANO: 8510030265
- 46. 9/19/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
(8 pages) ANO: 8510090348
- 47. 9/20/85 Ltr. to PG&E, acknowledging Corrective steps
taken, in reference to letter dated 9/10/85,
copy attached (13 pages) ANO: 8509270053
- 48. 9/30/85 Ltr. to PG&E, Semiannual Radioactive Effluent
Release Report dated August 29, 1985 (1 page)
ANO: 8510070324
- 49. 9/30/85 Ltr. to PG&E, Inspection of Diablo Canyon Units 1
and 2 Compliance with Requirements of 10 CFR 50
Appendix R, Sections III.G.J.L. and O (1 page)
ANO: 8510070076
- 50. 10/10/85 Notice of Withdrawal(3 pages) ANO: 8510110202
- 51. 10/16/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon
Units 1 and 2 (10 pages) ANO: 8511040213
- 52. 10/18/85 Ltr. to PG&E, Systematic Assessment of Licensee
Performance Report Numbers 50-275/85-29 and
50-323/85-26 (41 pages) ANO: 8511040119
- 53. 11/7/85 Meeting Summary for October 21 meeting, Long
Term Seismic Program Mtg. w/NRC Consultants for
Soil Structure Interaction (26 pages) ANO: 8511190523

- 54. 11/12/85 Ltr. to PG&E, Physical Security Plan (3 pages)
ANO: 8511180468
- 55. 11/12/85 Ltr. to PG&E, Security Training and Qualification Plan (3 pages) ANO: 8511180422
- 56. 11/18/85 Ltr. to PG&E, NRC Inspection - Diablo Canyon Units 1 and 2 (7 pages) ANO: 8512090461
- 57. 11/18/85 Ltr. for PG&E, NRC Inspection at Diablo Canyon Units 1 and 2 (12 pages) ANO: 8512100492
- 58. 11/18/85 Memo for G.W Knighton, Diablo Canyon Power Plant Spent Fuel Pool Reracking (1 page) ANO: 8511220475
- 59. 11/22/85 Ltr to PG&E, Corporate Emergency Response Plan (1 page) ANO: 8511260446
- 60. 11/19/85 Ltr. to Dr. Morris Reich, Background Info (1 page) ANO: 8512050080
- 61. 11/25/85 Memo for W. J. Dircks, Response to Congressman Leon E. Panetta letter Dated October 24, 1985 (4 pages) ANO: 8512020012
- 62. 12/2/85 Memo for Steven Varga, Minutes of Mtg w/PGE Held November 6, 1985 Bethesda (26 pages) ANO: 8512100624
- 63. 12/3/85 Ltr. from J. Fulkerson Increased storage capacity for spent nuclear fuel at Diablo Canyon (4 pages) ANO: 8512170387
- 64. 12/3/85 Ltr. for PG&E, NRC Inspection (9 pages) ANO: 8512190213
- 65. 12/10/85 Ltr. to PG&E, NRC Inspection (9 pages) ANO: 8512310164
- 66. 12/16/85 Memo for File, Diablo Canyon Allegation Review Board (3 pages) ANO: 8601300224
- 67. 12/30/85 Ltr. to PG&E, NRC Inspection (13 pages) ANO: 8601160199
- 68. 1/6/86 Ltr. to PG&E, NRC Inspection of Diablo Canyon Units 1 and 2 (6 pages) ANO: 8601230276
- 69. 1/7/86 Ltr. to PG&E, NRC Inspection of Diablo Canyon Units 1 and 2 (15 pages) ANO: 8601230236
- 70. 1/7/86 (2) Memo, Allegation Review Board (2) (2 pages) ANO: 8601300231 - 8601300226
- 71. 1/8/86 Ltr to PG&E, NRC Inspection (10 pages) ANO: 8601290267

72. 1/9/86 Ltr. to PGE, NRC Inspection (w/o Safeguards Information) (2 pages) ANO: 8601160185
73. 1/10/86 Ltr. to PG&E acknowledging Corrective steps taken in reference to letter dated 12/26/85 (6 pages) ANO: 8601150135
74. 1/16/86 Ltr. for PG&E, NRC Material Control and Accounting Safeguard Inspection (w/o Safeguards Information) (2 pages) ANO: 8601220386
5. 1/24/86 Ltr. for PG&E, NRC Inspection ((9 pages) ANO: 8602130477
76. 1/30/86 Ltr. for PG&E, Enforcement conference (4 pages) ANO: 8602190587
77. 2/3/86 Ltr for Secretary of the Commission from California Board of Supervisors, Approval that would allow reracking the spent fuel rods to allow more to be stored at the Diablo Canyon (2 pages) ANO: 8602140079
78. 2/4/86 Ltr. for PG&E, NRC Inspection of Diablo Canyon (10 pages) ANO: 8602250113
79. 2/6/86 Ltr to PG&E, NRC Inspection (7 pages) ANO: 8602250118
80. 2/7/86 Ltr. for Secretary of the Commission, Diablo Canyon License Amendment to Rerack Spent Fuel Pools (2 pages) ANO: 8602130168
81. 2/12/86 Ltr. for PG&E, Notice of Violation and Proposed Imposition of Civil Penalty (1 page) ANO: 8602240463
82. 2/14/86 Ltr. to Secretary of the Commission from the Sierra Club, Entering a Petition to Intervene in any Hearing called by the Commission to hear arguments on the above mentioned amendment. (5 pages) ANO: 8602260308
83. 2/18/86 Ltr. Secretary of the Commission, from CODES Petition for Leave to Intervene (10 CFR 2.714) (3 pages) ANO: 8602260392
84. 2/19/86 Ltr. to PG&E, NRC Inspection (8 pages) ANO: 8602240298
85. 2/25/86 Establishment of Atomic Safety and Licensing Board (3 pages) ANO: 8602260377
86. 2/25/86 Memo of Understanding for NRR Evaluation of Long Term Seismic Program (16 pages) ANO: 8603050499

- 87. 2/27/86 Order: Response of the NRC Staff to the Petition
for Leave to Intervene Filed by San Luis Obispo
Mother for Peace (12 pages) ANO: 8603050086
- 88. 2/28/86 Meeting Summary, for meeting held 2/20/86,
Reracking of Spent Fuel Pools (34 pages)
ANO: 8603130298
- 89. 2/28/86 Ltr. to PG&E, NRC Inspection (9 pages)
ANO: 8603130380
- 90. 3/5/86 Response of the NRC Staff to the Petitions for
Leave to Intervene Filed By Consumers Organized
for Defense of Environmental Safety and the Sierra
Club (7 pages) ANO: 8603060248
- 91. 3/7/86 Ltr. to PG&E, acknowledging Corrective steps
taken in reference to license letter dated
2/18/86 (4 pages) ANO: 8603130270
- 92. 3/11/86 Ltr. to PG&E, NRC Inspection (14 pages)
ANO: 8603310028
- 93. 3/11/86 Memo for S. Varga, Forthcoming Meeting
with PG&E on Fire Protection (2 pages)
ANO: 8603180011
- 94. 3/17/86 Ltr. for Mrs. Laurie McDermott, Petition for
Leave to Intervene Filed By San Luis Obispo
Mothers For Peace (12 pages) ANO: 8603200213
- 95. 3/28/86 Memorandum and Order Ruling on Petitions to
Intervene (10 pages) ANO: 8604020375
- 96. 1/17/85 Ltr. to J.D. Shiffer, re Notice of Violation
(4 pages) ANO: 8507230275
- 97. 1/17/85 Ltr. to Hon. M.C. Billig, re Storage of High-level
Radioactive Waste (5 pages) ANO: 8507250008
- 98. 1/17/85 Ltr. to N. Palladino, ACRS Comments on the Long Term
Seismic Program Plan for the Diablo Canyon Power Plant
(3 pages) ANO: 8507310112

Re: FOIA-86-197

APPENDIX E

<u>DATE</u>	<u>DESCRIPTION</u>
1. 5/1/85	Memo to T.M. Novak, Safety Evaluation Report Supplement for Diablo Canyon Unit 2 (3 pages)
2. 5/1/85	United States Court of Appeals, No. 84-1410 (3 pages)
3. 5/2/85	Memo for Chariman Palladino, Comm. Roberts, Comm. Asselstine, Comm. Bernthal, and Comm. Zech, Diablo Canyon - SSER 31: Staff Evaluation of Miscellaneous Matters for Unit 2 (Board Notification No. 85-051) (1 page)
4. 5/2/85	Memo for William J. Dircks, Discussion/Possible Vote on Diablo Canyon-2 Low Power License, 2:30 PM., Tuesday, April 23, 1985, Comm's. Conference Rm. DC Office (Open to Public Attendance) (1 page)
5. 5/2/85	Memo for H.L. Thompson, Diablo Canyon Unit 2 Issuance of SSER 31 (4 pages)
6. 5/6/85	Ltr. to Pacific Gas and Electric Co. ATTN: Mr. J.D. Shiffer, Vice President, NRC Inspection of Diablo Canyon Unit 2 (50-323) (3 pages)
7. 5/7/85	Daily Highlight, Diablo Canyon Units 1 and 2 reached 100% power and was declared commercial at 2:43 am PST. PG&E loaded the first element of fuel into Unit 2 at 7:12 am PST May 7, 1985 (1 page)
8. 5/9/85	Memo to T. Novak, NRC Staff's Comments on PG&E Companies Long Term Seismic Program Plan, 1985 for Diablo Canyon Nuclear Power Plant (15 pages)
9. 5/15/85	Memo to T.M. Novak, DSI Safety Evaluation and consideration of Diablo Canyon Unit 1 Supporting a License Amend. (TAC #54435) (11 pages)

10. 5/20/85 Memo to All DL PM's, G.L. 83-28, Item 4.3 (2 pages)
11. 5/20/85 Memo to Don Beckham, Comments on Tech. Spec.
Collected for ELR Program (10 pages)
12. 5/21/85 Ltr. to Mr. E. P. Rahe, Jr., Acceptance for
for Referencing of Licensing Topical Rpt. WCAP
10054(P) Westinghouse Small Break ECCS Eval.
Model Using the Notrump Code (1 page)
13. 5/21/85 Daily Highlight, Diablo Canyon, Completion of
Fuel Loading (1 page)
14. 5/24/85 Memo to H. Thompson, Board Notification
Report on Reactor Coolant Pump Shaft Seal
Behavior During Station Blakout (April 1985
NUREG/CR-4077) (3 pages)
15. 5/24/85 Memo to Harold Denton, 2.206 Request from
Northern California Power Agency for
Enforcement of Diablo Canyon Antitrust License
Conditions (1 page)
16. 5/24/85 Memo to Cecil Thomas, PG&E Diablo Canyon Power
Plant Unit #2 Updated Implementing License
Condition (4 pages)
17. 5/29/85 Ltr. to Robert C. McDiarmid, Antitrust - PG&E
Diablo Canyon Nuclear Power Plant, Units 1 & 2
(2 pages)
18. 5/30/85 Memo to Licensee PG&E, Diablo Canyon Units 1&2
NRC PG&E Mtg. on May 15, 1985 (2 pages)
19. 6/4/85 Memo to H. Thompson, Near Term Licensing Decisions
(1 page)
20. 6/5/85 Memo to George Knighton, Diablo Canyon Unit 2
Applicability Code Assignment of Unit 1 Allegations
(1 page)
21. 6/11/85 Memo to G. Knighton, Summary of the May 22, 1985
Mtg. w/PG&E Concerning NRC Comments on the Seismic
Reevaluation Program Plan (3 pages)
22. 6/17/85 Memo to H. Thompson, Near Term Licensing Decisions
(2 pages)
23. 6/18/85 Memo for T. Novak, New License Condition
Format for the Diablo Canyon Nuclear Power
Station, Unit 2 (4 pages)

24. 6/19/85 Note to Dennis F. Kirsch, Diablo Canyon Allegation Tracking System Update (2 pages)
25. 6/19/85 Memo for T. Novak, Responses to ACRS Question on Suitability of Level 1 PRA in the Diablo Canyon Seismic Reevaluation Program (2 pages)
26. 6/19/85 Memo for T. Novak, PG&E's Long Term Seismic Program Plan for Diablo Canyon (6 pages)
27. 6/24/85 Memo for Thomas Novak, Diablo Canyon Unit 2 Operating Experience (2 pages)
28. 6/21/85 Memo for T. Novak, Diablo Canyon Units 1 and 2 Technical Specifications (5 pages)
29. 6/28/85 Memo for T. Novak, Diablo Canyon Units 1&2 Final Draft Technical Specifications (5 pages)
30. 7/1/85 Memo for T. Novak, SSER Input for Diablo Canyon Unit 2 (16 pages)
31. 7/1/85 Memo to Ashok Thadani, Diablo Canyon request for SISI Audit (1 page)
32. 7/2/85 Memo for R. Fraley from T. Novak, Diablo Canyon PRA. (5 pages)
33. 7/2/85 Memo for R. Fraley from T. Novak, Staff Evaluation of Diablo Canyon Seismic Program (12 pages)
34. 7/3/85 Memo for George W. Knighton, Codes for Allegations on Diablo Canyon Assigned to SGEB (1 page)
35. 7/5/85 Memo for Chairman Palladino, Comm. Asselstine, Comm. Bernthal, Comm. Zech, Consideration of Potential Complicating Effects of Earthquakes on Emergency Planning (3 pages)
36. 7/8/85 Memo for Commissioner Asselstine, Diablo Canyon Seismically Induced Systems Interaction (15 pages)
37. 7/9/85 Daily Highlight, Brush Fire Near San Luis Obispo (1 page)
38. 7/11/85 Memo for George Knighton, Valve in Service Testing (IST) Requirements at Diablo Canyon, Unit 1 (TAC 59010) (2 pages)

- 39. 7/15/85 Memo for G. W. Knighton, Supplement to SER for Diablo Canyon Unit 2 Related to Offsite Emergency Planning Medical Services (3 pages)
- 40. 7/16/85 Memo for T. Novak, Diablo Canyon Technical Specification (1 page)
- 41. 7/22/85 Daily Highlight, OI Investigations (1 page)
- 42. 7/22/85 Memo for Ashok Thadani, Trip Report - July 9, 1985 Audit of Systems Interactions at Diablo Canyon - 2 (3 pages)
- 43. 7/23/85 Memo for Chairman Palladino, Comm's. Roberts, Asselstine, Bernthal, and Comm. Zech, Immediate Effectiveness Review for Diablo Canyon Unit 2 (1 page)
- 44. 7/23/85 Memo for Chairman Palladino, Comm's. Roberts, Asselstine, Bernthal, and Zech, Diablo Canyon Unit 2 Full-Power Briefing (1 page)
- 45. 7/23/85 Note to D. F. Kirsch, Diablo Canyon Allegations Tracking System Update (1 page)
- 46. 7/24/85 Memo for J.P. Knight, SSER 32 for Diablo Canyon 2 Full Power Decision (3 pages)
- 47. 7/24/85 Memo for George Knighton, In-Progress Audit Rpt. of the Detailed Control Room Design Review for Diablo Canyon Nuclear Power Station Units 1 and 2 (39 pages)
- 48. 7/25/85 Memo for T. Novak, Revised License Condition for Diablo Canyon Nuclear Power Station, Unit 2 (2 pages)
- 49. 7/26/85 Memo for T. Novak, Final Decision on GAP Petitions (1 page)
- 50. 7/30/85 Memo for All DL PM's, Final Resolution of MPA G-1 (Post-LOCA Reactor Coolant Pump (RCP) Trip) for all PWR Vendors (14 pages)
- 51. 7/30/85 Memo for T. Novak, Diablo Canyon Technical Specifications (2 pages)
- 52. 7/30/85 Memo for DL Directors, Diablo Canyon Unit 2 Full-Power Briefing (8 pages)
- 53. 8/5/85 Memo for T. Novak, Technical Specifications for Diablo Canyon Nuclear Power Station, Units No. 1 and 2 (2 pages)

- 54. 8/7/85 Daily Highlight, Pre-Criticality Testing (1 page)
- 55. 8/8 35 Memo for H. Thompson, Issuance of Diablo Canyon Supplement 32 to SER (1 page)
- 56. 8'9/85 Memo for T. Novak, Diablo Canyon Technical Spec. Pressure Isolation Valve Leakage Testing (3 pages)
- 57. 8/12/85 Order, PG&E Briefs on or before September 3, 1985 (2 pages)
- 58. 8/13/85 Daily Highlight, Rod Withdrawal and Boron Dilution
- 59. 8/16/85 Daily Highlight, Criticality should be achieved between 8/18 - to late 8/19/85 (1 page)
- 60. 8/26/85 Daily Highlight, Full-Power license was issued today August 26, 1985 (1 page)
- 61. 9/3/85 Memo, Diablo Canyon - SSER 32 and Unit 2 Full-Power License (3 pages)
- 62. 9/5/85 DAILY HIGHLIGHT, RCP Failure (1 page)
- 63. 9/11/85 Memo for Robert J. Bosnak, Geological Reconnaissance of the Diablo Cayon Site and Region (7 pages)
- 64. 9/23/85 Daily Highlight, High Density Spent Fuel Storage (2 pages)
- 65. 10/3/85 Memo for D. F. Kirsch, Transfer of Allegation Resolution Responsibility (1 page)
- 66. 10/3/85 Memo, Diablo Canyon - Reracking of Spent Fuel Pools (3 pages)
- 67. 10/4/85 Daily Highlight, Completion of RCP Repairs (1 page)
- 68. 10/8/85 Mtg. Notice, Diablo Canyon - Seismic Reevaluation Mtg. w/PG&E and NRC Advisory Board (5 pages)
- 69. 10/10/85 Ltr. to Dr. Jean Savy, Long Term Seismic Program (2 pages)
- 70. 10/11/85 Sholly Notice, Performance of the first inservice snubber visual inspection for Unit 2 following completion of the power ascension program (7 pages)
- 71. 10/11/85 Sholly Notice, Implement Relaxed Axial offset Control (RAOC) for Unit 1 after 8000 MWD/MTU Burnup in Cycle 1 (5 pages)

- 72. 10/11/85 Sholly Notice, Electrical power Systems (Battery sets and associated chargers) (6 pages)
- 73. 10/17/85 Memo for R. minogue, RES, H. Denton, NRR, J. Taylor, IE, J. Heltemes, AEOD, G. Cunningham, ELD, J. Martin, RV, Earthquake/Emergency Planning Issues in Connection w/Diablo Canyon Licensing Process (1 page)
- 74. 10/23/85 Memo to Hazel Smith, Responses to FOIA Requests 84-741, 84-742, 84-743, and 84-744 (14 pages)
- 75. 10/29/85 Memo to George Knighton, Diablo Canyon Mtg. w/Licensee (3 pages)
- 76. 10/30/85 Memo for PM's affected by Salem ATWS MPA B-89, Scheduling of Safety Evaluations and Licensing Actions Resulting from GL 83-28 Items 4.2.3 and 4.2.4 (2 pages)
- 77. 10/31/85 Ltr. to Dr. S. Pandey, Contract NRC-03-81-130, Final Work Assignment No. 26, Evaluation of Spent Fuel Racks Structural Analysis (2 pages)
- 78. 11/5/85 Memo for Hans Schierling, Diablo Canyon Units 1 and 2 Fuel Storage Pool Modifications (1 page)
- 79. 11/7/85 Memo for George Knighton, Response to Generic Letter 83-28, Sections 4.2.3 and 4.2.4, For Diablo Canyon 1 and 2 (1 page)
- 80. 11/8/85 Sholly Notice, Reactor Coolant Pump (RCP) Breaker Position Trip above the P-8 (7 pages)
- 81. 11/12/85 Memo for George Knighton, Environmental Qualification of Core Exit Thermocouple Junction Boxes at Diablo Canyon (1 page)
- 82. 11/13/85 Memo for Assigned Reviewers, Reracking of Spent Fuel Pools (Diablo Canyon) (4 pages)
- 83. 11/14/85 Memo for George W. Knighton, Seismic Reevaluation Program Mtg. w/LLL Advisory Board and PG&E (6 pages)
- 84. 11/15/85 Memo for Mark Williams, FRC Masonry Wall Review, Contract No. NRC-03-81-130, Final Assignment 6, Addition of Diablo Canyon Review (2 pages)

- 85. 11/18/85 Meeting Summary, Masonry Walls (6 pages)
- 86. 11/18/85 Memo for Thomas Novak, SER for Diablo Canyon, Units 1 and 2, Safety and Relief Valve Testing, MPA F-14 or NUREG 0737, Item II.D.1 (TAC No. 51590 and 59602) (27 pages)
- 87. 11/18/85 Memo for T. Novak, RCP Breaker Position Trip TS Modification (2 pages)
- 88. 11/25/85 Ltr. to PG&E, acknowledging Corrective action taken, in reference to letter dated 11/14/85 (4 pages)
- 89. 11/26/85 Ltr. to PG&E, NRC Inspection of Diablo Canyon Units 1 and 2 (1 page)
- 90. 11/26/85 Memo for William J. Dircks, OIA Review of Allegations Management for Diablo Canyon (1 page)
- 91. 11/26/85 Memo for Files, Diablo Canyon 2 Operating License Review Costs (2 pages)
- 92. 11/29/85 Daily Highlight, Reactor Trip (1 page)
- 93. 12/2/85 Memo for Phillip Qualls, Inspection Summary, Appendix R Compliance Audit, Diablo Canyon Power Plant Units 1 and 2 - TAC No. 59803 (3 pages)
- 94. 12/9/85 Meeting Summary, for meeting of 11/6/85. Detailed Control Room Design Review (29 pages)
- 95. 12/9/85 Mtg Summary, for meeting of 11/4/85, IST Program (3 pages)
- 96. 12/12/85 Memo for Ronald Ballard, Transfer of Work Assignment - Spent Fuel Pool Rerack Licensing Amendment Application (1 page)
- 97. 12/12/85 Memo for Harold Denton, Summary of the Operating Reactors Events Mtg. on Dec. 2, 1985 (4 pages)
- 98. 12/20/85 Ltr. to Franklin Research Center, NPC-03-81-130 Final Assignment 6, Diablo Canyon 1 and 2 (4 pages)

99. 12/20/85 Memo for Steven Varge, Supplemental Safety Evaluation Report Input Diablo Canyon Nuclear Power Plant, Units 1 and 2 Technical Specification - Startup Test Reporting Clarifications (2 pages)
100. 1/6/86 Meeting Summary, Spent Fuel Pool Reracking (84 pages)
101. 1/8/86 Notice of Consideration, Changes in the Combined Technical Specifications for Units 1 and 2 in License Amend. Request LAR 85-13 (24 pages)
102. 1/8/86 Memo for James Knight, Response to December 30, 1985 Memorandum to Division Directors "Transfer of Work Assignments for Personnel Assigned to Reactor Safety Issues Branch, DSR0" (2 pages)
103. 1/10/86 Memo for Hans Schierling, Reracking of Spent Fuel Pools, Radiological Review and Request for Additional Information (TACS 59756, 59757) (2 pages)
104. 1/15/86 Memo for Hartmut Schierling, Proposed Spent Fuel Pool Expansion, Request for Additional Information (3 pages)
105. 1/22/86 Memo for PM for all PWRs and Ft. St. Vrain, Closeout Plant-Specific Tacs Relating to Staff Review of Utility Responses to GL 85-02 (MPA C-16) (1 page)
106. 1/23/86 Memo for H. Schierling, Evaluation of Spent Fuel Rocks (4 pages)
107. 1/24/86 Memo for Faust Rosa, Transfer of Detailed Control Room Design Review Responsibility for the following Plants: Diablo Canyon 1&2 Kewaunee, Ginna, and San Onofre 1 (4 pages)
108. 1/27/86 Meeting Summary for Meeting held on 12/12/85, Long Term Seismic Program Mtg w/NRC Consultants for Theoretical Strong Ground Motion Modeling (31 pages)
109. 1/29/86 Memo for S. Varga, Request for changes in the Schedule of Diesel Generator (DG) Testing (1 page)
110. 1/29/86 Meeting Summary, Detailed Control Room Design Review and Three Other Subjects (43 pages)
111. 2/14/86 Sholly Notice, Containment Polar and Turbine Building Cranes (3 pages)

- 112. 2/24/86 Memo for Hans Schierling, Evaluation of Spent Fuel Racks (2 pages)
- 113. 2/26/86 Memo for John B. Martin, Closeout of Allegations on Diablo Canyon (3 pages)
- 114. 2/28/86 Ltr. to Dr. Jean Savy, Long Term Seismic Program (2 pages)
- 115. 3/3/86 Daily Highlight, Unit 2 Exemption (1 page)
- 116. 3/4/86 Daily Highlight, Unit 2 Exemption (1 page)
- 117. 3/14/86 Daily Highlight (1 page)
- 118. 3/17/86 Memo for T. Novak, Allegation Resolution (1 page)
- 119. 3/18/86 Memo for Ross Scarano, Regulatory Effectiveness Review (3 pages)
- 120. 3/24/86 Memo for Hans Schierling, Acceptance of use of ASME Code Case N-411 for Diablo Canyon (4 pages)
- 121. 3/24/86 Sholly Notice, Increasing reload fuel from current 3.5 weight percent (3 pages)
- 122. 3/24/86 Sholly Notice, Containment Cooling System (4 pages)
- 123. 3/24/86 Sholly Notice, Reactor Coolant System Pressure Isolation Valves (3 pages)
- 124. 3/26/86 Meeting Notice, LTSP (7 pages)
- 125. 3/31/86 Sholly Notice, Swing Diesel Generator (4 pages)
- 126. 3/31/86 Sholly Notice, Reduce excessive testing of diesel generators (6 pages)



TECHNICAL ASSOCIATES

TECHNICAL CONSULTANTS ON ENERGY & THE ENVIRONMENT

Dale G. Bridenbaugh
Richard B. Hubbard
Gregory C. Minor

1723 Hamilton Avenue—Suite K
San Jose, California 95125
Phone (408) 266-2716

March 4, 1986

Mr. Donnie H. Grimsley, Director
Division of Rules and Records
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

RE: FOIA REQUEST

Dear Mr. Grimsley:

Pursuant to the Freedom of Information Act, please make available at the Commission's Washington, D.C., Public Document Room single copies of records in the following categories:

- A. From the Chron Files of Mr. Hans Schierling from January 1, 1984, to the present, all records concerning in any way the Diablo Canyon Nuclear Power Plant, Units 1 and/or 2.
- B. From the Reading Files of Mr. Hans Schierling from January 1, 1984, to the present, all records concerning in any way the Diablo Canyon Nuclear Power Plant, Units 1 and/or 2.

Please provide partial responses as batches of documents become available.

If you have any questions concerning this request, please contact me at the telephone number given above. Your prompt attention to this request will be appreciated.

Very Truly Yours,

Gregory A. Holmes
Associate Consultant

8609144451

FOIA-86-197
Rec'd 3-20-86