FSAR Figures

1.0 Introduction and General Description of the Plant

Figure 1.1-1—{50 mi (80 km) Surrounding Area}. 1-18
Figure 1.1-2—{10 mi (16 km) Surrounding Area}. 1-19
Figure 1.1-3—{Site Area Map}. 1-20
Figure 1.2-1—{Nuclear Island and Turbine Building Layout}. 1-24

2.0 Site Characteristics

Figure 2.1-1—{NMP3NPP Site Area Map} 2-34
Figure 2.1-2—{50 mi (80 km) Surrounding Area}. 2-35
Figure 2.1-3—{10 mi (16 km) Surrounding Area}. 2-36
Figure 2.1-4—{10 mi (16 km) 2000 Population Distribution}. 2-37
Figure 2.1-5—{10 mi (16 km) 2010 Population Distribution}. 2-38
Figure 2.1-6—{10 mi (16 km) 2020 Population Distribution}. 2-39
Figure 2.1-7—{10 mi (16 km) 2030 Population Distribution}. 2-40
Figure 2.1-8—{10 mi (16 km) 2040 Population Distribution}. 2-41
Figure 2.1-9—{10 mi (16 km) 2050 Population Distribution}. 2-42
Figure 2.1-10—{10 mi (16 km) 2060 Population Distribution} 2-43
Figure 2.1-11—{10 mi (16 km) 2070 Population Distribution} 2-44
Figure 2.1-12—{10 mi (16 km) 2080 Population Distribution} 2-45
Figure 2.1-13—{10 mi (16 km) 2016 Population Distribution} 2-46
Figure 2.1-14—{10 mi (16 km) 2056 Population Distribution} 2-47
Figure 2.1-15—{50 mi (80 km) 2000 Population Distribution} 2-48
Figure 2.1-16—{50 mi (80 km) 2010 Population Distribution} 2-49
Figure 2.1-17—{50 mi (80 km) 2020 Population Distribution} 2-50
Figure 2.1-18—{50 mi (80 km) 2030 Population Distribution} 2-51
Figure 2.1-19—{50 mi (80 km) 2040 Population Distribution} 2-52
Figure 2.1-20—{50 mi (80 km) 2050 Population Distribution} 2-53
Figure 2.1-21—{50 mi (80 km) 2060 Population Distribution} 2-54
Figure 2.1-22—{50 mi (80 km) 2070 Population Distribution} 2-55
Figure 2.1-23—{50 mi (80 km) 2080 Population Distribution} 2-56
Figure 2.1-24—{50 mi (80 km) 2016 Population Distribution} 2-57
Figure 2.1-25—{50 mi (80 km) 2056 Population Distribution} 2-58
Figure 2.1-26—{Low Population Zone}. 2-59
Figure 2.2-1—{5 mi (8 km) Site Vicinity Map} 2-102
Figure 2.2-2—{Airports and Airway Routes within 10 mi (16 km) of the NMP3NPP Site} . . . 2-103
Figure 2.3-1—{Annual Average Number of Tornadoes, 1950-1995}. 2-814
Figure 2.3-2—{Annual Average Number of Strong-Violent (F2-F5) Tornadoes, 1950-1995}. 2-815
Figure 2.3-3—{Annual Thunderstorm Frequency} 2-816
Figure 2.3-4—{Five-Year Lighting Flash Density Map}. 2-817
Figure 2.3-5—{NMPNS 30 ft (9-m) Annual Wind Rose} 2-818

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.3-6—{NMPNS 100 ft (30-m) Annual Wind Rose}....2-819
Figure 2.3-7—{NMPNS 200 ft (61-m) Annual Wind Rose}....2-820
Figure 2.3-8—{NMPNS 30 ft (9-m) Winter Wind Rose}....2-821
Figure 2.3-9—{NMPNS 30 ft (9-m) Spring Wind Rose}....2-822
Figure 2.3-10—{NMPNS 30 ft (9-m) Summer Wind Rose}....2-823
Figure 2.3-11—{NMPNS 30 ft (9-m) Autumn Wind Rose}....2-824
Figure 2.3-12—{NMPNS 100 ft (30-m) Winter Wind Rose}....2-825
Figure 2.3-13—{NMPNS 100 ft (30-m) Spring Wind Rose}....2-826
Figure 2.3-14—{NMPNS 100 ft (30-m) Summer Wind Rose}....2-827
Figure 2.3-15—{NMPNS 100 ft (30-m) Autumn Wind Rose}....2-828
Figure 2.3-16—{NMPNS 200 ft (61-m) Winter Wind Rose}....2-829
Figure 2.3-17—{NMPNS 200 ft (61-m) Spring Wind Rose}....2-830
Figure 2.3-18—{NMPNS 200 ft (61-m) Summer Wind Rose}....2-831
Figure 2.3-19—{NMPNS 200 ft (61-m) Autumn Wind Rose}....2-832
Figure 2.3-20—{NMPNS 30 ft (9-m) January Wind Rose}....2-833
Figure 2.3-21—{NMPNS 30 ft (9-m) February Wind Rose}....2-834
Figure 2.3-22—{NMPNS 30 ft (9-m) March Wind Rose}....2-835
Figure 2.3-23—{NMPNS 30 ft (9-m) April Wind Rose}....2-836
Figure 2.3-24—{NMPNS 30 ft (9-m) May Wind Rose}....2-837
Figure 2.3-25—{NMPNS 30 ft (9-m) June Wind Rose}....2-838
Figure 2.3-26—{NMPNS 30 ft (9-m) July Wind Rose}....2-839
Figure 2.3-27—{NMPNS 30 ft (9-m) August Wind Rose}....2-840
Figure 2.3-28—{NMPNS 30 ft (9-m) September Wind Rose}....2-841
Figure 2.3-29—{NMPNS 30 ft (9-m) October Wind Rose}....2-842
Figure 2.3-30—{NMPNS 30 ft (9-m) November Wind Rose}....2-843
Figure 2.3-31—{NMPNS 30 ft (9-m) December Wind Rose}....2-844
Figure 2.3-32—{NMPNS 100 ft (30-m) January Wind Rose}....2-845
Figure 2.3-33—{NMPNS 100 ft (30-m) February Wind Rose}....2-846
Figure 2.3-34—{NMPNS 100 ft (30-m) March Wind Rose}....2-847
Figure 2.3-35—{NMPNS 100 ft (30-m) April Wind Rose}....2-848
Figure 2.3-36—{NMPNS 100 ft (30-m) May Wind Rose}....2-849
Figure 2.3-37—{NMPNS 100 ft (30-m) June Wind Rose}....2-850
Figure 2.3-38—{NMPNS 100 ft (30-m) July Wind Rose}....2-851
Figure 2.3-39—{NMPNS 100 ft (30-m) August Wind Rose}....2-852
Figure 2.3-40—{NMPNS 100 ft (30-m) September Wind Rose}....2-853
Figure 2.3-41—{NMPNS 100 ft (30-m) October Wind Rose}....2-854
Figure 2.3-42—{NMPNS 100 ft (30-m) November Wind Rose}....2-855
Figure 2.3-43—{NMPNS 100 ft (30-m) December Wind Rose}....2-856
Figure 2.3-44—{NMPNS 200 ft (61-m) January Wind Rose}....2-857
Figure 2.3-45—{NMPNS 200 ft (61-m) February Wind Rose}....2-858
Figure 2.3-46—{NMPNS 200 ft (61-m) March Wind Rose}....2-859

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Figures

Figure 2.3-47—{NMPNS 200 ft (61-m) April Wind Rose} 2-860
Figure 2.3-48—{NMPNS 200 ft (61-m) May Wind Rose} 2-861
Figure 2.3-49—{NMPNS 200 ft (61-m) June Wind Rose} 2-862
Figure 2.3-50—{NMPNS 200 ft (61-m) July Wind Rose} 2-863
Figure 2.3-51—{NMPNS 200 ft (61-m) August Wind Rose} 2-864
Figure 2.3-52—{NMPNS 200 ft (61-m) September Wind Rose} 2-865
Figure 2.3-53—{NMPNS 200 ft (61-m) October Wind Rose} 2-866
Figure 2.3-54—{NMPNS 200 ft (61-m) November Wind Rose} 2-867
Figure 2.3-55—{NMPNS 200 ft (61-m) December Wind Rose} 2-868
Figure 2.3-56—{Rochester, New York, Wind Rose} 2-869
Figure 2.3-57—{Syracuse, New York, Wind Rose} 2-870
Figure 2.3-58—{NMPNS 30 ft (9 m) Annual Precipitation Wind Rose} 2-871
Figure 2.3-59—{NMPNS 100 ft (30 m) Annual Precipitation Wind Rose} 2-872
Figure 2.3-60—{NMPNS 200 ft (61 m) Annual Precipitation Wind Rose} 2-873
Figure 2.3-61—{NMPNS 30 ft (9 m) January Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-874
Figure 2.3-62—{NMPNS 30 ft (9 m) February Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-875
Figure 2.3-63—{NMPNS 30 ft (9 m) March Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} . 2-876
Figure 2.3-64—{NMPNS 30 ft (9 m) April Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} . . 2-877
Figure 2.3-65—{NMPNS 30 ft (9 m) May Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} . . . 2-878
Figure 2.3-66—{NMPNS 30 ft (9 m) June Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} . . 2-879
Figure 2.3-67—{NMPNS 30 ft (9 m) July Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} . . . 2-880
Figure 2.3-68—{NMPNS 30 ft (9 m) August Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-881
Figure 2.3-69—{NMPNS 30 ft (9 m) September Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-882
Figure 2.3-70—{NMPNS 30 ft (9 m) October Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-883
Figure 2.3-71— {NMPNS 30 ft (9 m) November Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-884
Figure 2.3-72—{NMPNS 30 ft (9 m) December Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-885
Figure 2.3-73—{NMPNS 100 ft (30 m) January Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-886
Figure 2.3-74—{NMPNS 100 ft (30 m) February Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-887
Figure 2.3-75—{NMPNS 100 ft (30 m) March Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-888

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Figures

Figure 2.3-76—{NMPNS 100 ft (30 m) April Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-889
Figure 2.3-77—{NMPNS 100 ft (30 m) May Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}. 2-890
Figure 2.3-78—{NMPNS 100 ft (30 m) June Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-891
Figure 2.3-79—{NMPNS 100 ft (30 m) July Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}. 2-892
Figure 2.3-80—{NMPNS 100 ft (30 m) August Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-893
Figure 2.3-81—{NMPNS 100 ft (30 m) September Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-894
Figure 2.3-82—{NMPNS 100 ft (30 m) October Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-895
Figure 2.3-83—{NMPNS 100 ft (30 m) November Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-896
Figure 2.3-84—{NMPNS 100 ft (30 m) December Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-897
Figure 2.3-85—{NMPNS 200 ft (61 m) January Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-898
Figure 2.3-86—{NMPNS 200 ft (61 m) February Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-899
Figure 2.3-87—{NMPNS 200 ft (61 m) March Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-900
Figure 2.3-88—{NMPNS 200 ft (61 m) April Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-901
Figure 2.3-89—{NMPNS 200 ft (61 m) May Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}. 2-902
Figure 2.3-90—{NMPNS 200 ft (61 m) June Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-903
Figure 2.3-91—{NMPNS 200 ft (61 m) July Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr}. 2-904
Figure 2.3-92—{NMPNS 200 ft (61 m) August Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-905
Figure 2.3-93—{NMPNS 200 ft (61 m) September Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-906
Figure 2.3-94—{NMPNS 200 ft (61 m) October Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-907
Figure 2.3-95—{NMPNS 200 ft (61 m) November Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-908
Figure 2.3-96—{NMPNS 200 ft (61 m) December Precipitation Wind Rose for Rate Class 0.1-0.2 in/hr} 2-909
Figure 2.3-97—{Monthly Average Mixing Heights} 2-910
Figure 2.3-98—{Topography Within 1-Mile of the NMPNS Site}. 2-911
Figure 2.3-99—{Topography Within 5-Miles of the NMPNS Site}. 2-912

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Figures

Figure 2.3-100—{Topography Within 50-Miles of the NMPNS Site} 2-913
Figure 2.3-101—{Maximum Elevation versus Distance Within 50 Miles of the NMPNS Site} 2-914
Figure 2.3-102—{U.S. EPR Release Points} 2-915
Figure 2.3-103—{Exclusion Area Boundary} 2-916
Figure 2.3-104—PMWP Values for NMPNS 2-917
Figure 2.3-105—Comparison of U.S. EPR Design and NMP3NPP Site Temperatures for Maximum Evaporation 2-918
Figure 2.3-106—Comparison of U.S. EPR Design and NMP3NPP Site Temperatures for Minimum Cooling. 2-919
Figure 2.4-1—{NMP3NPP Site Vicinity} 2-1054
Figure 2.4-2—{Site Layout} 2-1055
Figure 2.4-3—{FEMA Flood Insurance Rate Map for the Site (Lakeview Creek)}. 2-1056
Figure 2.4-4—{FEMA Flood Insurance Rate Map for the Site (Lake Ontario)}. 2-1057
Figure 2.4-5—{Proposed NMP3NPP Grading Plan and Summary of Hydrologic and Hydraulic Analyses Results} 2-1058
Figure 2.4-6—{Site Location} 2-1059
Figure 2.4-7—{Lakeview Creek Watershed}. 2-1060
Figure 2.4-8—{Accumulated PMP }. 2-1061
Figure 2.4-9—{Watershed Hydrograph}. 2-1062
Figure 2.4-10—{HEC-RAS Cross Section Locations} 2-1063
Figure 2.4-11—{Lakeview Creek PMF Water Surface Profile}. 2-1064
Figure 2.4-12—{Location of Locks and Dams in the Oswego River}. 2-1065
Figure 2.4-13—{Surface Analysis Map for 17 February 2006 at 15:00 GMT} 2-1066
Figure 2.4-14—{Probable Maximum Wind Storm Track}. 2-1067
Figure 2.4-15—{Zones for PMWS on Lake Ontario}. 2-1068
Figure 2.4-16—{Predicted Wind Speed and Direction for the Eastern Zone of Lake Ontario during the PMWS} 2-1069
Figure 2.4-17—{Lake Ontario Hydrograph}. 2-1070
Figure 2.4-18—{Storm Surges on Lake Ontario} 2-1071
Figure 2.4-19—{Setup Pattern of Storms Causing High Surges in Eastern lake Ontario}. 2-1072
Figure 2.4-20—{Verification of SSPP using Historic Storms} 2-1073
Figure 2.4-21—{Comparison of Regression and Two Dimensional Models} 2-1074
Figure 2.4-22—{Lake Ontario Bathymetry - Nested Grids for SWAN Implementation} . . . 2-1075
Figure 2.4-23—{Time Series of Significant Wave Heights and Periods}. 2-1076
Figure 2.4-24—{NOAA GLERL Digital Ice Chart for March 2, 1977} 2-1077
Figure 2.4-25—{NOAA GLERL Digital Ice Chart for March 1, 1978} 2-1078
Figure 2.4-26—{NOAA GLERL Digital Ice Chart for January 7, 1981}. 2-1079
Figure 2.4-27—{NOAA GLERL Digital Ice Chart for February 14, 1994} 2-1080
Figure 2.4-28—{1802 Historic Map of the State of New York}. 2-1081
Figure 2.4-29—{1900 USGS Fulton Quadrangle Map} 2-1082

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.4-30—{1956 USGS Fulton Quadrangle Map} 2-1083
Figure 2.4-31—{2007 NYGIS Aerial Photography} 2-1084
Figure 2.4-32—{Historical Elevations of the Great Lakes from 1860 to 2005} 2-1085
Figure 2.4-33—{Map of Physiographic Provinces} 2-1086
Figure 2.4-34—{Site Vicinity Topography Map 5-Mile (8-km) Radius} 2-1087
Figure 2.4-35—{Site Topography Map 25 Mile (40 km) Radius} 2-1088
Figure 2.4-36—{Tug Hill Area and Major Physiographic Provinces of New York} 2-1089
Figure 2.4-37—{Surficial Glacial Aquifers of New England and New York} 2-1090
Figure 2.4-38—{Site Stratigraphy} 2-1091
Figure 2.4-39—{Conceptual Cross Section through Oswego County} 2-1092
Figure 2.4-40—{Simplified Ground Water Recharge From Surface Water (Tug Hill Aquifer)} 2-1093
Figure 2.4-41—{Site Plan} 2-1094
Figure 2.4-42—{ 100 and 300 Series Borings and Test Pits (North)} 2-1095
Figure 2.4-43—{100 and 300 Series Borings and Test Pits (South)} 2-1096
Figure 2.4-44—{200 Series Borings} 2-1097
Figure 2.4-45—{400 Series Borings} 2-1098
Figure 2.4-46—{On-shore Permeability Tests in Rock} 2-1099
Figure 2.4-47—{Off-shore Permeability Tests in Rock} 2-1100
Figure 2.4-48—{Groundwater Contours Soil - March 2008} 2-1101
Figure 2.4-49—{Groundwater Elevations Soil} 2-1102
Figure 2.4-50—{Subsurface Profile A-A} 2-1103
Figure 2.4-51—{Subsurface Profile B-B} 2-1104
Figure 2.4-52—{Subsurface Profile C-C} 2-1105
Figure 2.4-53—{Subsurface Profile D-D} 2-1106
Figure 2.4-54—{Subsurface Profile E-E} 2-1107
Figure 2.4-55—{Subsurface Profile F-F} 2-1108
Figure 2.4-56—{Subsurface Profile G-G} 2-1109
Figure 2.4-57—{Conceptual Cross Section and Groundwater Model} 2-1110
Figure 2.4-58—{Oswego Sandstone Topography} 2-1111
Figure 2.4-59—{Shallow Groundwater Elevations Oswego} 2-1112
Figure 2.4-60—{Deep Groundwater Elevations Oswego} 2-1113
Figure 2.4-61—{Groundwater Contours Oswego Sandstone} 2-1114
Figure 2.4-62—{Pulaski Topography} 2-1115
Figure 2.4-63—{Groundwater Elevations Pulaski Information} 2-1116
Figure 2.4-64—{Groundwater Contours Pulaski Information} 2-1117
Figure 2.4-65—{Groundwater Elevations Whetstone Gulf Formation} 2-1118
Figure 2.4-66—{Groundwater Contours Whetstone Gulf Formation} 2-1119
Figure 2.4-67—{Selected Public and Private Groundwater Supply Wells - Oswego County} 2-1120
Figure 2.4-68—{Public Water Supplies in Vicinity of NMP3NPP Site} 2-1121

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Figures

Figure 2.4-69—{Well Hydrograph for Monitoring Well OW-5014 Screened in Sand and Gravel - Volney, NY} 2-1122
Figure 2.4-70—{Well Hydrograph for Monitoring Well OW-5013 Screened in Oswego Sandstone - Volney, NY} 2-1123
Figure 2.4-71—{NMP Unit 2 Dewatering 600-ft Cone of Influence} 2-1124
Figure 2.4-72—{Oswego Sandstone Groundwater Flowpath From Nuclear Auxiliary Building to Lake Ontario} 2-1125
Figure 2.4-73—{Conceptual Model Transport Cross-Section} 2-1126
Figure 2.5-1—{Site Location Map 200-Mile (322 km) Radius} 2-1475
Figure 2.5-2—{Regional Geologic Map} 2-1476
Figure 2.5-3—{Map of Physiographic Provinces} 2-1477
Figure 2.5-4—{Physiographic Map of New York and Surrounding Areas} 2-1478
Figure 2.5-5—{Geologic Time Scale} 2-1479
Figure 2.5-6—{Evolution of New York and Eastern America A} 2-1480
Figure 2.5-7—{Evolution of New York and Eastern America B} 2-1481
Figure 2.5-8—{Evolution of New York and Eastern America C} 2-1482
Figure 2.5-9—{Evolution of New York and Eastern America D} 2-1483
Figure 2.5-10—{Evolution of New York and Eastern America E} 2-1484
Figure 2.5-11—{Evolution of New York and Eastern America F} 2-1485
Figure 2.5-12—{Evolution of New York and Eastern America G} 2-1486
Figure 2.5-13—{Evolution of New York and Eastern America H} 2-1487
Figure 2.5-14—{Evolution of New York and Eastern America I } 2-1488
Figure 2.5-15—{Evolution of New York and Eastern America J} 2-1489
Figure 2.5-16—{Evolution of New York and Eastern America K} 2-1490
Figure 2.5-17—{Crustal-Scale Cross Section of Grenville Orogen in Southern Ontario and Western Quebec} 2-1491
Figure 2.5-18—{Tectonic Map of New York and Surrounding Areas} 2-1492
Figure 2.5-19—{Regional Magnetic Anomaly Map} 2-1493
Figure 2.5-20—{Simple Bouguer Gravity Map of New York} 2-1494
Figure 2.5-21—{Structure Contours on Top of Precambrian Basement} 2-1495
Figure 2.5-22—{Contour Map Subsurface Contours on Top of Trenton-Dolgeville} 2-1496
Figure 2.5-23—{Structure Contours on Top of Trenton Carbonates} 2-1497
Figure 2.5-24—{Isopach Map Thickness of Trenton - Black River} 2-1498
Figure 2.5-25—{Isopach Map Thickness of Rock Section Between Trenton-Black River & Top of Basement} 2-1499
Figure 2.5-26—{Crustal-Scale Cross Section of Northern New York State and Eastern Ontario} . . 2-1500
Figure 2.5-27—{Crustal Scale Cross Section of the Grenville and Appalachian Provinces} 2-1501
Figure 2.5-28—{Crustal Scale Cross Section of the Southeastern Grenville Province} 2-1502
Figure 2.5-29—{Cross Section} 2-1503
Figure 2.5-30—{Aeromagnetic Map of New York} 2-1504

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Figures

Figure 2.5-31—{Tectonic Provinces of Northeastern United States and Adjacent Canada Showing Historic Seismicity} 2-1505
Figure 2.5-32—{Cross-Strike Lineaments of Pennsylvania and New York} 2-1506
Figure 2.5-33—{Map of Isostatic Residual Gravity} 2-1507
Figure 2.5-34—{Cross Section} 2-1508
Figure 2.5-35—{Structure Contour Map of Precambrian Basement, N.Y.} 2-1509
Figure 2.5-36—{Preliminary Brittle Structures Map of NY} 2-1510
Figure 2.5-37—{Preliminary Brittle Structures Map of NY - Legend} 2-1511
Figure 2.5-38—{Generalized Map of Recorded Joint Systems in New York} 2-1512
Figure 2.5-39—{Potential Quaternary Features in the Site Region} 2-1513
Figure 2.5-40—{Site Vicinity Topographic Map 25-Mile (40-Km) Radius} 2-1514
Figure 2.5-41—{Site Area Topographic Map 5-Mile (8-Km) Radius} 2-1515
Figure 2.5-42—{Site Topographic Map 0.6-Mile (1-Km) Radius} 2-1516
Figure 2.5-43—{Site Vicinity Geologic Map 25-Mile (40-Km) Radius} 2-1517
Figure 2.5-44—{Site Vicinity Geologic Map 25-Mile (40-Km) Radius Unit Descriptions - Adirondack Sheet} 2-1518
Figure 2.5-45—{Site Vicinity Geologic Map 25-Mile (40-Km) Radius Unit Descriptions - Finger Lakes Sheet} 2-1519
Figure 2.5-46—{Site Area Geologic Map 5-Mile (8-Km) Radius} 2-1520
Figure 2.5-47—{Site Area Geologic Map 5-Mile (8-Km) Radius Unit Descriptions - Adirondack Sheet} 2-1521
Figure 2.5-48—{Site Area Geologic Map 5-Mile (8-Km) Radius Unit Descriptions - Finger Lakes Sheet} 2-1522
Figure 2.5-49—{Site Vicinity Surficial Geologic Map 25-Mile (40-Km) Radius} 2-1523
Figure 2.5-50—{Site Vicinity Surficial Geologic Map 25-Mile (40-Km) Radius Unit Descriptions - Adirondack Sheet} 2-1524
Figure 2.5-51—{Site Vicinity Surficial Geologic Map 25-Mile (40-Km) Radius Unit Descriptions - Finger Lakes Sheet} 2-1525
Figure 2.5-52—{Site Area Surficial Geologic Map 5-Mile (8-Km) Radius } 2-1526
Figure 2.5-53—{Site Area Surficial Geologic Map 5-Mile (8-Km) Radius Unit Descriptions - Adirondack Sheet} 2-1527
Figure 2.5-54—{Site Area Surficial Geologic Map 5-Mile (8-Km) Radius Unit Descriptions - Finger Lakes Sheet} 2-1528
Figure 2.5-55—{Site Area Geologic Map 5-Mile (8-Km) Radius} 2-1529
Figure 2.5-56—{Site Geologic Map 0.6-Mile (1-Km) Radius} 2-1530
Figure 2.5-57—{NMP Site Specific Stratigraphic Column} 2-1531
Figure 2.5-58—{Generalized Site Stratigraphy} 2-1532
Figure 2.5-59—{Site Plan} 2-1533
Figure 2.5-60—{Exploration Plan 100 and 300 Series Borings (North)} 2-1534
Figure 2.5-61—{Exploration Plan 100 and 300 Series Borings (South)} 2-1535
Figure 2.5-62—{Exploration Plan 200 Series Borings} 2-1536
Figure 2.5-63—{Subsurface Profile A-A} 2-1537
Figure 2.5-64—{Subsurface Profile B-B} 2-1538

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-65—{Subsurface Profile C-C} 2-1539
Figure 2.5-66—{Subsurface Profile D-D} 2-1540
Figure 2.5-67—{Subsurface Profile E-E} 2-1541
Figure 2.5-68—{Top of Oswego Sandstone Contours} 2-1542
Figure 2.5-69—{Top of Pulaski A Contours} 2-1543
Figure 2.5-70—{Isopach Map of Trenton Carbonates} 2-1544
Figure 2.5-71—{Isopach Map of Black River Carbonates} 2-1545
Figure 2.5-72—{Contour Map Subsurface Contours on Base of Trenton - Black River} . . . 2-1546
Figure 2.5-73—{NMP Unit 1 and Unit 2 Site Geologic Structures} 2-1547
Figure 2.5-74—{Historical Seismicity in Vicinity of NMPS Site (shown with a star) from EPRI Catalog and from {Additional Catalogs (1985-2007)} 2-1548
Figure 2.5-75—{Historical Seismicity Close to NMPS Site (shown with a star) from EPRI Catalog and from {Additional Catalogs (1985-2007)} 2-1549
Figure 2.5-76—{Historical Seismicity in Charlevoix Seismic Zone (with NMPS site shown as a star) from EPRI Catalog (through 1984) and from Additional Catalogs (1985-2007)} 2-1550
Figure 2.5-77—{Bechtel Seismic Source Zones and EPRI-SOG pre-1985 Catalog} 2-1551
Figure 2.5-78—{Bechtel Seismic Source Zones and 1985-2007 Catalog Update} 2-1552
Figure 2.5-79—{Dames & Moore Seismic Source Zones and EPRI-SOG pre-1985 Catalog} 2-1553
Figure 2.5-80—{Dames & Moore Seismic Source Zones and 1985-2007 Catalog Update} 2-1554
Figure 2.5-81—{Law Engineering Seismic Source Zones and EPRI-SOG pre-1985 Catalog} 2-1555
Figure 2.5-82—{Law Engineering Seismic Source Zones and 1985-2007 Catalog Update} 2-1556
Figure 2.5-83—{Rondout Seismic Source Zones and EPRI-SOG pre-1985 Catalog} 2-1557
Figure 2.5-84—{Rondout Seismic Source Zones and 1985-2007 Catalog Update} 2-1558
Figure 2.5-85—{Weston Geophysical Seismic Source Zones and EPRI-SOG pre-1985 Catalog} . . 2-1559
Figure 2.5-86—{Weston Geophysical Seismic Source Zones and 1985-2007 Catalog Update} . . 2-1560
Figure 2.5-87—{Woodward-Clyde Seismic Source Zones and EPRI-SOG pre-1985 Catalog} 2-1561
Figure 2.5-88—{Woodward-Clyde Seismic Source Zones and 1985-2007 Catalog Update} 2-1562
Figure 2.5-89—{Historical Seismicity in Vicinity of NMNPS Site (shown with a star) and Two Areas Used to Test the Effects of Additional Seismicity} 2-1563
Figure 2.5-90—{Historical Seismicity in Vicinity of the Charlevoix Seismic Zone and the EPRI Team Sources Used to Represent that Zone} 2-1564
Figure 2.5-91—{Earthquake Occurrence Rates for EPRI (1989) Catalog and for Catalog Extended Through 2007 for Region 1} 2-1565
Figure 2.5-92—{Earthquake Occurrence Rates for EPRI (1989) Catalog and for Catalog Extended Through 2007 for Region 2} 2-1566
Figure 2.5-93—{Mean and Fractile PGA Seismic Hazard Curves, Rock, No CAV} 2-1567
Figure 2.5-94—{Mean and Fractile 25 Hz Seismic Hazard Curves, Rock, No CAV} 2-1568

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-95—{Mean and Fractile 10 Hz Seismic Hazard Curves, Rock, No CAV} 2-1569
Figure 2.5-96—{Mean and Fractile 5 Hz Seismic Hazard Curves, Rock, No CAV} 2-1570
Figure 2.5-97—{Mean and Fractile 2.5 Hz Seismic Hazard Curves, Rock, No CAV}. 2-1571
Figure 2.5-98—{Mean and Fractile 1 Hz Seismic Hazard Curves, Rock, No CAV} 2-1572
Figure 2.5-99—{Mean and Fractile 0.5 Hz Seismic Hazard Curves, Rock, No CAV}. 2-1573
Figure 2.5-100—{M and R Deaggregation for 1 and 2.5 Hz at 10-4 Annual Frequency of Exceedence} 2-1574
Figure 2.5-101—{M and R Deaggregation for 5 and 10 Hz at 10-4 Annual Frequency of Exceedence} 2-1575
Figure 2.5-102—{M and R Deaggregation for 1 and 2.5 Hz at 10-5 Annual Frequency of Exceedence} 2-1576
Figure 2.5-103—{M and R Deaggregation for 5 and 10 Hz at 10-5 Annual Frequency of Exceedence} 2-1577
Figure 2.5-104—{M and R Deaggregation for 1 and 2.5 Hz at 10-6 Annual Frequency of Exceedence} 2-1578
Figure 2.5-105—{M and R Deaggregation for 5 and 10 Hz at 10-6 Annual Frequency of Exceedence} 2-1579
Figure 2.5-106—{Smooth 10-4 UHRS for HF and LF Earthquakes} 2-1580
Figure 2.5-107—{Smooth 10-5 UHRS for HF and LF Earthquakes} 2-1581
Figure 2.5-108—{Smooth 10-6 UHRS for HF and LF Earthquakes} 2-1582
Figure 2.5-109—{Artificial VS Profiles 1 through 10 for the GMRS Calculations} 2-1583
Figure 2.5-110—{Summary Statistics of VS for the GMRS Calculations} 2-1584
Figure 2.5-111—{Randomized G/G_{max} Curves for the Oswego Sandstone} 2-1585
Figure 2.5-112—{Randomized Damping Curves for the Oswego Sandstone} 2-1586
Figure 2.5-113—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-4 HF Input Motion} 2-1587
Figure 2.5-114—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-4 HF Input Motion}. 2-1588
Figure 2.5-115—{Maximum Strain vs. Depth at GMRS Elevation for 1E-4 HF Input Motion} 2-1589
Figure 2.5-116—{Damping Ratio vs. Depth at GMRS Elevation for 1E-4 HF Input Motion} 2-1590
Figure 2.5-117—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-4 LF Input Motion} 2-1591
Figure 2.5-118—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-4 LF Input Motion}. 2-1592
Figure 2.5-119—{Maximum Strain vs. Depth at GMRS Elevation for 1E-4 LF Input Motion}. 2-1593
Figure 2.5-120—{Damping Ratio vs. Depth at GMRS Elevation for 1E-4 LF Input Motion} 2-1594
Figure 2.5-121—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-5 HF Input Motion} 2-1595
Figure 2.5-122—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-5 HF Input Motion}. 2-1596
Figure 2.5-123—{Maximum Strain vs. Depth at GMRS Elevation for 1E-5 HF Input Motion} 2-1597

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-124—{Damping Ratio vs. Depth at GMRS Elevation for 1E-5 HF Input Motion} 2-1598
Figure 2.5-125—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-5 LF Input Motion} 2-1599
Figure 2.5-126—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-5 LF Input Motion}. 2-1600
Figure 2.5-127—{Maximum Strain vs. Depth at GMRS Elevation for 1E-5 LF Input Motion}. 2-1601
Figure 2.5-128—{Damping Ratio vs. Depth at GMRS Elevation for 1E-5 LF Input Motion} 2-1602
Figure 2.5-129—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-6 HF Input Motion} 2-1603
Figure 2.5-130—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-6 HF Input Motion}. 2-1604
Figure 2.5-131—{Maximum Strain vs. Depth at GMRS Elevation for 1E-6 HF Input Motion} 2-1605
Figure 2.5-132—{Damping Ratio vs. Depth at GMRS Elevation for 1E-6 HF Input Motion} 2-1606
Figure 2.5-133—{Response Spectra and Logarithmic Sigma at GMRS Elevation for 1E-6 LF Input Motion} 2-1607
Figure 2.5-134—{Amplification Factor and Logarithmic Sigma at GMRS Elevation for 1E-6 LF Input Motion}. 2-1608
Figure 2.5-135—{Maximum Strain vs. Depth at GMRS Elevation for 1E-6 LF Input Motion}. 2-1609
Figure 2.5-136—{Damping Ratio vs. Depth at GMRS Elevation for 1E-6 LF Input Motion} 2-1610
Figure 2.5-137—{Summary Amplification Results for GMRS for High-Frequency Rock Motions} 2-1611
Figure 2.5-138—{Summary Amplification Results for GMRS for Low-Frequency Rock Motions} . 2-1612
Figure 2.5-139—{Summary Amplification Results for FIRS for High-Frequency Rock Motions} . . 2-1613
Figure 2.5-140—{Summary Amplification Results for FIRS for Low-Frequency Rock Motions}. . . 2-1614
Figure 2.5-141—{Ratio of Median Amplification Factors for GMRS and FIRS Elevations for 1E-4 HF and LF Input Motion} 2-1615
Figure 2.5-142—{Mean and Fractile PGA Seismic Hazard Curves at GMRS Elevation (CAV)} 2-1616
Figure 2.5-143—{Mean and Fractile 25 Hz Seismic Hazard Curves at GMRS Elevation (CAV)}. . . . 2-1617
Figure 2.5-144—{Mean and Fractile 10 Hz Seismic Hazard Curves at GMRS Elevation (CAV)}. . . . 2-1618
Figure 2.5-145—{Mean and Fractile 5 Hz Seismic Hazard Curves at GMRS Elevation (CAV)} 2-1619
Figure 2.5-146—{Mean and Fractile 2.5 Hz Seismic Hazard Curves at GMRS Elevation (CAV)} . . . 2-1620
Figure 2.5-147—{Mean and Fractile 1 Hz Seismic Hazard Curves at GMRS Elevation (CAV)} 2-1621

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-148—{Mean and Fractile 0.5 Hz Seismic Hazard Curves at GMRS Elevation (CAV)} . . . 2-1622
Figure 2.5-149—{10-5 Horizontal UHRS at GMRS Elevation, and GMRS}. 2-1623
Figure 2.5-150—{10-5 Horizontal UHRS at FIRS Elevation, and FIRS} 2-1624
Figure 2.5-151—{V/H Ratios from NUREG/CR-6728 (Risk Engineering, Inc., 2001)}. 2-1625
Figure 2.5-152—{Horizontal and Vertical GMRS}. 2-1626
Figure 2.5-153—{Horizontal and Vertical FIRS} 2-1627
Figure 2.5-154—{Site Area Cross Section} 2-1628
Figure 2.5-155—{Consolidated Isotropic Undrained Triaxial Compression Glacial Till — Part 1}. 2-1629
Figure 2.5-156—{Consolidated Isotropic Undrained Triaxial Compression Glacial Till – Part 2} . . 2-1630
Figure 2.5-157—{Moisture Density Curve Modified Compaction} 2-1631
Figure 2.5-158—{Consolidated Isotropic Undrained Triaxial Compression Structural Fill – Part 1} 2-1632
Figure 2.5-159—{Consolidated Isotropic Undrained Triaxial Compression Structural Fill – Part 2} 2-1633
Figure 2.5-160—{Exploration Plan 400 Series Borings}. 2-1634
Figure 2.5-161—{Subsurface Profile F-F} 2-1635
Figure 2.5-162—{Subsurface Profile G-G}. 2-1636
Figure 2.5-163—{Seismic Refraction Survey and Cross-Hole Array Locations}. 2-1637
Figure 2.5-164—{Seismic Contour Lines 1-5} 2-1638
Figure 2.5-165—{Seismic Contour Lines A-F} 2-1639
Figure 2.5-166—{Shear Wave Velocity Profile For Combined Arrays 1 and 2}. 2-1640
Figure 2.5-167—{Plan and Profile Acoustic Basement Lake Ontario Scriba, New York}. . . 2-1641
Figure 2.5-168—{ Nuclear Island Excavation Plan} 2-1642
Figure 2.5-169—{Nuclear Island Excavation Cross Section 1-1}. 2-1643
Figure 2.5-170—{Nuclear Island Excavation Cross Section 2-2}. 2-1644
Figure 2.5-171—{Nuclear Island Excavation Cross Section 3-3}. 2-1645
Figure 2.5-172—{Nuclear Island Excavation Cross Section 4-4}. 2-1646
Figure 2.5-173—{Intake Structure Excavation Plan and Cross Sections}. 2-1647
Figure 2.5-174—{Onshore Permeability Tests in Rock} 2-1648
Figure 2.5-175—{Offshore Permeability Tests in Rock} 2-1649
Figure 2.5-176—{General Site and Grading Plan with Slope Locations} 2-1650
Figure 2.5-177—{Location Plan for Slope Stability Analysis Cross Section}. 2-1651
Figure 2.5-178—{Cross Section for Slope Stability Analyses} 2-1652
Figure 2.5-179—{Stability Analysis Results, Static Loading, Circular Surface}. 2-1653
Figure 2.5-180—{Stability Analysis Results, Static Loading, Non-Circular Surface}. 2-1654
Figure 2.5-181—{Stability Analysis Results, Pseudo-Static Loading, Circular Surface}. . . . 2-1655
Figure 2.5-182—{Stability Analysis Results, Pseudo-Static Loading, Non-Circular Surface}. 2-1656
Figure 2.5-183—{Stability Analysis Results, Static + Surcharge Loading, Circular Surface} 2-1657

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-184—{Stability Analysis Results, Static + Surcharge Loading, Non-Circular Surface} . 2-1658
Figure 2.5-185—{Stability Analysis Results, Static Loading, Deep Circular Surface} 2-1659
Figure 2.5-186—{Stability Analysis Results, Pseudo-Static Loading, Deep Circular Surface} 2-1660
Figure 2.5-187—{Stability Analysis Results, Static + Surcharge Loading, Deep Circular Surface}. 2-1661

3.0 Design of Structures, Components, Equipment and Systems

Figure 3.7-1—{Comparison of NMP3NPP GMRS and EUR CSDRS, 5% Damping (Horizontal)}.... 3-59
Figure 3.7-2—{Comparison of NMP3NPP GMRS and EUR CSDRS, 5% Damping (Vertical)} ..3-60
Figure 3.7-3—{NMP3NPP Horizontal SSE Ground Motion and CSDRS Anchored to 0.1g PGA} 3-61
Figure 3.7-4—{NMP3NPP Horizontal SSE Ground Motion and CSDRS Anchored to 0.1g PGA (Low Frequencies)} 3-62
Figure 3.7-5—{Strain-Compatible Site Profile for NMP3NPP} 3-63
Figure 3.7-6—{EPR DC Soil Cases (Uniform) vs. NMP3NPP Soil Cases for SSI Analysis}.....3-64
Figure 3.7-7—{EPR DC Soil Cases (Layered) vs. NMP3NPP Soil Cases for SSI Analysis}.....3-65
Figure 3.7-8—{Reactor Bldg Internal Structure, Elev. 5.15m, X (E-W) Direction, 5% Damping}.....3-66
Figure 3.7-9—{Reactor Bldg Internal Structure, Elev. 5.15m, Y (N-S) Direction, 5% Damping}.....3-67
Figure 3.7-10—{Reactor Bldg Internal Structure, Elev. 5.15m, Z (Vert) Direction, 5% Damping}.....3-68
Figure 3.7-11—{Reactor Bldg Internal Structure, Elev. 19.5m, X (E-W) Direction, 5% Damping}.....3-69
Figure 3.7-12—{Reactor Bldg Internal Structure, Elev. 19.5m, Y (N-S) Direction, 5% Damping}.....3-70
Figure 3.7-13—{Reactor Bldg Internal Structure, Elev. 19.5m, Z (Vert) Direction, 5% Damping}.....3-71
Figure 3.7-14—{Safeguard Building 1, Elev. 8.1m, X (E-W) Direction, 5% Damping}.....3-72
Figure 3.7-15—{Safeguard Building 1, Elev. 8.1m, Y (N-S) Direction, 5% Damping} 3-73
Figure 3.7-16—{Safeguard Building 1, Elev. 8.1m, Z (Vert) Direction, 5% Damping} 3-74
Figure 3.7-17—{Safeguard Building 1, Elev. 21.0m, X (E-W) Direction, 5% Damping} 3-75
Figure 3.7-18—{Safeguard Building 1, Elev. 21.0m, Y (N-S) Direction, 5% Damping}.....3-76
Figure 3.7-19—{Safeguard Building 1, Elev. 21.0m, Z (Vert) Direction, 5% Damping} 3-77
Figure 3.7-20—{Safeguard Building 2/3, Elev. 8.1m, X (E-W) Direction, 5% Damping}.....3-78
Figure 3.7-21—{Safeguard Building 2/3, Elev. 8.1m, Y (N-S) Direction, 5% Damping} 3-79
Figure 3.7-22—{Safeguard Building 2/3, Elev. 8.1m, Z (Vert) Direction, 5% Damping} 3-80
Figure 3.7-23—{Safeguard Building 2/3, Elev. 15.4m, X (E-W) Direction, 5% Damping} 3-81
Figure 3.7-24—{Safeguard Building 2/3, Elev. 15.4m, Y (N-S) Direction, 5% Damping}.....3-82
Figure 3.7-25—{Safeguard Building 2/3, Elev. 15.4m, Z (Vert) Direction, 5% Damping} 3-83

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 3.7-26—{Safeguard Building 4, Elev. 21.0m, X (E-W) Direction, 5% Damping} 3-84
Figure 3.7-27—{Safeguard Building 4, Elev. 21.0m, Y (N-S) Direction, 5% Damping} 3-85
Figure 3.7-28—{Safeguard Building 4, Elev. 21.0m, Z (Vert) Direction, 5% Damping} 3-86
Figure 3.7-29—{Containment Building, Elev. 37.6m, X (E-W) Direction, 5% Damping} 3-87
Figure 3.7-30—{Containment Building, Elev. 37.6m, Y (N-S) Direction, 5% Damping} 3-88
Figure 3.7-31—{Containment Building, Elev. 37.6m, Z (Vert) Direction, 5% Damping} 3-89
Figure 3.7-32—{Containment Building, Elev. 58.0m, X (E-W) Direction, 5% Damping} 3-90
Figure 3.7-33—{Containment Building, Elev. 58.0m, Y (N-S) Direction, 5% Damping} 3-91
Figure 3.7-34—{Containment Building, Elev. 58.0m, Z (Vert) Direction,5% Damping} 3-92
Figure 3.8-1—{Schematic Site Plan of Seismic Category I Buried Utilities (Concrete Encasement)} 3-110
Figure 3.8-2—{Isometric Northeast View of the GT STRUDL Finite Element Model for the UHS Makeup Water Structure (partial view of base mat, exterior walls, interior divider walls and interior beams)} 3-111
Figure 3E.4-1—{Foundation Plan for the UHS Makeup Water Intake Structure at Elevation -225′-5″ (68.71 m)} 3-164
Figure 3E.4-2—{Grade Slab Plan for the UHS Makeup Water Intake Intake Structure at Elevation 270′-0″ (82.30 m)} 3-165
Figure 3E.4-3—{Roof Slab Plan for UHS Makeup Water Intake Structure at Elevation 302′-0″ (92.05m)} 3-166
Figure 3E.4-4—{Section A-A for the UHS Makeup Water Intake Structure} 3-167
Figure 3E.4-5—{Section A-A for the UHS Makeup Water Intake Structure} 3-168
Figure 3E.4-6—{Isometric View Looking Southeast of the UHS Makeup Water Intake Structure} 3-169
Figure 3E.4-7—{Isometric View Looking Northwest of the UHS Makeup Water Intake Structure} 3-170
Figure 3E.4-8—{Foundation Base Mat Plan for the UHS Makeup Water Intake Structure at Elevation 225′-5″ (68.71 m)} 3-171
Figure 3E.4-9—{Positive Sign Convention for GT STRUDL Finite Element Analysis} 3-172
Figure 3E.4-10—{UHS Makeup Water Intake Structure Tie Back System} 3-173
Figure 3E.4-11—{Underground - UHS Encasement} 3-174
Figure 3E.4-12—{UHS Intake Tunnel for UHS Makeup Water Intake Structure} 3-175
Figure 3E.4-13—{Cover for UHS Makeup Water Intake Structure} 3-176

4.0 Reactor

5.0 Reactor Coolant System and Connected Systems

6.0 Engineered Safety Features

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

7.0 Instrumentation and Controls

8.0 Electric Power

Figure 8.1-1—{NMP3NPP Site 345 kV Circuit Corridors} 8-11
Figure 8.2-1—{NMP3NPP 345kV Switchyard and Transmission Line Layout} 8-26
Figure 8.2-2—{NMP3NPP New 345kV Swithchyard Single Line diagram} 8-27
Figure 8.2-3—{NMP3NPP New 345kV Swithchyard Plan} 8-28
Figure 8.3-1—{Supplemental EPSS Single Line Drawing} 8-36
Figure 8.3-2—{Supplemental EPSS Single Line Drawing} 8-37
Figure 8.3-3—{Supplemental EPSS Single Line Drawing} 8-38
Figure 8.3-4—{Supplemental NPSS Single Line Drawing} 8-39
Figure 8.3-5—{Supplemental NPSS Single Line Drawing} 8-40
Figure 8.3-6—{Supplemental NPSS Single Line Drawing} 8-41
Figure 8.3-7—{Supplemental NPSS Single Line Drawing} 8-42

9.0 Auxiliary Systems

Figure 9.2-1—{Potable Water System} 9-23
Figure 9.2-2—{Sanitary Waste Water System} 9-24
Figure 9.2-3—{Normal Makeup, UHS Makeup, Blowdown & Chemical Treatment} 9-25
Figure 9.2-4—{UHS Makeup Water Intake Structure - Plan View} 9-26
Figure 9.2-5—{{UHS Makeup Water Intake Structure - Section View} 9-27
Figure 9.2-6—{UHS Discharge Diffuser} 9-28
Figure 9.2-7—{Raw Water Supply} 9-29
Figure 9.2-8—{Encasement Structure} 9-30
Figure 9.4-1—{UHS Makeup Water Intake Structure Ventilation System} 9-38
Figure 9.5-1—{Fire Protection Organization} 9-55

9B Fire Protection Analysis - Plant Specific Supplement

Figure 9B-1—{NMP3NPP Fire Barrier Location, Turbine Building Plan at Elevation (-)23 Feet} . . . 9B-37
Figure 9B-2—{NMP3NPP Fire Barrier Location, Turbine Building Plan at Elevation +/- 0 Feet} . . . 9B-38
Figure 9B-3—{NMP3NPP Fire Barrier Location, Turbine Building Plan at Elevation +38 Feet} 9B-39
Figure 9B-4—{NMP3NPP Fire Barrier Location, Turbine Building Plan at Elevation +65 Feet} 9B-40
Figure 9B-5—{NMP3NPP Fire Barrier Location, Turbine Building Plan at Elevation (-)43 Feet} . . . 9B-41
Figure 9B-6—{NMP3NPP Fire Barrier Location, Turbine Building Roof Plan} 9B-42
Figure 9B-7—{NMP3NPP Fire Barrier Location, Turbine Building Section A-A} 9B-43

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 9B-8—{NMP3NPP Fire Barrier Location, Turbine Building Section B-B} 9B-44
Figure 9B-9—{NMP3NPP Fire Barrier Location, Turbine Building Section C-C} 9B-45
Figure 9B-10—{NMP3NPP Fire Barrier Location, SWGR/SBO Buildings Plan View at Elevation (-)13'-0"} 9B-46
Figure 9B-11—{NMP3NPP Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 0'-0"} 9B-47
Figure 9B-12—{NMP3NPP Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 13'-0"} 9B-48
Figure 9B-13—{NMP3NPP Fire Barrier Location, SWGR/SBO/AUX BLR Buildings Plan View at Elevation 24'-6"} 9B-49
Figure 9B-14—{NMP3NPP Fire Barrier Location, SWGR/SBO/AUX BLR Buildings, Plan View Section A-A} 9B-50
Figure 9B-15—{NMP3NPP Fire Barrier Location, Transformer Area Plan View at Elevation 0'-0"}. 9B-51
Figure 9B-16—{NMP3NPP Fire Barrier Location, Warehouse Building Plan View at Elevation 85'-0"} 9B-52
Figure 9B-17—{NMP3NPP Fire Barrier Location, Security Access Facility Plan View at Elevation 85'-0"} 9B-53
Figure 9B-18—{NMP3NPP Fire Barrier Location, Central Gas Supply Building Plan View at Elevation 85'0"} 9B-54
Figure 9B-19—{NMP3NPP Fire Barrier Location, Grid Systems Control Building Plan View at Elevation 85'0"} 9B-55
Figure 9B-20—{NMP3NPP Fire Barrier Location, Fire Protection Building Plan View at Elevation 85'0"} 9B-56
Figure 9B-21—{NMP3NPP Fire Barrier Location, Cooling Tower Structure, Plan View and Section A-A} 9B-57
Figure 9B-22—{NMP3NPP Fire Barrier Location, Circulating Water Pump Building, Plan View and Section A-A} 9B-58
Figure 9B-23—{NMP3NPP Fire Barrier Location, Makeup Water Intake Structure, Plan View and Section A-A} 9B-59

10.0 Steam and Power Conversion System

Figure 10.4-1—{Circulating Water System P & ID (Makeup, Blowdown, and at the Cooling Tower)} 10-18
Figure 10.4-2—{Circulating Water System P & ID (Turbine Building)} 10-19
Figure 10.4-3—{Circulation Water Pump Structure (Plan View)} 10-20
Figure 10.4-4—{Circulating Water Pump Structure (Section View)} 10-21
Figure 10.4-5—{Circulating Water Systrem Cooling Tower} 10-22
Figure 10.4-6—{Intake Structure (Plan View)} 10-23
Figure 10.4-7—{Intake Structure (Section View)} 10-24
Figure 10.4-8—{Discharge Diffuser} 10-25
Figure 10.4-9—{Circulating Water System P&ID (Blowdown System)} 10-26

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED

11.0 Radioactive Waste Management

12.0 Radiation Protection

Figure 12.3-1—{NMP3NPP Site Layout} 12-62
Figure 12.3-2—{Ground Release Dispersion Factors with Bounding Mode} 12-63
Figure 12.3-3—{Elevated Dispersion Parameters and Bounding Model} 12-64
Figure 12.3-4—{TLD Locations} 12-65
Figure 12.3-5—{On-Site Environmental ISFSI TLD Exposure} 12-66
Figure 12.3-6—{Annual Historical JAF ISFSI TLD Exposure} 12-67
Figure 12.3-7—{Site Plan with Whole Body Dose Contours - Full Time Occupancy Year 2015, mrem/yr} 12-68
Figure 12.3-8—{Calculated vs. Measured TLD Exposire at the JAF ISFSI} 12-69
Figure 12.3-9—{Site Worker Occupancies and Usage} 12-70

13.0 Conduct of Operations

14.0 Verification Programs

15.0 Transient and Accident Analysis

16.0 Technical Specifications

17.0 Quality Assurance and Reliability Assurance

18.0 Human Factors Engineering

19.0 Probabilistic Risk Assessment And Severe Accident Evaluation

© 2008 UniStar Nuclear Services, LLC. All rights reserved.
COPYRIGHT PROTECTED