

Site: BF

Concern No.: E-86-BF-676-01

ACTIVITY SUMMARY

Category: MF

Receipt Mode: EXIT

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/08/86 Date Closed:

Nuclear Safety Related: N

Summary:

EMPLOYEE FEELS THAT HE HAS BEEN USED AS A SCAPEGOAT FOR THE EXTENSION OF THE FIELD DATE OF TORUS COATING AND HEAT CURE WHICH WILL IMPACT THE SCHEDULE.

Site: BF

Concern No.: E-86-BF-696-01

✓ ACTIVITY SUMMARY

Category: OP

Receipt Mode: MAIL-IN

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/13/86 Date Closed:

Nuclear Safety Related: Y

Summary:

THE 'SWING SHIFT' THAT OPERATIONS EMPLOYEES WORK AFFECT THEIR SLEEPING PATTERNS, LEADS TO DECREASED ALERTNESS, INCREASED STRESS, AND A GENERAL DEGRADATION OF JOB PERFORMANCE. THIS REDUCES THE SAFETY MARGIN OF THE PLANT.

Site: BF

Concern No.: E-86-BF-764-01

ACTIVITY SUMMARY

Category: OP Receipt Mode: MAIL-IN Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/18/86 Date Closed:

Nuclear Safety Related: ?

Summary:

INSTRUMENTATION THAT MONITORS TORUS WATER LEVEL IS DEFICIENT.

Site: BF

Concern No.: E-86-BF-817-01

ACTIVITY SUMMARY

Category: OP

Receipt Mode: NRC

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/30/86 Date Closed:

Nuclear Safety Related: ?

Summary:

MISUSE OF PROCEDURES AT BFN - SURVEILLANCES BEING DONE USING UNCONTROLLED COPIES, NONCOMPLIANCE WITH PROCEDURES, EXCESSIVE TIME TO CORRECT PROCEDURES, ETC. (RII-85-A-0031).

Site: BF

Concern No.: E-86-BF-818-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: NRC

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/30/86 Date Closed:

Nuclear Safety Related: N

Summary:

UNQUALIFIED PUBLIC SAFETY OFFICER WORKING RESPONSE POSTS.
(RII-86-A-0183).

Site: BF

Concern No.: E-86-BF-842-01

ACTIVITY SUMMARY

Category: EN

Receipt Mode: MAIL-IN

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/03/86 Date Closed:

Nuclear Safety Related: ?

Summary:

THE ENVIRONMENTAL QUALIFICATION PROJECT AT BFN DOES NOT HAVE A CLEARLY DEFINED LINE OF RESPONSIBILITY, SET OF PROCEDURES, OR PROJECT MANUAL WITH WHICH TO FOLLOW, ETC

Site: BF

Concern No.: E-86-BF-843-01

ACTIVITY SUMMARY

Category: MC

Receipt Mode: MAIL-IN

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/03/86 Date Closed:

Nuclear Safety Related: ?

Summary:

PROCUREMENT OF SAFETY RELATED REPLACEMENT PARTS AND COMPONENTS THROUGH PLANT POWER STORES DOES NOT PROVIDE ASSURANCE THAT REPLACE-MENT PARTS AND COMPONENTS ARE SUITABLE REPLACEMENTS AND HAVE THE FULL QUALIFICATION, ETC TO MEET REQUIREMENTS.

Site: BLN

Concern No.: E-86-BL-070-01

ACTIVITY SUMMARY

Category: CO

Receipt Mode: PHONE

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/11/86 Date Closed:

Nuclear Safety Related: N

Summary:

DURING INSTALL OF COOLING TOWER BLOWDOWN DIFFUSER PIPE IN SPRING OF 79, DIVING CREWS IDENT. NUMEROUS DEF. DURING CONST & ATTEMPTED TO HAVE THEM CORRECTED. RESPONSIBLE PERSONNEL IGNORED IDENT. PROB & CONT THE PROCESS TO EXPEDITE COMP OF THE INSTALLATION.

Site: BLN

Concern No.: E-86-BL-170-01

ACTIVITY SUMMARY

Category: EN Receipt Mode: WALK-IN Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/14/86 Date Closed:

Nuclear Safety Related: Y

Summary:

THE FORMULA USED TO COMPUTE ADJ. STRAPPING REQ. ELIMINATES THE USE OF 3/4 INCH AND 1 INCH CONDUITS ON HANGERS PREVIOUSLY BUILT TO MAX. DIMENSION WITH PLATE ATTACHED. THE PROBLEM IS SPECIFIC TO MARK 66 AND MARK 96 TYPE HANGERS.

Site: BLN

Concern No.: E-86-BL-181-01

ACTIVITY SUMMARY

Category: WE Receipt Mode: NRC REF Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/28/86 Date Closed:

Nuclear Safety Related: Y

Summary:

ALLEGER STATED HE HAD INFORMATION INDICATING THAT IMPROPER
RADIOGRAPHS HAD BEEN MADE OF WELDS IN PIPING AT BLN.

Site: BLN

Concern No.: E-86-BL-133-01

ACTIVITY SUMMARY

Category: SF

Receipt Mode: MAILER

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/03/86 Date Closed:

Nuclear Safety Related: N

Summary:

DURING THE WINTER OF 1985-1986, THE POST #3, PUBLIC SAFETY, IN THE OFFICE AND SERVICE BUILDING, DID NOT HAVE PROPER HEATING.

Site: CHA

Concern No.: E-86-CH-069-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: PHONE

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/14/86 Date Closed:

Nuclear Safety Related: N

Summary:

EMPLOYEE WAS TURNED DOWN FOR ADVANCED SICK LEAVE. CI STATED WAS NOT ON ANY SICK LEAVE ABUSE LIST AND BELIEVED SHE WAS TURNED DOWN BECAUSE SHE HAS AN EEO CLASS ACTION SUIT AGAINST HER ORGANIZATION.

Site: CHA

Concern No.: E-86-CH-072-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: WALKIN

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/22/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI ALLEGES THAT JOB DESCRIPTION CHANGED WHICH REQUIRED HIM TO HAVE ADDITIONAL CERTIFICATION OR BE DEMOTED. CI SAYS OTHERS LACKING TRAINING HAVE NOT RECEIVED NOTICE OF POTENTIAL DEMOTION.

Site: CHA

Concern No.: E-86-CH-073-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: NRC

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/27/86 Date Closed:

Nuclear Safety Related: N

Summary:

CONCERN ADDRESSES 5 SPECIFIC TOPICS RELATED TO THE CURRENT MANAGEMENT DIRECTION, COMMUNICATION, SUPPORT OF QA, UTILIZATION OF TVA TALENT, AND ALIENATION OF EXISTING TVA MANAGERS AND ENGINEERS. THIS CONCERN IS IDENTIFIED BY THE NRC AS RII-86-A-0171.

Site: KX

Concern No.: E-86-KX-108-01

ACTIVITY SUMMARY

Category: EN

Receipt Mode: EXIT

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/28/86 Date Closed:

Nuclear Safety Related: Y

Summary:

DNE PLANS TO ELIMINATE THE EDITORIAL REVIEW OF EQ BINDERS FOR WBN UNIT 2. CI STATED THIS HAS BEEN AN IMPORTANT REVIEW IN THE PAST AND SHOULD CONTINUE.

Site: KX

Concern No.: E-86-KX-108-02

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI BELIEVES THAT STANDARD REQUIREMENT ON ANTICIPATED VACANCY ANNOUNCEMENTS (RELATIVE TO LENGTH OF TIME A CANDIDATE HAS HAD COLLEGE DEGREE) ARE DISCRIMINATORY.

Site: KX

Concern No.: E-86-KX-123-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: WALK-IN

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/11/86 Date Closed:

Nuclear Safety Related: N

Summary:

WBN EMPLOYEE PARTICIPATING IN REAL ESTATE RE-LO SERVICE BELIEVES RE-LO APPRAISAL ON HIS HOME IS FAR BELOW MARKET PRICE. WANTS A FAIR MARKET PRICE ON HIS HOME.

Site: KX

Concern No.: E-86-KX-86-01

ACTIVITY SUMMARY

Category: MP Receipt Mode: PHONE-IN Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/21/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI'S (2) APPLIED FOR VOLUNTARY RIF. WHILE APPLICATIONS WERE BEING CONSIDERED OTHER ONE VOLUNTARY RIFS WERE APPROVED. THEIR APPLICATIONS WERE EVENTUALLY DENIED. THEY BELIEVE THEY SHOULD BE ALLOWED TO VOLUNTEER ALSO.

Site: SQ

Concern No.: E-86-SQ-047-02

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 09/04/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CONCERNED THAT CONSTRUCTION PERSONNEL HIRED ON TEMPORARY
APPOINTMENTS INTO MODIFICATIONS ARE NOT BEING PERMITTED TO RETAIN
THEIR CONSTRUCTION SENIORITY

Site: SQ

Concern No.: E-86-SQ-109-02

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/03/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI BELIEVES HIS FORM 77 WAS INAPPROPRIATELY CHANGED BY THE GF

Site: SQ

Concern No.: E-86-SQ-109-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 09/03/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI BELIEVES POLICY IS INCONSISTENT BECAUSE GF WAS GIVEN 3 CHANCES TO PASS WELDING TEST.

Site: SQ

Concern No.: E-86-SQ-125-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 09/04/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI IS BEING TERMINATED WHILE FOUR STEAMFITTER-WELDERS,WHO HIRED INTO
MODIFICATIONS ON A TEMPORARY APPT. AT A LATER DATE,ARE REMAINING.

Site: SQ

Concern No.: E-86-SQ-138-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: WI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CONCERNED WITH QUALIFICATIONS OF MGMT AND MGMT STYLE AT POTC

Site: SQ

Concern No.: E-86-SQ-138-04

ACTIVITY SUMMARY

Category: MP

Receipt Mode: WI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CONCERNED THAT POTC STANDARD PRACTICE ON COPYRIGHT LAWS WAS
CANCELLED

Site: SQ

Concern No.: E-86-SQ-138-05

ACTIVITY SUMMARY

Category: SF

Receipt Mode: WI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI BELIEVES HEALTH AND SAFETY CONCERNS AT POTC HAVE BEEN IGNORED

Site: SQ

Concern No.: E-86-SQ-367-02

ACTIVITY SUMMARY

Category: SF

Receipt Mode: EXIT

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CLAIMS OPERATIONS PERSONNEL IMPEDED ACTIONS IN A MEDICAL
EMERGENCY.

Site: SQ

Concern No.: E-86-SQ-367-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: EXIT

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/29/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CLAIMS MGMT INCOMPETENCE AND OTHER MGMT PROBLEMS IN PUBLIC SAFETY.

Site: SQ

Concern No.: E-86-SQ-410-01

ACTIVITY SUMMARY

Category: IH Receipt Mode: WALK IN Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/14/86 Date Closed: 08/15/86 Nuclear Safety Related: N

Summary:

THE CI ALLEGES SEXUAL HARASSMENT BY SUPERVISOR.

Site: SQ

Concern No.: E-86-SQ-429-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: MI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/19/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI BELIEVES POTO PERSONNEL AND THEIR SPOUSES ATTENDED A MEETING IN COLORADO WHICH WAS OF NO BENEFIT TO TVA.

Site: SQ

Concern No.: E-86-SQ-437-01

ACTIVITY SUMMARY

Category: IH

Receipt Mode: MI

Confidentiality Requested: N

STATUS OF CONCERN

Date Received: 08/19/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI (AT POTC) BELIEVES HE WAS RETALIATED AGAINST FOR FILING A
CONCERNNOTE: THIS CONCERN (159-01) WAS INVESTIGATED AND CLOSED. CI HAS
NOW PROVIDED ADDITIONAL INFO.

Site: SQ

Concern No.: E-86-SQ-441-01

ACTIVITY SUMMARY

Category: QA

Receipt Mode: MI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/21/86 Date Closed:

Nuclear Safety Related: Y

Summary:

CI BELIEVES RESOLUTION OF CAR 86-05-030 WAS INCORRECT AND THAT WELDS DONE BY MODIFICATIONS ON FIRE PROTECTION PIPING SHOULD BE VISUALLY INSPECTED.

Site: SO

Concern No.: E-86-SQ-462-01

ACTIVITY SUMMARY

Category: OP

Receipt Mode: REF

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 09/13/86 Date Closed:

Nuclear Safety Related: Y

Summary:

CI CLAIMS FAVORITISM IN SELECTIONS, NON-ADHERENCE TO POLICIES, AND PROBLEMS WITH EXAMS IN THE REACTOR OPERATOR TRAINING PROGRAM.

Site: SQ

Concern No.: E-86-SQ-462-02

ACTIVITY SUMMARY

Category: SF

Receipt Mode: REF

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/13/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CITES PERSONNEL SAFETY PROBLEMS WITH NEW HARD HATS AND FIRE
BRIGADE BOOTS.

Site: SQ

Concern No.: E-86-SQ-462-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: REF

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/13/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CONCERNED ABOUT POOR TREATMENT OF AUC'S AND POLICY FOR SHIFT ASSIGNMENTS.

Site: SQ

Concern No.: E-86-SQ-463-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: MI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/20/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CITES FAVORITISM IN JOB SELECTIONS FOR ADO'S

Site: SQ

Concern No.: E-86-SQ-463-02

ACTIVITY SUMMARY

Category: IH

Receipt Mode: WI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/20/86 Date Closed:

Nuclear Safety Related: Y

Summary:

CI CLAIMS THAT OPERATIONS TRAINEES WHO RATE THEIR POTC INSTRUCTOR AS POOR ON EVALUATIONS ARE RETALIATED AGAINST.

Site: SQ

Concern No.: E-86-SQ-463-03

ACTIVITY SUMMARY

Category: MP

Receipt Mode: WI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/20/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CONCERNED THAT HE WAS TOLD HE COULD NOT WORK AS AN OPERATOR
ANYMORE BECAUSE HIS BLOOD ENZYME LEVEL WAS TOO HIGH

Site: SQ

Concern No.: E-86-SQ-464-01

ACTIVITY SUMMARY

Category: MP

Receipt Mode: MI

Confidentiality Requested: Y

STATUS OF CONCERN

Date Received: 08/20/86 Date Closed:

Nuclear Safety Related: N

Summary:

CI CLAIMS CONFLICTS WITH MGMT IN THE INSULATOR SHOP