



Cooperative Research Programs

820 Chestnut St., Room 107 Foster Hall
Jefferson City, MO 65102-0029
Phone: (573) 681-5312
FAX: (573) 681-5955

August 28, 2008

Materials Licensing Branch
U.S. Nuclear Regulatory Commission, Region III
801 Warrenville Rd.
Lisle, IL 60532-4351

RE: By-Product Materials License No. 24-16097-01

Dear Licensing Officer:

With this letter (in duplicate) we are requesting an amendment to our By-Product Materials License No. 24-16097-01. This amendment is to replace Jerry G. Vander Tuig, Ph.D. as Radiation Safety Officer, with Abua Ikem, Ph.D. whose formal training and experience are attached. This request is necessitated by Dr. Vander Tuig's retirement from Lincoln University.

Sincerely,

Jerry G. Vander Tuig, Ph.D.
Radiation Safety Officer
106A Foster Hall
Lincoln University
Jefferson City, MO 65102-0029

7.1 Radiation Safety Officer

The radiation safety officer for the activities proposed in this license amendment is Abua Ikem, Ph.D.

Formal training and experience for Abua Ikem

- A. University of Ibadan, Nigeria,
 - B.Sc. Chemistry 1985
 - M.Sc. Analytical Chemistry 1988
 - Ph.D. Analytical Chemistry, 1996

Graduate Level Courses: (overall GPA 3.66)

1. Classical Methods of Analysis
2. Analytical Environmental Toxicology
3. Separation Methods of Analysis
4. Quantitative Spectroscopic Methods of Analysis
5. Miscellaneous Methods of Analysis
6. Electroanalytical Methods
7. Food Analysis
8. Water Analysis
9. Advanced Applied Spectroscopy

- B. Tuskegee University, Tuskegee, Alabama, 1998-2003
 - Postdoctoral Fellowship
 - Environmental Engineering Program
 - Chemical Engineering Department
- C. Lincoln University
 - Assistant Professor 2007- Present
 - Laboratory Manager / Research Scientist 2003-2007

Jerry G. Vander Tuig
Cooperative Research
Lincoln University
Jefferson City, MO 65102-0029

MID-MISSOURI P&DF
MO 652 2 T
16 OCT 2008 PM



U.S. Nuclear Regulatory Commission
Region III
Materials Licensing Branch
2443 Warrenville Road
Suite 210
Lisle, Illinois 60532-4352

60532+4352

