

Rulemaking Comments

From: Wallace, Steven A [Steven.Wallace2@providence.org]
Sent: Monday, October 20, 2008 7:02 PM
To: Rulemaking Comments
Cc: Halligan, John; Galloway, Christopher G; Ning, Yongli; Katinszky, Wanda; Lamoureux, Bruce
Subject: RIN 3150-AI26

Hello NRC Rulemaking,

I wish to comment on the Medical Use of Byproduct Material – Amendments / Medical Event Definitions RIN 3150-AI26

Re: Incorporating Microsphere treatment into the category of permanent implant brachytherapy (as per page 45636 of Federal Register Vol 73, No. 152).

Per the proposed rule 35.3045 *Report and notification of a medical event (2) (i) The total source strength implanted in the treatment site differing from the preimplantation written directive by 20 percent or more.*

I feel that for Microsphere treatment of liver metastasis, this rule will result in the definition of a large number of Medical Events when in fact the variations are due to clinical necessity at the time of procedure.

Your consideration would be greatly appreciated,

Regards,

Steven Wallace

Steven A. Wallace, Ph.D. DABR CMD
Senior Chief Radiation Oncology Physicist
Providence Alaska Medical Center
Radiation Oncology
3851 Piper Street, Tower U
Anchorage AK 99508

Ph 907 212-6809 (direct)
Ph 907 212-3186 (reception)
Fax 907 212-3665
Cel 650 521 7183

DOCKETED
USNRC

October 21, 2008 (10:45am)

OFFICE OF SECRETARY
RULEMAKINGS AND
ADJUDICATIONS STAFF

DISCLAIMER:

This message is intended for the sole use of the addressee, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the addressee you are hereby notified that you may not use, copy, disclose, or distribute to anyone the message or any information contained in the message. If you have received this message in error, please immediately advise the sender by reply email and delete this message.

Received: from mail2.nrc.gov (148.184.176.43) by TWMS01.nrc.gov
(148.184.200.145) with Microsoft SMTP Server id 8.1.291.1; Mon, 20 Oct 2008
19:01:37 -0400

X-Ironport-ID: mail2

X-SBRS: 4.5

X-MID: 22588064

X-IronPort-Anti-Spam-Filtered: true

X-IronPort-Anti-Spam-Result:

AggBAIuq/Eiq3AlOkWdsb2JhbACCRyyQfAEBAQEJCwoHEQQYqF8JhhuCcHw

X-IronPort-AV: E=Sophos;i="4.33,454,1220241600";

d="scan'208,217";a="22588064"

Received: from phsor-nat2.providence.org ([170.220.2.14]) by mail2.nrc.gov
with ESMTP; 20 Oct 2008 19:01:37 -0400

Received: from mail pickup service by phsor-nat2.providence.org with Microsoft
SMTPSVC; Mon, 20 Oct 2008 16:01:35 -0700

X-KryptiqSpooler: Handled

Received: from WNP0621C.or.providence.org ([170.220.65.131]) by
phsor-nat2.providence.org with Microsoft SMTPSVC(6.0.3790.1830); Mon, 20 Oct
2008 16:01:35 -0700

Received: from wnp1285.ak.providence.org ([10.21.17.71]) by
WNP0621C.or.providence.org with Microsoft SMTPSVC(6.0.3790.1830); Mon, 20 Oct
2008 16:01:33 -0700

Received: from wn0152.ak.providence.org ([10.21.16.184]) by
wnp1285.ak.providence.org with Microsoft SMTPSVC(6.0.3790.3959); Mon, 20 Oct
2008 15:01:34 -0800

X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.3168

Content-Class: urn:content-classes:message

Content-Transfer-Encoding: 7bit

MIME-Version: 1.0

Content-Type: multipart/alternative;

boundary="----_=_NextPart_001_01C93307.CBFFD87A"

Subject: RIN 3150-AI26

Date: Mon, 20 Oct 2008 15:01:33 -0800

Importance: normal

Priority: normal

Message-ID:

<D389085B3E175D408C11FFD1AB3FFD7E0C133A22@wn0152.ak.providence.org>

X-MS-Has-Attach:

X-MS-TNEF-Correlator:

Thread-Topic: RIN 3150-AI26

Thread-Index: AckzB8vVHIK8AWPuRIm6SA+Hpf1h2A==

From: "Wallace, Steven A" <Steven.Wallace2@providence.org>

To: <Rulemaking.Comments@nrc.gov>

CC: "Halligan, John" <John.Halligan@providence.org>,

"Galloway, Christopher G" <Christopher.Galloway@providence.org>,

"Ning, Yongli" <Yongli.Ning@providence.org>,

"Katinszky, Wanda" <Wanda.Katinszky@providence.org>,

"Lamoureux, Bruce" <Bruce.Lamoureux@providence.org>

Return-Path: <Steven.Wallace2@providence.org>

X-OriginalArrivalTime: 20 Oct 2008 23:01:34.0524 (UTC) FILETIME=[CC7C0FC0:01C93307]