

From: Michelle Simmons
Sent: Friday, October 24, 2008 2:35 PM
To: richardkodak@zoominternet.net
Subject: PET Scan of New Jersey Deficiency letter Mail Control number 142783

License No.: 29-30840-01
Docket No: 03036417
Control No: 142783

Dear Richard Brown,

This is in reference to your amendment dated September 02, 2008 requesting to add material authorization for the use of I-131 by oral administration to your license. In support of your request, please confirm that Natalio Damien, M.D., Radiation Safety Officer, has received training in the radiation safety, regulatory issues, and emergency procedures for the types of use for which a licensee seeks approval. This training requirement may be satisfied by completing training that is supervised by a Radiation Safety Officer, authorized medical physicist, authorized nuclear pharmacist, or authorized user, as appropriate, who is authorized for the type(s) of use for which the licensee is seeking approval.

Please note that you may not reply to this letter by return e-mail. Your reply must be in writing by letter or facsimile (610-337-5269). If we do not receive a reply from you within 30 calendar days from the date of this e-mail, we will assume that you do not wish to pursue your application.

Thank you for your help. If you have any questions, you may send an e-mail or call me at 610-337-6921.

Michelle R. Simmons
Health Physicist
U.S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
475 Allendale Road
King of Prussia, PA 19406
Office No.: (610)-337-6921
Fax No.: (610)-337-5269

E-mail Properties

Mail Envelope Properties ()

Subject: PET Scan of New Jersey Deficiency letter Mail Control number 142783
Sent Date: 10/24/2008 2:32:27 PM
Received Date: 10/24/2008 2:34:00 PM
From: Michelle Simmons

Created By: Michelle.Simmons@nrc.gov

Recipients:

richardkodak@zoominternet.net (richardkodak@zoominternet.net)

Tracking Status: None

Post Office:

Files	Size	Date & Time
MESSAGE	6066	10/24/2008

Options

Expiration Date:

Priority: 0ImportanceNormal

ReplyRequested: False

Return Notification: False

Sensitivity: 0Normal

Recipients received: