

UNIVERSITY OF CALIFORNIA, IRVINE

BERKELEY • DAVIS • IRVINE • LOS ANGELES • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

Dr. George E. Miller
Senior Lecturer Emeritus
*Department of Chemistry and
Supervisor, Nuclear Reactor Facility
Director Science Education Programs, School of Physical Sciences*

IRVINE, CA 92697-2025
(949) 824-6649
FAX: (949) 824-2210 or (949) 824-7621
Internet: GEMILLER@uci.edu
Home (Tel AND FAX): (949) 854-1525
WEB: <http://www.chem.uci.edu/research/faculty/gemiller.html>

October 23rd, 1999

US Nuclear Regulatory Commission
Director, Division of Nuclear Reactor Regulation
One White Flint North Building
11555 Rockville Pike, Rockville, Maryland 20852-2738

Attention: DOCUMENT CONTROL DESK

RE: LICENSE R-116, DOCKET 50-326 UC IRVINE NON-POWER REACTOR
LICENSE RENEWAL REQUEST

Gentlemen:

We admit to being uncertain how many copies of our revised Safety Analysis Report (SAR) to submit in support of our request (mailed recently under separate cover) to renew the referenced Class 104c operating license. 10 CFR 50.4 (2) (i) implies a single copy is sufficient, whereas 10 CFR 50.4 (6) implies that for an updated FSAR, 10 copies are required, but only if pursuant to 50.71(e) which only applies to nuclear power reactors.

Thus we are sending a single copy, while retaining many more in accordance with 10 CFR 50.30 (a) (2) and awaiting further instructions.

Sincerely,

A handwritten signature in cursive script that reads "G. E. Miller".

George E. Miller

9910290284 991023
PDR ADDOCK 05000326
P PDR

A020