

625 West Berry Street Fort Wayne, IN 46802 Ph: 260-439-0074 Fax: 260-439-0075



To: **James Mullauer** Fax: **630.829.9873**
From: **Matthew Hall** Date: **11/7/2008**
Re: **NRC FORM 313A (AUD)** Pages: **5**
Cc:

Urgent For review Please comment Please reply Please recycle

Jim:

This is the signed authorized user training and experience and preceptor attestation form (NRC FORM 313A (AUD)). If you need further information or forms please do not hesitate to contact us.

Matthew Hall
Baltes Cardiology
625 W Berry St
Fort Wayne, IN 46802
(260) 439-0074
Fax: (260) 439-0075
Matthew.hall.cnmt@gmail.com

| <p>NRC FORM 313A (AUD) (10-2007)</p> | <p>U.S. NUCLEAR REGULATORY COMMISSION</p> | <p>APPROVED BY OMB: NO. 3150-0120 EXPIRES: 10/31/2008</p> | | | | | | | | | |
|---|---|---|----------------------|----------------------|--|--|--|--|--|--|--|
| <p>AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (for uses defined under 35.100, 35.200, and 35.500) [10 CFR 35.190, 35.290, and 35.590]</p> | | | | | | | | | | | |
| <p>Name of Proposed Authorized User Thomas Patrick Ryan, D.O.</p> | | <p>State or Territory Where Licensed Indiana</p> | | | | | | | | | |
| <p>Requested Authorization(s) (check all that apply)</p> <p><input type="checkbox"/> 35.100 Uptake, dilution, and excretion studies</p> <p><input checked="" type="checkbox"/> 35.200 Imaging and localization studies</p> <p><input type="checkbox"/> 35.500 Sealed sources for diagnosis (specify device _____)</p> | | | | | | | | | | | |
| <p>PART I -- TRAINING AND EXPERIENCE (Select one of the three methods below)</p> | | | | | | | | | | | |
| <p>* Training and Experience, including board certification, must have been obtained within the 7 years preceding the date of application or the individual must have obtained related continuing education and experience since the required training and experience was completed. Provide dates, duration, and description of continuing education and experience related to the uses checked above.</p> | | | | | | | | | | | |
| <p><input type="checkbox"/> 1. Board Certification</p> <p>a. Provide a copy of the board certification.</p> <p>b. If using only 35.500 materials, stop here. If using 35.100 and 35.200 materials, skip to and complete Part II Preceptor Attestation.</p> | | | | | | | | | | | |
| <p><input type="checkbox"/> 2. Current 35.390 Authorized User Seeking Additional 35.290 Authorization</p> <p>a. Authorized user on Materials License _____ meeting 10 CFR 35.390 or equivalent Agreement State requirements seeking authorization for 35.290.</p> <p>b. Supervised Work Experience. (If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)</p> | | | | | | | | | | | |
| <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:35%;">Description of Experience</th> <th style="width:35%;">Location of Experience/License or Permit Number of Facility</th> <th style="width:10%;">Clock Hours</th> <th style="width:20%;">Dates of Experience*</th> </tr> </thead> <tbody> <tr> <td style="height: 100px; vertical-align: top;"> Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs </td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | Description of Experience | Location of Experience/License or Permit Number of Facility | Clock Hours | Dates of Experience* | Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs | | | | <p style="text-align: center;">Total Hours of Experience:</p> | | |
| Description of Experience | Location of Experience/License or Permit Number of Facility | Clock Hours | Dates of Experience* | | | | | | | | |
| Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs | | | | | | | | | | | |
| <p>Supervising Individual _____</p> | | <p>License/Permit Number listing supervising individual as an authorized user _____</p> | | | | | | | | | |
| <p>Supervisor meets the requirements below, or equivalent Agreement State requirements (check all that apply).</p> <p><input type="checkbox"/> 35.290 <input type="checkbox"/> 35.390 + generator experience in 32.290(c)(1)(ii)(G)</p> | | | | | | | | | | | |

NRC FORM 313A (AUD) **U.S. NUCLEAR REGULATORY COMMISSION**
(10-2007) **AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)**

3. Training and Experience for Proposed Authorized User

a. Classroom and Laboratory Training.

| Description of Training | Location of Training | Clock Hours | Dates of Training* |
|--|---------------------------------|-------------|--------------------------------------|
| Radiation physics and instrumentation | Orlando, FL | 40 | 6/14/08 - 6/22/08 |
| Radiation protection | Orlando, FL & San Francisco, CA | 40 | 6/14/08 - 6/22/08 & 9/6/08 - 9/14/08 |
| Mathematics pertaining to the use and measurement of radioactivity | Orlando, FL & San Francisco, CA | 40 | 6/14/08 - 6/22/08 & 9/6/08 - 9/14/08 |
| Chemistry of byproduct material for medical use <i>(not required for 35.590)</i> | San Francisco, CA | 40 | 9/6/08 - 9/14/08 |
| Radiation biology | Orlando, FL & San Francisco, CA | 40 | 6/14/08 - 6/22/08 & 9/6/08 - 9/14/08 |

Total Hours of Training: 200

b. Supervised Work Experience (completion of this table is not required for 35.590).
(If more than one supervising individual is necessary to document supervised work experience, provide multiple copies of this section.)

| Supervised Work Experience | | Total Hours of 720 Experience: | |
|--|---|--|----------------------|
| Description of Experience Must Include: | Location of Experience/License or Permit Number of Facility | Confirm | Dates of Experience* |
| Ordering, receiving, and unpacking radioactive materials safely and performing the related radiation surveys | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |
| Performing quality control procedures on instruments used to determine the activity of dosages and performing checks for proper operation of survey meters | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |

NRC FORM 313A (AUD)
(10-2007)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

3. Training and Experience for Proposed Authorized User (continued)

b. Supervised Work Experience. (continued)

| Description of Experience Must Include: | Location of Experience/License or Permit Number of Facility | Confirm | Dates of Experience* |
|--|---|--|----------------------|
| Calculating, measuring, and safely preparing patient or human research subject dosages | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |
| Using administrative controls to prevent a medical event involving the use of unsealed byproduct material | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |
| Using procedures to contain spilled byproduct material safely and using proper decontamination procedures | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |
| Administering dosages of radioactive drugs to patients or human research subjects | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |
| Eluting generator systems appropriate for the preparation of radioactive drugs for imaging and localization studies, measuring and testing the eluate for radionuclidic purity, and processing the eluate with reagent kits to prepare labeled radioactive drugs | Fort Wayne, IN/13-32694-01 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 7/12/08 - 11/6/08 |

Supervising Individual

B. Aguirre

License/Permit Number listing supervising individual as an authorized user

13-32694-01

Supervisor meets the requirements below, or equivalent Agreement State requirements (check one).

- 35.190 35.290 35.390 35.390 + generator experience in 35.290(c)(1)(ii)(G)

c. For 35.590 only, provide documentation of training on use of the device.

| Device | Type of Training | Location and Dates |
|--------|------------------|--------------------|
| | | |
| | | |

d. For 35.500 uses only, stop here. For 35.100 and 35.200 uses, skip to and complete Part II Preceptor Attestation.

NRC FORM 313A (AUD)
(1C-2007)

U.S. NUCLEAR REGULATORY COMMISSION

AUTHORIZED USER TRAINING AND EXPERIENCE AND PRECEPTOR ATTESTATION (continued)

PART II – PRECEPTOR ATTESTATION

Note: This part must be completed by the individual's preceptor. The preceptor does not have to be the supervising individual as long as the preceptor provides, directs, or verifies training and experience required. If more than one preceptor is necessary to document experience, obtain a separate preceptor statement from each. (Not required to meet training requirements in 35.590)

By checking the boxes below, the preceptor is attesting that the individual has knowledge to fulfil the duties of the position sought and not attesting to the individual's "general clinical competency."

First Section

Check one of the following for each use requested:

For 35.190

Board Certification

I attest that _____ has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.190(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

OR

Training and Experience

I attest that _____ has satisfactorily completed the 60 hours of training and

Name of Proposed Authorized User

experience, including a minimum of 8 hours of classroom and laboratory training, required by 10 CFR 35.190(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100.

For 35.290

Board Certification

I attest that _____ has satisfactorily completed the requirements in

Name of Proposed Authorized User

10 CFR 35.290(a)(1) and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

OR

Training and Experience

I attest that **Thomas P. Ryan, D.O.** has satisfactorily completed the 700 hours of training

Name of Proposed Authorized User

and experience, including a minimum of 80 hours of classroom and laboratory training, required by 10 CFR 35.290(c)(1), and has achieved a level of competency sufficient to function independently as an authorized user for the medical uses authorized under 10 CFR 35.100 and 35.200.

Second Section

Complete the following for preceptor attestation and signature:

I meet the requirements below, or equivalent Agreement State requirements, as an authorized user for:

35.190 35.290 35.390 35.390 + generator experience

Name of Preceptor

Bhaktavatsala R. Apuri, M.D.

Signature

Telephone Number

(260) 425-3701

Date

11/7/08

License/Permit Number/Facility Name

13-32694-01