



RECEIVED

SEP 30 2008

DNMS

September 29, 2008

Rachel S. Browder
Nuclear Materials Licensing Section
USNRC Region IV
Texas Health Resources Tower
612 E. Lamar Blvd. Suite 400
Arlington, Texas 76011-4125

Re: License No. 42-27593-01 (Acuren Inspection)
License No. 42-32443-01 (Acuren USA)

Dear Ms. Browder,

Please allow me to submit this letter requesting an amendment to the Acuren Inspection, and Acuren USA NRC Radioactive Materials Licenses.

Please remove Mr. Chris Dixon as the North RSO for both licenses, and replace him with Mr. Mark Rinke. Mr. Dixon has taken a Division Manager's position in the company, and it will become necessary to replace him with Mr. Rinke due to other job responsibilities.

I have enclosed Mr. Rinke's resume and other certificates of training. Mr. Rinke has been the Site RSO at our Detroit facility for the past seven (7) years.

If you should have any questions or concerns, please call me at anytime. Ph. No: (281) 224-5028

Best Regards,

A handwritten signature in cursive script, appearing to read "Lloyd A. Gray".

Lloyd A. Gray, Director
Radiation Safety & Environmental Compliance
Acuren Inspection, Inc.

lgray@acuren.com

No 471977

Mark J. Rinke

Email: mrinke@acuren.com

Experience/Certifications

MQS Inspection 1984-2000 - Level II Visual, Liquid Penetrant,
Ultrasonic, Magnetic Particle, and Radiography
(X-ray and Gamma).

US Inspection Services 2000- Present
/Acuren Inspection - Level III Visual, Liquid Penetrant,
Magnetic Particle and Radiography. (X-ray and Gamma).
Level II – Ultrasonic (Contact) weld Inspection

Current Facility Radiation Safety Officer for Acurens Detroit Region

Education

Grosse Pointe South HS 1977 High School Diploma

MQS Inspection –

1984 - 24 hrs. Magnetic Particle II
16 hrs. Liquid Penetrant II
1985 - 40 hrs. Ultrasonic Level I
1987 - 40 hrs. Ultrasonic Level II
1995 - 80 hrs. Radiography I & II
1997 - 24 hrs. Visual II

American Welding Society -

2000 – 40 hrs. Visual (CWI)

US Inspection Services –

2003 – 8 hrs. Magnetic Particle II
16 hrs. Liquid Penetrant II

AEA –

2003 – “Administration of Isotope Radiation Safety Programs”
“Inspection and Maintenance of Industrial Radiographic Equipment”

SENTINEL™


hereby certifies

Mark J. Rinke

has successfully completed a seminar on the
"Administration of Isotope Radiography Safety Programs"

ATTESTED: 11 Dec 2003

Course Duration: 16 Hours


Cathleen M. Roughan
Regulatory Affairs and Quality Assurance
Manager


Robert L. Kelly
Technical Manager



SENTINEL™

hereby certifies

Mark J. Rinke

has successfully completed a seminar on the
"Inspection and Maintenance of Industrial Radiography Equipment"

ATTESTED: 09 Dec 2003

Course Duration: 16 Hours

Cathleen M. Roughan

Cathleen M. Roughan
Regulatory Affairs and Quality Assurance
Manager

Robert L. Kelly

Robert L. Kelly
Technical Manager






**Cargo
Training
International**

**This is to certify that
MARK J. RINKE**

**Has successfully completed a training
course in
*Radioactive Materials by Air***

**Complies with International Civil Aviation Organization (ICAO) and
Department of Transportation (DOT) 49 CFR section 172.704 (a)(1)
including the General Security Awareness 172.704(a)(4)**

Trained and tested by

Oliver L. Brown

Date Of Course
8 June 07

Course Director for
Cargo Training International
P.O. Box 580026
Houston, TX 77258-0026

Certificate expires in 24 months from this date.
Certification Number R -11



The American Society for Nondestructive Testing

AR: X-Ray Only

RA: Radioactive Materials

BO: Both X-Ray and
Radioactive Materials

Questions? Contact ASNT

ASNT
1714 Kingsgate Lane
P.O. Box 28518
Columbus, OH 43228-0518

Tel: (614) 274-6003
(800) 222-2788 (US / Canada)
Fax: (614) 274-6000
Web: www.asnt.org

Expiration dates given in mm/yy format. Certifications expire on the last day of the month indicated. This card remains the property of ASNT and shall be returned to ASNT upon demand. "IRRSF" and the globe logo are trademarks of ASNT. All rights reserved.

The American Society for Nondestructive Testing

Mark J Rinke

has met the heretofore published ASNT requirements for certification in the

**Industrial Radiographer
Radiation Safety Program**

in the method indicated:

Method	Expiration Date
BO	04/09

(See reverse side for method descriptions)

James W. Hoff
ASNT Technical Services Manager



10178

Certificate No.

Mark J Rinke
Certificate Holder

US INSPECTION SERVICES

NDE & Metallurgical Services

NDE EXPERIENCE RESUME

NAME: Mark J. Rinke SOCIAL SECURITY _____

Company, City and State	Test Method	SNT Level	Duties	Experience (Time)
US Inspection Services, Rochester, MI. From: 01/15/2000 To: 10/19/2007	MT	III	Technician/Supervisor	>1000hrs/10+yrs*
	PT	III	Technician/Supervisor	>1000hrs/10+yrs*
	UT	II	Technician/Supervisor	>2000hrs
	RT	III	Technician/Supervisor	>2000hrs/7+yrs*
	VT	III	Technician/Supervisor	>1000hrs/4+yrs*
	ET			

* Denotes years experience as a Level II technician

Company, City and State	Test Method	SNT Level	Duties	Experience (Time)
MQS Inspection Services, Rochester Hills, MI. From: 04/15/1984 To: 01/15/2000	MT	II	Technician	>1000hrs
	PT	II	Technician	>1000hrs
	UT	II	Technician	>2000hrs
	RT	II	Technician	>2000hrs
	VT	II	Technician	>1000hrs
	ET			

Company, City and State	Test Method	SNT Level	Duties	Experience (Time)
From: To:	MT			
	PT			
	UT			
	RT			
	VT			
	ET			

The above experience and level of certification has been confirmed.

ADG

NDE LEVEL III EXAMINER

DATE: 10/19/2007

EDUCATION AND NDE TRAINING RESUME

NAME: Mark J. Rinke SOCIAL SECURITY #

EDUCATION	DATES		SCHOOL NAME AND LOCATION	DEGREE
	FROM	TO		
High School	1973	1977	Grosse Pointe South High School Grosse Pointe Farms, MI	Yes
College or University	1977	1979	Wayne State University, Detroit, MI	No
Technical or Training School	1984	2007	See Below	N/A

NDE TRAINING HOURS

COMPANY/TRAINING SCHOOL	RT	UT	MT	PT	ET	VT	TYPE/ INSTRUCTOR
DATE: MQS Insp. 12/14/1984			24				Classroom/Lab
DATE: MQS Insp. 12/14/1984				16			Classroom/Lab
DATE: MQS Insp. 06/07/1985		40					Classroom/Lab
DATE: MQS Insp. 02/06/1987		40					Classroom/Lab
DATE: MQS Insp. 01/27/1995	80						Classroom/Lab
DATE: MQS Insp. 04/10/1997						24	Classroom/Lab
DATE: American Welding Society 06/09/2000						40	Classroom/Lab
DATE: US Inspection Services 05/11/03			8				Classroom/Lab
DATE: US Inspection Services 06/18/03				16			Classroom/Lab
DATE: Hellier Technical 12/21/06		40					Classroom/Lab
DATE: Davis NDE, Inc. 01/12/07		40					Classroom/Lab

The above training, as documented, has been confirmed.



NDE LEVEL III EXAMINER

Date Issued: 1/23/07

ACCEPTANCE REVIEW MEMO (ARM)

Licensee: Acuren USA

License No.: 42-32443-01

Docket No.: 030-36217

Mail Control No.: 471977

Type of Action: Amend

Date of Requested Action: 09-29-08

Reviewer Assigned:

ARM reviewer(s): Cook

Response	Deficiencies Noted During Acceptance Review
	<input type="checkbox"/> Open ended possession limits. Submit inventory. Limit possession. <input type="checkbox"/> Submit copies of latest leak test results. <input type="checkbox"/> Add IC L.C./Fingerprint LC, add SUNSI markings to license. <input type="checkbox"/> Confirm with licensee if they have NARM material.

Reviewer's Initials: _____

Date: _____

- Yes No Request for unrestricted release Group 2 or >. Consult with Bravo Branch.
 Yes No Termination request < 90 days from date of expiration
 Yes No Expedite (medical emergency, no RSO, location of use/storage not on license, RAM in possession not on license, other)
 Yes No TAR needed to complete action.

Branch Chief's and/or HP's Initials: _____ **Date:** _____

SUNSI Screening according to RIS 2005-31

Yes No **Sensitive and Non-Publicly Available** if any item below is checked

General guidance:

- _____ RAM = or > than Category 3 (Table 1, RIS 2005-31), use Unity Rule
- _____ Exact location of RAM [suite #, bldg. #, location different from mailing address] (whether = or > than Category 3 or not)
- _____ Design of structure and/or equipment (site specific)
- _____ Information on nearby facilities
- _____ Detailed design drawings and/or performance information
- _____ Emergency planning and/or fire protection systems

Specific guidance for medical, industrial and academic (above Category 3):

- _____ RAM quantities and inventory
- _____ Manufacturer's name and model number of sealed sources & devices
- _____ Site drawings with exact location of RAM, description of facility
- _____ RAM security program information (locks, alarms, etc.)
- _____ Emergency Plan specifics (routes to/from RAM, response to security events)
- _____ Vulnerability/security assessment/accident-safety analysis/risk assess
- _____ Mailing lists related to security response

NOV - 5 2008

Branch Chief's and/or HP's Initials: RTC _____ **Date:** _____

NOV - 6 2008

DATE

This is to acknowledge the receipt of your letter/application dated 9-29-08, and to inform you that the initial processing, which includes an administrative review, has been performed.

There were no administrative omissions. Your application will be assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card:

The action you requested is normally processed within 90 days.

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 471977.
When calling to inquire about this action, please refer to this mail control number.
You may call me at 817-860-8103.

Sincerely,


Glenn Murahan
Licensing Assistant

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

: (FOR LFMS USE)
: INFORMATION FROM LTS
: -----
:
: Program Code: 03320
: Status Code: 0
: Fee Category: 30 EX 2B
: Exp. Date: 20120930
: Fee Comments:
: Decom Fin Assur Reqd: N
: ::

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
Applicant/Licensee: ACUREN USA
Received Date: 20080930
Docket No: 3036217
Control No.: 471977
License No.: 42-32443-01
Action Type: Amendment

2. FEE ATTACHED
Amount: _____
Check No.: /

3. COMMENTS

Signed Colleen Murnahan
Date 10-30-08

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered /_/_/)



1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:
Amendment _____
Renewal _____
License _____

3. OTHER _____

Signed _____
Date _____

https://www.ups.com/cship/create?ActionOriginPair=print__PrinterPage&P... 9/29/2008

LORRAINE RAY (903)753-2375 ACUREN INSPECTION - LONGVIEW 405 NORTH EASTMAN ROAD LONGVIEW TX 75601		LTR	1 OF 1
SHIP TO: RACHEL S. BROWDER TEXAS HEALTH RESOURCES TOWER USNRC REGION IV 612 E. LAMAR BLVD SUITE 400 NUCLEAR MATERIALS LICENSING SECTION ARLINGTON TX 76011-4125			
	TX 760 0-10 		
UPS NEXT DAY AIR		1	
TRACKING #: 1Z EW8 851 01 9602 6164			
			
BILLING: P/P			
CS 10.6.07. WXP1E60 82.0A 08/2008		 TM	

471977