

Docket File Information
SAFETY INSPECTION REPORT
AND COMPLIANCE INSPECTION

1. LICENSEE Greater Flint Imaging REPORT NUMBER(S) 2008-001		2. NRC/REGIONAL OFFICE Region III 2443 Warrenville Road Lisle, IL 60532	
3. DOCKET NUMBER(S) 03018247	4. LICENSE NUMBER(S) 21-20320-01	5. DATE(S) OF INSPECTION 11/3/08	
6. INSPECTION PROCEDURES USED 87130	7. INSPECTION FOCUS AREAS 03.01-03.07		

SUPPLEMENTAL INSPECTION INFORMATION

1. PROGRAM CODE(S) 2200	2. PRIORITY 3	3. LICENSEE CONTACT Apparao Mukkamela	4. TELEPHONE NUMBER 810/235-0668
-----------------------------------	-------------------------	---	--

Main Office Inspection Next Inspection Date: 11/2011

Field Office _____

Temporary Job Site _____

PROGRAM SCOPE

Licensee is a nuclear medicine clinic located in Flint, Michigan. Licensee posses a small sized nuclear medicine program conducting routine imaging and diagnostic procedures. The licensee has one tech who performs approximately 5 procedures per day. This licensee receives its radiopharmaceuticals in the form of unit doses from G E Health.

Performance Observations

The inspector toured the facilities and interviewed authorized users/staff members. Each appeared knowledgeable in radiation safety and isotope handling techniques. Package receipt procedures were demonstrated for the inspector as well as rad waste handling practices. Independent surveys by the inspector did not detect any abnormal readings.

The inspector observed the nuclear medicine staff perform injections of radiopharmaceuticals. Techniques employed by the staff demonstrated good handling practices as well as adequate knowledge of radiation safety.

No violations of NRC requirements were noted.

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED:

Greater Flint Imaging
6-1071 N Ballenger Highway
Flint, MI 48504

REPORT NUMBER(S) 2008001

2. NRC/REGIONAL OFFICE

REGION III
US NUCLEAR REGULATORY COMMISSION
2443 WARRENVILLE ROAD
LISLE IL 60532

3. DOCKET NUMBER(S)

03018247

4. LICENSE NUMBER(S)

21-20320-01

5. DATE(S) OF INSPECTION

11/3/08

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- 1. Based on the inspection findings, no violations were identified.
- 2. Previous violation(s) closed.
- 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, NUREG-1600, to exercise discretion, were satisfied.

_____ non-cited violation(s) were discussed involving the following requirement(s):

- 4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11.

(Violations and Corrective Actions)

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the Inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

TITLE	PRINTED NAME	SIGNATURE	DATE
LICENSEE			
NRC INSPECTOR	G. Park		11/3/08