| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, STUD, B7, 3/4" X 3-3/4" | 85FK3730595 | B & B BOLT & SCREW CO INC | V | |
| BOLT, STUD, B7, 3/4" X 3-3/4" PARTS TYPE 316 STAINLESS | 85FCB737283 | B & B BOLT & SCREW CO INC STEEL, ONE MOVING PART, METAL TO METAL SEALS, PRESSURES TO | V | |
| BOLT, STUD, B7, 3/4" X 4-1/2" | 85FK3730595 | B & B BOLT & SCREW CO INC | V | |
| BOLT, STUD, B7, 3/4" X 4-3/4" D22TT, SIZE 1", SCREW ENDS, | 85FBF737641 | B & B BOLT & SCREW CO INC TEFLON SEATS AND SEALS, DRILL UP STREAM SIDE OF BALL, FOR | V | |
| BOLT, STUD, B7, 5/8" X 3-1/2",5307-00134:JZ 025 ELECTRICAL, SELF-FUSING | 85FCF737503 | CROWN FASTNERS SILICON RUBBER FRAMES. | | 0 |
| BOLT, STUD, B7, 5/8" X 3-1/4" | 85FK3730595 | B & B BOLT & SCREW CO INC | V | |
| BOLT, STUD, B7, 5/8" X 3" | 85FK3730595 | B & B BOLT & SCREW CO INC | V | |
| BOLT, STUD, B7, 7/8" X 6" PARTS TYPE 316 STAINLESS | 85FCB737283 | B & B BOLT & SCREW CO INC STEEL, ONE MOVING PART, METAL TO METAL SEALS, PRESSURES TO | V | |
| BOLT, STUD, CARBON STEEL, ASMESA193, GRADE B6, 5/8" - 11 X 6-1/2" LONG, UNC-2A THREADS. SA-193, GRADE B8, ASME SEC | 85PK3451226 | GUYON ALLOYS INC III, CLASS MC (NE-2000). K. ASHBURN | V | |
| BOLT, STUD, COLD DRAWN STEEL, HEAT TREATED, ASTM A-193, GRAD E B-7, W/2 EA. HEX NUTS, 5/8" X 2-1/2", 2605 | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| BOLT, STUD, COLD DRAWN STEEL, HEAT TREATED, ASTM A-193, GRAD E B-7, 5/8 X 2-1/2"W/2 EA. GR. 2-H HEAVY HEX NUTS | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, COLD DRAWN STEEL, HEAT TREATED, ASTM A193, GRADE B-7, W/2 GR. 2-H NUTS, 1/2" X 3" | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, COLD DRAWN STEEL, 1 X 5", ASTM A-193, HEAT TREAT ED, GRADE B-7. IGH TEMPERATURE, SPEC. A-193-49T | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, CONT. THD., HT, 1-1/8" - 8 THD. X 6-3/4", ASTM SPEC. A-193, B-7 LG 1.0 IN., ZINC PLATED ANSI | 86PCE35203501 B182.1 - 1972. | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, STUD, CONT. THD., HT, 1-3/4" X 11", ASTM SPEC A-193, B7 WITHOUT NUTS | 87PCD378643 350,000, 1/8" X 60" X 60" | FASTENER HOUSE RESIN BOND SILICON CARBIDE | V | |
| BOLT, STUD, CONT. THREAD, 7/8 IN.-9 UNC X 13 IN., C. S., PLAIN FINISH, ASMT A-449 TYPE 1 | 87PJR380601 12-75-1020W AND/OR DWG | SOUTHERN BOLT & FASTENER L-61727, MODEL D-4E | V | |
| BOLT, STUD, CONT., THD., 1-1/2IN. X 9-1/2 IN, HT, ASTM SPEC. A-193, B7, WITHOUT NUTS WITHOUT NUTS | 87PCD378643 350,000, 1/8" X 60" X 60" | FASTENER HOUSE RESIN BOND SILICON CARBIDE | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, STUD, CONTINUOUS THD, ALLOY, HT, UNC, ASTM-A-193, GRADE B-7, PKG. W/O NUTS, IN | 84PK1951512 | ATLAS BOLT COMPANY INC | V | |
| BOLT, STUD, GRADE B-7, 7/8" X 5, STD. THREAD STAINLESS STEEL, MS-211. | 87FCF00447A | EAGLE FASTENER | | |
| | 8M-211 | S/S SCRU-SEAL CLAMP | | |
| BOLT, STUD, HEAT TREATED STEEL, ASTM A-193, GRADE B-7, 5/8 X 2". 2-H HEAVY HEX NUTS | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED STEEL, 1 X 3". 193-49T, W/2 EA. HEX NUTS, GRADE B-7 | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED STEEL, 1/2 X 2". 2-H HEAVY HEX NUTS | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED STEEL, 3/4 X 3". 3" | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED STEEL, 5/8" X 3", ASTM A-193, B-7, X 2-1/2", 2605 | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| 2605-A | | | | |
| BOLT, STUD, HEAT TREATED STEEL, 7/8 X 4". 193-49T, W/2 EA. HEX NUTS, GRADE B-7 | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED STL, 5/8" X 2", ASTM A-193, GRADE B THREAD, NC, HIGH TEMPERATURE, W/2 EA. HEX NUTS, 2602-A | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| -7, 2604-A | | | | |
| BOLT, STUD, HEAT TREATED, ASTMA-193, GRADE B-7, 1/2" X 3", W/2 EA. GRADE 2H HEAVY HEX | 85PK3361554 | B & B BOLT & SCREW CO INC | V | |
| BOLT, STUD, HEAT TREATED, LESS NUT, 3/4 X 3-1/4". 3" | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED, STEEL, ASTM A-193, GRADE B-7, 5/8 X 3". , NC, HIGH TEMPERATURE, SPEC. A-193-49T, W/2 EA. | 83PK3929075 | CUMBERLAND BOLT & SCREW HEX NUTS, GRADE B-7- H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HEAT TREATED, 7/8 X 6-1/2", FULL LENGTH THREAD, NC, HIGH TEMPERATURE, SPEC. A-193-49T, W/2 EA. HEX NUTS, GRADE B-7 | 83PK3929075 | CUMBERLAND BOLT & SCREW - H, GRAY - A, LIGHT G | V | |
| BOLT, STUD, HT, NC THD., GRADEB7, ASTM-193, CONTINUOUS THEADS, 3/4" X 6-1/2" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD., GRADEB7, ASTM-193, CONTINUOUS THEADS, 7/8" X 7" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD., GRADEB7, ASTM-193, CONTINUOUS THREADS, 1-1/2" X 9-1/2" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD., GRADEB7, ASTM-193, CONTINUOUS THREADS, 3/4" X 5-1/2" | 86PCF369596 | A & C SALES | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, STUD, HT, NC THD, GRADE B7, ASTM-193, CONTINUOUS THEADS, 3/4" X 5" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD, GRADE B7, ASTM-193, CONTINUOUS THEADS, 5/8" X 3" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD, GRADE B7, ASTM-193, CONTINUOUS THREADS, 1-3/4" X 11" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, HT, NC THD, GRADE B7, ASTM-193, CONTINUOUS THREADS, 1/2" X 3-1/2" | 86PCF369596 | A & C SALES | V | |
| BOLT, STUD, PLAIN ALLOY, THREADED FULL LENGTH, UNC-2A THREAD , WITHOUT NUTS, ASTM A-193, GRADE B7, 1/2 X 2-1/2" | 83PK3930901 | CHALLENGE SUPPLY INC NICHOLSON | V | |
| BOLT, STUD, PLAIN, ALLOY, THREADED FULL LENGTH, NC THREADS, WITHOUT NUTS, ASTM | 83PK3940055 | SURE LOC INC | V | |
| BOLT, STUD, PLAIN, ALLOY, THREADED FULL LENGTH, UNC-2, WITHOUT NUTS, ASTM A -193, 7/8 | 83PK3940055 | SURE LOC INC | V | |
| BOLT, STUD, WITH 2 EACH NUTS, GRADE B-14, THREADED ENTIRE LENGTH, 1-1/8"-8 THREAD X 7-1/2" LONG, CRANE TIMPLEX STEEL. SUBSTITUTE; FITTINGS ARE TO BE | 84PK6949556 | CHALLENGE SUPPLY INC | V | |
| BOLT, STUD, 1-1/4" X 9", ALLOY STEEL B-7 CONTINUOUS THREAD, GRADE 2H THREAD PROCUREMENT DOCUMENT NUMBER, ITEM NUMBER, AND PART NUMBER, | 85PCE357469 | QUALITY FASTENERS | V | 0 |
| BOLT, STUD, 1/2" X 2-1/2", CRANE TEMPLEX STEEL, GRADE B-7 BOLTING, ASTM A-193, FULL | 85PK3351943 | SURE LOC INC | V | |
| BOLT, STUD, 1/2" X 2-1/2", CRANE TEMPLEX STEEL, GRADE B-7 BOLTING, ASTM A-193, FULL | 85PK3351943 | SURE LOC INC | V | 0 |
| BOLT, STUD, 1/2" X 3", HEAT TREATED, ASTM A-193, GRADE B-7, W/2 GR. 2-H HEAVY HEX NUTS,, 2604 | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| BOLT, STUD, 1/2" Z 2-1/2", ALLOY STEEL, HEAT TREATED, ASTM A -193, GRADE B-7, 2603-A | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| BOLT, STUD, 3/4 X 4 1/2, B-7, CRANE TEMPLEX STEEL, ASTM A-193, FULL LENGTH LG 1.0 IN., ZINC PLATED ANSI B182.1 - 1972. | 86PCE35203501 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, STUD, 3/4 X 6-1/2", B-7 (2), GRADE 2H, CONTINUOUS THREAD. NOTE: THE MANUFACTURER OR SUPPLIER SHALL PROVIDE A | 85PK3357442 | BOLTS & NUTS INC | V | |
| BOLT, STUD, 3/4" X 4", CRANE TEMPLEX STEEL, GRADE B-7 BOLTING, ASTM-A193, FULL LGTH.NC THD. RPM WASHER, LOCK, PKGD, IN THE | 85PK3966168 | BOLTS & NUTS INC | V | |
| BOLT, STUD, 316 S.S., 1" X 7-1/2" FULL THREADED Y. LACKEY AND STEVE MEDWID, THE QUANTITY AND UNIT CHARACTERS | 86FCF748569 | A & C SALES | V | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, STUD, 5/8" X 3-1/2", LENGTH NC THD., CLASS 2H | GRADE B-7, ASTM-A193, FULL WITHOUT NUTS | 87PCD378643 350,000, 1/8" X 60" X 60" | FASTENER HOUSE RESIN BOND SILICON CARBIDE | V | |
| BOLT, STUD, 5/8" X 4-1/2" NC THREAD | STEEL, ASTM-A193 FULL LENGTH 4" X 2" X 3/4", OR EQUAL | 85PK3966168 RPM | BOLTS & NUTS INC WASHER, LOCK, PKGD, IN THE | V | |
| BOLT, STUD, 5/8" X 4" LONG, WITH 2 EA. HEX NUTS, ASME | ASME SA-193, GRADE B7, SA-194, GRADE 7 | 84PK3943889 FIELD SERVICES GROUP 83-2987 | R.E.C. . | | |
| BOLT, STUD, 5/8" X 4", STEEL, LENGTH NC THREAD | BOLTING, ASTM A-193, FULL LG 1.0 IN., ZINC PLATED ANSI | 86PCE35203501 B182.1 - 1972. | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, STUD, 5/8" X 5", CRANE BOLTING, ASTM A193, FULL- | TEMPLEX STEEL, GRADE B-7 LENGTH NC THREAD | 86PCE35203501 B182.1 - 1972. | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, STUD, 7/8 - 9 X 4" LONG, CONTINUOUS THREAD, PKG | ALLOY B-7, GRADE 2H, 2-2H NUTS ASSEMBLED | 85PK3357311 TYPE A, CLASS A, PLAIN FINISH NPT, FORGED, | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, STUD, B7, 5/8" X 3-1/2" | | 85FK3730595 | B & B BOLT & SCREW CO INC | V | |
| BOLT, TAP, HEX HEAD, STD PLATED LOW CARBON STEEL, GRADE2, MINIMUM TENSILE STRENGTH | STRENGTH, FULLY THREADED, ZINC | 87PCE46312A 13 UNC 1/2-INCH BOLT, 3-INCHES | MCMASTER-CARR | | |
| BOLT, TEE, 3/4 -10 X 6 1/2 | | 87PCE43281A PT. OF MANUF- COBALT, ONTARIO 50 POUND BAGS OF PART "C" | DASHECO INC. | | |
| BOLT, THIMBLEYE, ANGLE TYPE, HOT-DIPPED GALVANIZED, JOSLYN | WITH NUT, 5/8" X 14", MANUFACTURING AND SUPPLY | 88NCE74177A COMPANY NO. J8153, OR EQUAL. | MILLS & LUPTON SUPPLY CO | V | |
| BOLT, THREAD, SIZE 1/4 -20 P/N 54300F13 FOR ITE 7.5 HK- | UNC-2A X 0.5 IN. LONG, ITE 500 BREAKER | 87NJR48380A DESIGN, WORKMANSHIP AND QUALITY AS ORIGINALLY FURNISHED TO | BBC BROWN BOVERI INC | V | |
| BOLT, TOGGLE 1/4" X 4" | WHEELS. | 85PCB352470 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT, TOGGLE, CARBON STEEL, 20, UNC, FASTENER LG 3.0 IN, | NOMINAL DIA .25 IN, THREAD WITH 2 PIECE SRING WING. | 88PEE58311B APPROX. 50 EA PER BOX | BARRETT MFG. CO. | | 0 |
| BOLT, TOGGLE, MUSHROOM HEAD, FASTNER 3", INTERIOR DRIVE | SLOTTED, STEEL, NOM. DIA. 18" STYLE SLOT, SEATED | 88KTD17192A 5345-00-292231A MANF. STICK & STONE UNLIMITED P/N SJP-13 | ATLAS SCREW | | |
| BOLT, TOGGLE, RD BOLT HEAD, | TWO PIECE WINGS 1/4 X 4" 1/4 X 3" | 85PK195899301 | CHALLENGE SUPPLY INC | V | |
| BOLT, TOGGLE, RD BOLT HEAD, | TWO PIECE WINGS, 1/4 X 3" 4" X 2" X 3/4" OR EQUAL | 84PK3955202 . | CHALLENGE SUPPLY INC SAFE OPERATING SPEED MUST BE | V | |
| BOLT, TOGGLE, RD BOLT HEAD, 1/4 X 6". | TWO PIECE WINGS, 50/BOX, TYPE A | 85PL7360548 THE FOLLOWING MOTOR IS FOR THE PIPE THREADING MACHING. THE | DIAMOND | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, TOGGLE, RD. BOLT HEAD, (50/BX) | TWO PIECE WINGS, 1/4 X 3" 1-1/2 X 5" | 87PCF32276A PLATED, TYPE A | KNOXVILLE BOLT & SCREW 0.375 IN | V | |
| BOLT, TOGGLE, ROUND HEAD, | N.C. THREADS, SIZE 3/16" X 4". | 87PCE31000A PT.OF MANUF- MOUNTAINVILLE,NY SUPPLIED WITH HOLE ON TOP, | STAR EXP. | | 0 |
| BOLT, TOGGLE, ROUND HEAD, | 1/4" X 3". | 85PK3352205 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, TOGGLE, SPRING WING TYPE (50 PER BOX) | ROUND HEAD, 3/16 IN X 3 IN | 85PK3359380 | CHALLENGE SUPPLY INC | V | |
| BOLT, TOGGLE, STEEL MACHING STYLE | SCREW, 1/4" X 2-3/4", BOLT SPAN = 1.0 TO 1.3 TEMPERATURE | 84PK6953778 RANGE = 32 DEG F TO 100 DEG F PIPE DIAMETER = 415 INCHES | CHALLENGE SUPPLY INC | V | |
| BOLT, TOGGLE, STEEL, 1/8" X 3" | SPAN = 1.0 TO 1.3 TEMPERATURE | 84PK6953778 RANGE = 32 DEG F TO 100 DEG F PIPE DIAMETER = 415 INCHES | CHALLENGE SUPPLY INC | V | |
| BOLT, TOGGLE, TUMB-L-TITE #7 TOGGLE BOLT (STANDARD) | DISCONTINUED QUOTING #10 | 85PK7966193 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, TOGGLE, ZINC PLATED, 50 PER BOX | W/MUSHROOM HEAD, 1/4" X 4", EQUAL | 85KL471582301 INCURRED FOR PARTS AND/OR | DICK WRIGHT HARDWARE CO LABOR. MACHINES LOCATED AT | V | |
| BOLT, TOGGLE, 1/2-INCH X 6-INCH SIZE. | | 82PK5196742 | B & B BOLT & SCREW CO INC | V | |
| BOLT, TOGGLE, 1/4" X 4", FLAT HEAD | | 88PCE35950B PT OF MANUF- CHICAGO, IL | BARRETT MFG. CO. | | |
| BOLT, TOGGLE, 1/4" X 4", ROUNDHEAD, SPRING, 50 PER BOX | | 88PCE35950B PT OF MANUF- CHICAGO, IL | U S ANCHOR | | |
| BOLT, TOGGLE, 1/4" X 4", STEEL PIECE SHEETMETAL TUMBLE WING, ROUND BOLTHEAD. | MACHINE SCREW BOLT STYLE ONE | 84PK6953778 RANGE = 32 DEG F TO 100 DEG F PIPE DIAMETER = 415 INCHES | CHALLENGE SUPPLY INC | V | |
| BOLT, TOGGLE, 1/4" X 4", 2693-B | X 2-1/2", 2605 | 83PK3929150 | B & B BOLT & SCREW CO INC REFERENCE TVA DWG. 47W | V | |
| BOLT, TOGGLE, 1/4" X 6", STAR ROUND HEAD | SPRINGIN" SPRING-WING TYPE F, | 88PCE35950B | STAR EXPANSION | | |
| BOLT, TOGGLE, 3/16" X 4" | | 84PK3951316 | VICTORY BOLT | V | |
| BOLT, TOGGLE, 5/16"-18 UNC 2 | A X 3" LG, CARBON STEEL" | 87NNQ32747B | ENERGY STEEL & SUPPLY CO | V | |
| BOLT, TUBE EXTRACTOR, HEAD, NC, THREADED 8 INCH | 7/8 IN DIA X 8 IN LONG, HEX UNDER HEAD, LAMALLOY L-9, OR | 88PCE33813B GRADE 8 | DARLING BOLT | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, U TYPE, 1",1/4" OR 5/16"DIA. | MATCH FOR THE PURPOSE OF WELDING TO ITEM 5. | 86PBA455734 | HENRY A PETTER SUPPLY CO PURPOSE OF WELDING TO ITEM 5. | V | |
| BOLT, U, GALVANIZED, W/HEX NUTS, FEDERAL SPECS | 1/2P X 1/4THD X 1-3/4L, | 84PK394812202 | VICTORY BOLT | V | |
| BOLT, U, GALVANIZED, W/HEX 24, 3/8P X 1/4 THD X 1-1/4 L | NUTS, FED SPEC. WW-H171D, TYPE | 85PCE366489 | CHALLENGE SUPPLY INC OPERATIONAL QUALITY ASSURANCE | V | |
| BOLT, U, GALVANIZED, W/HEX WW-H-171D, TYPE 24, CARBON | NUTS, FEDERAL SPECIFICATION STEEL, 1-1/4P X 1/4 THD X 2-3/4L | 85PK3959293 | SURE LOC INC | V | 0 |
| BOLT, U, GALVANIZED, W/HEX WW-H-171D, TYPE 24, CARBON | NUTS, FEDERAL SPECIFICATION STEEL, 2-1/2P X 1/2 THD X 4-1/2 L | 85PK3959293 | SURE LOC INC | V | 0 |
| BOLT, U, GALVANIZED, W/HEX WW-H-171D, TYPE 24, CARBON | NUTS, FEDERAL SPECIFICATION STEEL, 2P X 3/8 TH X 3-5/8 LG CAT. #3015-4000, 1/4 IN X 4 IN100 PER BOX. | 84PK393805601 | CHALLENGE SUPPLY INC | V | 3 |
| BOLT, U, GALVANIZED, W/HEX WW-H-171D, TYPE 24, CARBON | NUTS, FEDERAL SPECIICATION STEEL, 2-1/2P X 3/8TH X 4-1/8 LG | 85PK3360915 | SOUTHEASTERN BOLT & SCREW | V | 3 |
| BOLT, U, STEEL WITH 4 HEX NUTS#137, 1/2" PIPE | | 86PCB369315 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, USS 1/4" X 1 | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS 1/4" X 3/4" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 1/4" X 1 - 1/4" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 1/4" X 2" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 3/4 X 2 - 1/2" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 3/8" X 1 - 1/2" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 3/8" X 1 - 1/4" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 3/8" X 3/4" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |
| BOLT, USS, 5/16 X 1" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., MCMASTER- | 87PCE30608B | | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, USS, 5/16" X 1 - 1/2" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., | 87PCE30608B | | MCMASTER- | |
| BOLT, USS, 5/16" X 3" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., | 87PCE30608B | | MCMASTER- | |
| BOLT, USS, 7/16" X 1 - 3/4" | OTTED BOLT 1-3/4" X 2-7/8" TO 1-3/4" X 3", BOLT SIZE 5/16", CAPACITY 275 LBS., | 87PCE30608B | | MCMASTER- | |
| BOLT, WEDGE, ITT PHILLIPS, | CARBON STEEL, AS FOLLOWS: | 84PK3353976 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, ZINC CHROMATE, PLATED, | 3/4 X 4 1/2" NC<br>4" X 2" X 3/4" OR EQUAL | 84PK3955292 | KNOXVILLE BOLT & SCREW<br>SAFE OPERATING SPEED MUST BE | V | |
| BOLT, ZINC CHROMATE, PLATED, | 3/4" X 4-1/2", NC<br>PARKER HANNIFIN 48F4-4 | 84PK4949383<br>PARKER HANNIFIN 159F4-4 | KNOXVILLE BOLT & SCREW<br>MALE HEX, NIPPLE, 1/4" | V | |
| BOLT, 0.375-16 UNC-2A X<br>FOR ITE 7.5HK-500 BREAKER | 1.5 IN. LONG, ITE P/N 54314H13<br>500 BREAKER | 87NJR48380A<br>DESIGN, WORKMANSHIP AND QUALITY AS ORIGINALLY FURNISHED TO | BBC BROWN BOVERI INC | V | |
| BOLT, 0.5 IN - 13 UNC X .75<br>ASTM A 193, GRADE B 8, | IN LONG, ALLOY STEEL<br>FLATHEAD, SLOTTED | 87NJE31858B<br>100 DEG. CSK. | HUB INCORPORATED<br>VOLTS, 3 PHASE. THE UNIT | V | |
| BOLT, 0.875-9 UNC X 4 IN LG,<br>STEEL, ASTM A307 GR A, | MACHINE, SQUARE HEAD, CARBON<br>ANSI B18.2.1 | 88NJL37154A | ENERGY STEEL & SUPPLY CO | V | |
| BOLT, 1 INCH X 6-1/2 INCH NC | THREAD, GRADE 2 | 85PCB453452<br>NOTE: PART # ARE FROM MCMASTER-CARR BOOK | INDUSTRIAL MILL SUPPLY | V | |
| BOLT, 1-1/2-INCH DIAMETER, UNC<br>(WILL ACCEPT GRADE 5). THESE | THREAD, GRADE 8, LENGTH 4-INCH | 85PK3451459 | E & K FASTENERS | V | |
| BOLT, 1-1/8" DIAMETER X 4"<br>WITH HEX HEAD NUTS - CARBON | LONG, HEX HEAD COMPLETE<br>STEEL MATERIAL | 83PK3942539<br>TO THEIR ORIGINAL SPECIFICA- TIONS. SERVICE REPRESENTATIVE | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, 1-1/8" X 4-1/2" CARBON<br>STANDARD THREAD. | STEEL, GRADE 5, SOCKET HEAD | 85PK3969852 | ATLAS BOLT COMPANY INC | V | |
| BOLT, 1-3/4" X 6", WITH NUT,<br>STYLE 41. | FOR 54" VICTAULIC COUPLING, | 85PCE352492 | CHALLENGE SUPPLY INC<br>INITIAL STOCK | V | 0 |
| BOLT, 1/2 X 2 1/4 | MODULE, 230 MM. | 85KCD720378<br>ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW<br>STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/2 X 3/4" | MODULE, 230 MM. | 85KCD720378<br>ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW<br>STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/2-INCH X 1-1/2-INCH, | WITH NUTS | 85PK3965011 | MID SOUTH BOLT & SCREW | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, 1/2" - 13 UNC X 3", HEX, | ASTM A193, GRADE B7, STEEL. HIGH PRESSURE SODIUM, 120-VAC, | 85P71358572 | MAJESTIC FASTENERS CO THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | V | 0 |
| BOLT, 1/2" - 13 X 1-1/4", STL., ITEM 13 (BOLTS FOR | PART NO. 1-01F-001-032-012 | 86FCE737797 | ENERGY SERVICES GROUP | V | |
| BOLT, 1/2" X 1-1/2", FLAT HD., CARBON STEEL, GRADE 5, NC 13 | | 86PCE37054601 TPI (SLOTTED) | NONE | | |
| BOLT, 1/2" X 1-3/4" LONG, TO | BE STANDARD A325 TYPE I. | 86KCB74471101 | KNOXVILLE BOLT & SCREW TOTAL SCHEDULE I. | V | |
| BOLT, 1/2" X 10", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 4" | DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES, IN | 85PK3362009 ACCORDANCE WITH ATTACHED TVA | CHALLENGE SUPPLY INC SPEC. 24.026 | V | 0 |
| BOLT, 1/2" X 2-1/4", MACHINE, FERROUS, WITH HEX NUT, TVA | SILICON BRONZE, HEX HEAD, NON- SPECIFICATION 24.023 | 84PK4347532 ANTIMONY 7.0-8.0% | METAL FASTENER SUPPLY CO LEAD 0.35% | V | |
| BOLT, 1/2" X 6", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 3", | DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES, IN | 85PCB366662 ACCORDANCE WITH ATTACHED TVA | T V A SPEC. 24.026, DIXIE NO. D- | | |
| BOLT, 1/4 - 20- 3/4", HEX | HEAD, BLACK IRON "4A H.P. HTR (LCO-6-7B)" 1 EA | 84PK3950667 "4B H.P. HTR (LCO-6-8B)" 1 EA | BOLTS & NUTS INC "8A H.P. HTR. (LCO-6-94B)" | V | 0 |
| BOLT, 1/4 X 1 3/4" | MODULE, 230 MM. | 85KCD720378 ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/4 X 2" | MODULE, 230 MM. | 85KCD720378 ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/4 X 20 X 1/2, HEX | HEAD, BLACK IRON "4A H.P. HTR (LCO-6-7B)" 1 EA | 84PK3950667 "4B H.P. HTR (LCO-6-8B)" 1 EA | BOLTS & NUTS INC "8A H.P. HTR. (LCO-6-94B)" | V | 0 |
| BOLT, 1/4 X 3", STOVE, ROUND | HEAD, WITH SQUARE NUT. SPRAYED ASBESTOS INSULATION. | 86PCF378000 50 PER CASE; FLAME RETARDANT | KNOXVILLE BOLT & SCREW OR EQUAL | V | |
| BOLT, 1/4 X 4 1/2" | MODULE, 230 MM. | 85KCD720378 ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/4 X 5" | MODULE, 230 MM. | 85KCD720378 ROAD, NORRIS, TN 37828 , A | KNOXVILLE BOLT & SCREW STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 1/4" - 2 OUNC X 2", HEX, | ASTM A193, GRADE B7, STEEL. HIGH PRESSURE SODIUM, 120-VAC, | 85P71358572 | MAJESTIC FASTENERS CO THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | V | 0 |
| BOLT, 1/4" - 20 UNC-2A X 10", GR. A, ZINC PLATED, AND PER | SAE, J429, GR-2 OR ASTM A307 | 85PK3969664 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, 1" - 8 UNC X 4", HEX, | ASTM A193, GRADE B7, STEEL. HIGH PRESSURE SODIUM, 120-VAC, | 85P71358572 | MAJESTIC FASTENERS CO THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | V | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, 1" DIA. X 2-1/2" LONG, A490 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 1" DIA. X 2-3/4" LONG, A490 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 1" DIA. X 3-1/2" LONG, A490 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 1" DIA. X 3-1/4" LONG, A490 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 1" X K-3/4", HEAVY AMERICAN STD., NC, FOR B & W PULVERIZER | 82PK3189030 | CHALLENGE SUPPLY INC | V | |
| BOLT, 1" X 2 1/2", HEX HEAD, CAP SCREW (B-70 UNC 8 THREADS PER INCH | 84PK1959072 | CHALLENGE SUPPLY INC | V | |
| BOLT, 1" X 2-1/2", HEX HEAD CAP SCREW, (B-7), UNC 8 THREADS PER INCH | 83PK3341811 | SURE LOC INC | V | |
| BOLT, 1" X 2-1/2", HEX HEAD CAP SCREW, (8-7), UNC & THREADS PER INCH APPROVAL OF TIMESHEETS: THE CONTRACTOR WILL BE RESPONSIBLEFOR MAINTAINING TIMESHEETS FOR | 83PK3940157 | SURE LOC INC | V | |
| BOLT, 1" X 3 3/4", HEX HEAD, CAP SCREW, (B-7) UNC 8 THREADS PER INCH | 84PK1959072 | CHALLENGE SUPPLY INC | V | |
| BOLT, 1" X 3-3/4", HEX HEAD CAP SCREW, (B-7), UNC 8 THREADS PER INCH | 83PK3341811 | SURE LOC INC | V | |
| BOLT, 1" X 3-3/4", HEX HEAD, CAP SCREW, (8-7), UNC & THREADS PER INCH APPROVAL OF TIMESHEETS: THE CONTRACTOR WILL BE RESPONSIBLEFOR MAINTAINING TIMESHEETS FOR | 83PK3940157 | SURE LOC INC | V | |
| BOLT, 12 PT., 7/16-20 UHF X 1.50" LG. ALLOY STEEL, ZURN P/N 71376-12 | 83PK7934949 | J T SUDDUTH & COMPANY INC | V | |
| BOLT, 3/4 X 2-1/2 IN. HEX HEADASTM A-193 GR. B8 NUCLEAR INCIDENTS . | 88NNR37778B | B & G HIPMENT. | | 0 |
| BOLT, 3/4 X 3 IN. HEX HEAD, ASTM A-193 GR. B8 NUCLEAR INCIDENTS . | 88NNR37778B | B & G HIPMENT. | | 0 |
| BOLT, 3/4 X 3, HEX HD 18-8 S.S. BOLTS NOTE: MUST MEET THE REQUIRE- MENTS OF TVA STANDARD PROCURE- | 85PCE454281 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT, 3/4 X 3" MODULE, 230 MM. ROAD, NORRIS, TN 37828 , A | 85KCD720378 | KNOXVILLE BOLT & SCREW STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 3/4 X 4-1/4 IN. HEX HEADASTM A-193 GR. B8 NUCLEAR INCIDENTS . | 88NNR37778B | B & G HIPMENT. | | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, 3/4-INCH DIAMETER, 10-UNC, 3-1/2 INCH LONG, HEX HEAD, COMPLETE WITH HEX NUTS AND FLAT WASHERS, TYPE 316 STAINLESS STEEL | 83PK4941287 | CHATTANOOGA BOLT & SCREW SERVICE SHOPS HAS REPAIR PARTS | V | |
| BOLT, 3/4-10 X 3 IN HEAVY HEX BOLTS, SAE J429, GRADE 5 OR BETTER, CARBON STEEL OPERATIONAL QUALITY ASSURANCE LEVEL 111 IS ASSIGNED TO | 84PK3948267 | BOLTS & NUTS INC | V | |
| BOLT, 3/4" - 10 UNC X 4", HEX, ASTM A193, GRADE B7, STEEL, HIGH PRESSURE SODIUM, 120-VAC, THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | 85P71358572 | MAJESTIC FASTENERS CO | V | 0 |
| BOLT, 3/4" DIA X 2-1/4" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2-1/2" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2-1/2" LONG, A325 WITH ONE HEAVY HEX NUT AND ONE HARDEN FLAT WASHER. TRIM. 2" 11/16" THICK, 2-15/16" LENGTH. PPG FALLON OR EQUAL (PPG #02712-008). | 86KCE723045 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2-1/4" LONG, A325, WITH ONE HEAVY HEX NUT AND ONE HARDENED FLAT WASHER. NO. 338 WITH WEDGE-LOCK WELDING CONNECTORS. | 86KCF723094 | MID SOUTH BOLT & SCREW | V | 0 |
| BOLT, 3/4" DIA. X 2-1/4" LONG, A325 WITH ONE HEAVY HEX NUT AND ONE HARDEN FLAT WASHER. | 85KCD722966 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2-3/4" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2-3/4" LONG, A325 WITH ONE HEAVY HEX NUT A ND ONE HARDEN FLAT WASHER. TRIM. 2" 11/16" THICK, 2-15/16" LENGTH. PPG FALLON OR EQUAL (PPG #02712-008). | 86KCE723045 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2" LONG, A325, WITH ONE HEAVY HEX NUT AND ONE HARDENED FLAT WASHER. | 86KCD744667 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 2" LONG, A325 WITH ONE HEAVY HEX NUT AND ONE HARDEN FLAT WASHER. | 85KCD722966 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 3-1/4" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 3" LONG, A325 RD LENGTH TO BE 31'6", PITCH TO BE 12 HORIZONTAL TO 4 VERTICAL BOTH SIDES OF TRUSS. THE | 85KCE723027 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 3" LONG, A325 WITH ONE HEAVY HEX NUT AND ONE HARDEN FLAT WASHER. NO. A8GX115A | 85KCD722966 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 3/4" DIA. X 3" LONG, A325 WITH ONE HEAVY HEX NUT AND ONE HARDEN FLAT WASHER. TRIM. 2" 11/16" THICK, 2-15/16" LENGTH. PPG FALLON OR EQUAL (PPG #02712-008). | 86KCE723045 | MID SOUTH BOLT & SCREW | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, 3/4" DIA. X2" LONG, HEX NUT AND ONE HARDENED | A325, WITH ONE HEAVY FLAT WASHER. | 86KCF723094 NO. 338 WITH WEDGE-LOCK | MID SOUTH BOLT & SCREW WELDING CONNECTORS. | V | 0 |
| BOLT, 3/4" DIAMETER X 1-3/4" HEX NUT AND ONE FLAT WASHER | LONG, A325 WITH ONE HEAVY . | 85KK3722893 FURNSIH AND DELIVER THE ABOVE | B & B BOLT & SCREW CO INC | V | |
| BOLT, 3/4" DIAMETER X 2-1/4" HEX NUT AND ONE FLAT WASHER | LONG, A325 WITH ONE HEAVY 1A, FURNISHED WITH THREE KEYS. | 85KK3722893 AND DIMPLE FOR ATTACHING FRAMETO STRUCTURAL STEEL SUBFRAME. | B & B BOLT & SCREW CO INC | V | |
| BOLT, 3/4" X 10", EYE, HOT SQUARE NUT, 4" THREAD, COARSE | DIPPED GALVANIZED STEEL, SERIES, IN ACCORDANCE WITH | 86PCB369728 TVA SPEC. 24.025, MCGRAW | TENN VALLEY AUTHORITY EDISON #DE 3E10 | | |
| BOLT, 3/4" X 12", EYE, HOT SQUARE NUT, 6" THREAD, COARSE | DIPPED GALVANIZED STEEL, SERIES, IN ACCORDANCE WITH | 85PCB366724 TVA SPECIFICATIONS 24.025 | T V A WITH CONTRACT/RD NUMBER. | | |
| BOLT, 3/4" X 12", EYE, HOT NUT, 6" THREAD, COARSE SERIES | DIPPED GALVANIZED STEEL, SQUARE | 85PK2363414 | CHALLENGE SUPPLY INC | V | |
| BOLT, 3/4" X 14", CLEVIS, HOT SQ NUT, 6" THREAD, IN | DIPPED GALVANIZED STEEL, ACCORDANCE WITH THE ATTACHED | 85PN236359301 TVA SPECIFICATIONS 24.027, | GRAYBAR GRAYBAR #15834 | | |
| BOLT, 3/4" X 20", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 10", | DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES TVA SPEC | 86PCB371240 24.026 ATTACHED DIXIE #8920, | TENN VALLEY AUTHORITY OR EQUAL | | |
| BOLT, 3/4" X 28", GALVANIZED STEEL, 4 SQUARE | DOUBLE ARMING, HOT DIPPED NUTS, FULL THREAD, COARSE | 86PCF371264 SERIES, IN ACCORDANCE WITH | TENN VALLEY AUTHORITY THE ATTACHED TVA SPECIFICATION | | |
| BOLT, 3/4" X 28", DOUBLE DIPPED STEEL, 4 SQUARE NUTS, | ARMING, GALVANIZED HOT FULL THREAD, COARSE SERIES | 85PCB366662 TVA SPECIFICATION 24.029 | T V A WIDE X 50 YD. LONG, HITCO | | |
| BOLT, 3/4" X 28", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 10", | DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES, IN | 86PCB371240 ACCORDANCE WITH ATTACHED TVA | TENN VALLEY AUTHORITY SPEC. 24.026 | | |
| BOLT, 3/4" X 30", MACHINE, SQUARE HEAD, SQUARE NUT, 10", | HOT DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES, IN | 86PCB371240 ACCORDANCEWITH TVA SPEC. | TENN VALLEY AUTHORITY 24.026 | | |
| BOLT, 3/4" X 8" MACHINE, HOT HEAD, SQUARE NUT, 4" THREAD, | DIPPED GALVANIZED STEEL, SQUARE | 85PK2363414 | CHALLENGE SUPPLY INC | V | |
| BOLT, 3/4" X 8", EYE, HOT NUT, 4" THREAD, COARSE SERIES, | DIPPED GALVANIZED STEEL, SQUARE | 85PK2363414 | CHALLENGE SUPPLY INC | V | |
| BOLT, 3/4"-10 X 3" LG, HEX HARDENED STEEL NUTS, ASTM A325 | HEAD, BLACK FINISH WITH TYPE 1 | 84PK5956168 & WP 11175, SYSTEM 6, LDCR1465. | SOUTHEASTERN BOLT & SCREW | V | 3 |
| BOLT, 3/4"-10, X 6", | ASTM A-325, HEX HEAD. TYPE. | 87KCF06401A DISPENSER, AMERICAN | B & B BOLT & SCREW CO INC SPECIALTIES CATALOG NO. | V | |
| BOLT, 3/8 IN.-16 X 1 IN. KNURLED SHOULDER, TRUSS HEAD, | SPECIAL, FOR CABLE TRAY, WITH PHILLIPS HEAD, ZINC COATED, | 88NNR37708B ASTM A307 GR. A | CARDINAL INDUSTRIAL PDTS UCLEAR INCIDENTS | V | 3 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, 3/8" - 16 UNC X 2", HEX, ASTM A193, GRADE B7, STEEL, HIGH PRESSURE SODIUM, 120-VAC, | 85P71358572 | MAJESTIC FASTENERS CO THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | V | 0 |
| BOLT, 5/16 X 1/2" MODULE, 230 MM. | 85KCD720378 | KNOXVILLE BOLT & SCREW ROAD, NORRIS, TN 37828 , A STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 5/16 X 3 1/2" MODULE, 230 MM. | 85KCD720378 | KNOXVILLE BOLT & SCREW ROAD, NORRIS, TN 37828 , A STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 5/16 X 4 1/2" MODULE, 230 MM. | 85KCD720378 | KNOXVILLE BOLT & SCREW ROAD, NORRIS, TN 37828 , A STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 5/16 X 4" MODULE, 230 MM. | 85KCD720378 | KNOXVILLE BOLT & SCREW ROAD, NORRIS, TN 37828 , A STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 5/16 X 6" MODULE, 230 MM. | 85KCD720378 | KNOXVILLE BOLT & SCREW ROAD, NORRIS, TN 37828 , A STORAGE CABINET CONFIRMING TO | V | 0 |
| BOLT, 5/16" X 2-1/2", MACHINE, STEEL, BLACK, ROUND HEAD | 88PCE35950B | ACE BOLT CO. PT OF MANUF- JACKSON, MISS | | |
| BOLT, 5/8-INCH DIAMETER BY 3-1/4-INCHES LONG, HEX HEAD STRUCTURAL STEEL - ASTM A307, GRADE A. | 86PCE458143 | HAYWARD BOLT & SPECIALTY WITH A DENSITY OF 6.2 GM/C. UNFRAMED. | V | |
| BOLT, 5/8-INCH X 2-INCH WITH NUTS | 85PK3965011 | MID SOUTH BOLT & SCREW | V | |
| BOLT, 5/8-INCH-DIAMETER BY 4-1/4 INCHES LONG, HEX HEAD STRUCTURAL STEEL - ASTM A307, GRADE A. | 86PCE458143 | HAYWARD BOLT & SPECIALTY WITH A DENSITY OF 6.2 GM/C. UNFRAMED. | V | |
| BOLT, 5/8" - 11 UNC X 4", HEX, ASTM A193, GRADE B7, STEEL, HIGH PRESSURE SODIUM, 120-VAC, | 85P71358572 | MAJESTIC FASTENERS CO THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | V | 0 |
| BOLT, 5/8" DIA. X 1-1/2" LONG, A325, WITH ONE HEAVY HEX NUT AND ONE HARDENED FLAT WASHER. | 86KCF723094 | MID SOUTH BOLT & SCREW NO. 338 WITH WEDGE-LOCK WELDING CONNECTORS. | V | 0 |
| BOLT, 5/8" DIAMETER X 10-1/2" LONG 11 THREADS /INCH FOR 16" DRESSER PIPE COUPLING DIA. OVERALL LENGTH, 1-7/16". | 84PK3962120 | MOUNTAIN CITY INDL SUPPLY STAINLESS STEEL AND NEOPRENE WASHER, 3-INCHES LONG. | V | |
| BOLT, 5/8" DIAMETER X 19" LG X 16" IMBEDDED DEPTH, MAXI-BOLT #625 DEGREE F. TEMPERATURE RATED | 86PGE372913 | DRILLCO EQPT COMPANY INC IREM 3 SINCE VENDOR ADVISED IT IS NORMAL TO USE (2) | V | |
| BOLT, 5/8" DIAMETER X 19" LONG X 16" IMBEDDED DEPTH, MAX-BOLT #625 | 86PGD375455 | DRILLCO EQPT COMPANY INC | V | |
| BOLT, 5/8" DIAMETER X 19" LONG X 16" IMBEDDED DEPTH, MAXI-BOLT #625 | 86PBC378333 | DRILLCO DEVICES LTD | V | |
| BOLT, 5/8" DIAMETER X 19" LONG X 16" IMBEDDED DEPTH, 125,000 PSI TENSILE STRENGTH OF THE | 86PCE378314 | DRILLCO DEVICES LTD | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT, 5/8" DIAMETER X 19" LONG X 16" IMBEDDED DEPTH, 125,000 PSI TENSILE STRENGTH OF THE A193 GRADE B7 BOLTING MATERIAL, MAX. BOLT #625, | 86PCE378323 | DRILLCO EQPT COMPANY INC DRILLCO PART #MB-625-19-16 | V | |
| BOLT, 5/8" X 1-3/4", BLACK, PLOW, #7, COUNTERSUNK HEAD, LESS KEY, DIAMETER OF HEAD UNSLOTTED 1.063", HEIGHT OF HEAD .380", WITH STANDARD HEX NUTS AND LOCK WASHERS | 83PK7931011 | CHATTANOOGA BOLT & SCREW | V | |
| BOLT, 5/8" X 1-3/4", FLAT HD., CARBON STEEL, GRADE 5, NC 11 TPI (SLOTTED) | 86PCE37054601 | NONE | | |
| BOLT, 5/8" X 10", MACHINE, HOTDIPPED GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 4" THREAD, COARSE SERIES, IN ACCORDANCE WITH ATTACHED SPECIFICATIONS 24.026 | 85PCB366724 | T V A | | |
| BOLT, 5/8" X 12", EYE,SHOULDERSPECIAL, HOT DIPPED GALVANIZED STEEL, SQUARE NUT, 4" THREAD, | 86PRA36882002 | JOSLYN MFG & SUPPLY CO | V | |
| BOLT, 5/8" X 12", EYE,SHOULDERSPECIAL, HOT DIPPED GALVANIZED STEEL, SQUARE NUT, 4" THREAD, COARSE SERIES, IN ACCORDANCE WITH TVA SPEC. 54.045, ITEM B ATTACHED ALTERNATE: | 86PRA36882003 | JOSLYN CORPORATION | | |
| BOLT, 5/8" X 12", MACHINE, HOT DIPPED GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 6" THREAD, IN ACCORDANCE WITH TVA SPEC. 24.026, MCGRAW EDISON #DF 3B12 | 86PCB369728 | TENN VALLEY AUTHORITY | | |
| BOLT, 5/8" X 14", EYE, HOT DIPPED GALVANIZED STEEL,SQ NUT, 6 INCH THREAD, COARSE SERIES, IN ACCORDANCE WITH TVA SPECIFICATION 24.025 ATTACHED | 85PCB366662 | T V A | | |
| BOLT, 5/8" X 14", MACHINE,HOT DIPPED GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 6" THREAD, COARSE SERIES, IN ACCORDANCE WITH TVA SPEC. 24.026 ATTACHED, JOSLYN | 85PCB366662 | T V A | | |
| BOLT, 5/8" X 18", MACHINE, HOT DIPPED GALVANIZED, SQUARE HEAD, SQUARE NUT, 10" THREAD, COARSE SERIES, IN ACCORDANCE WITH ATTACHMENT, TVA SPECIFICATIONS 24.026 | 85PCB364760 | T V A | | |
| BOLT, 5/8" X 2 1/2", HEX HEAD,CAP SCREW (B-7), UNC 8 THREADS PER INCH | 84PK1959072 | CHALLENGE SUPPLY INC | V | |
| BOLT, 5/8" X 2-1/2", HEX HEAD CAP SCREW, (B-7), UNC 8 THREADS PER INCH | 83PK3341811 | SURE LOC INC | V | |
| BOLT, 5/8" X 2-1/2", HEX HEAD CAP SCREW, (8-7), UNC & THREADS PER INCH APPROVAL OF TIMESHEETS: THE CONTRACTOR WILL BE RESPONSIBLEFOR MAINTAINING TIMESHEETS FOR | 83PK3940157 | SURE LOC INC | V | |
| BOLT, 7/16"-14X1" LONG,ASME SA-193,GRADE B7. | 81PK5310498 | CARDINAL INDUSTRIAL PDTS | V | |
| BOLT, 7/16"-14X2-1/2" ASME SA-193,GRADE B7. | 81PK5310498 | CARDINAL INDUSTRIAL PDTS | V | |
| BOLT, 7/16"-14X2" ASME SA-193,GRADE B7. | 81PK5310498 | CARDINAL INDUSTRIAL PDTS | V | |
| BOLT, 7/8-INCH DIAMETER BY 8 INCHES LONG, GRADE 8 CAPACITY, "D" SHAPED FLAT TOP,1-5/8" RUNG, BOTTOM TO HAVE SAFETY SHOES, 20' NOMINAL | 85PK3969187 | SOUTHEASTERN BOLT & SCREW | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT, 7/8-INCH DIAMETER, HEAD, COMPLETE WITH HEX NUTS | 10-UNC, 3-1/2 INCH LONG, HEX AND FLAT WASHERS, TYPE 316 STAINLESS STEEL | 83PK4941287 | CHATTANOOGA BOLT & SCREW SERVICE SHOPS HAS REPAIR PARTS | V | |
| BOLT, 7/8" - 9 UNC X 4" , HEX, | ASTM A193, GRADE B7, STEEL, HIGH PRESSURE SODIUM, 120-VAC, THE FIXTURE SHALL CONSIST OF ABALLAST HOUSING, 3/4-INCH | 85P71358572 | MAJESTIC FASTENERS CO | V | 0 |
| BOLT, 7/8" X 14", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 6" | DIPPED GALVANIZED STEEL, THREAD, COARSE SERIES, IN ACCORDANCE WITH ATTACHED TVA SPEC. 24.026, JOSLYN | 85PK3362009 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT, 7/8" X 2-1/2" LONG | 19,1981. THE GRADATION REQUIREMENTS ARE AS FOLLOWS: 10780- PROCEDURE FOR | 86KCB74471101 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, 7/8" X 2-1/4" LONG | 19,1981. THE GRADATION REQUIREMENTS ARE AS FOLLOWS: 10780- PROCEDURE FOR | 86KCB74471101 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, 7/8" X 3" LONG | 19,1981. THE GRADATION REQUIREMENTS ARE AS FOLLOWS: 10780- PROCEDURE FOR | 86KCB74471101 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, 7/8" X 30", MACHINE, HOT SQUARE HEAD, SQUARE NUT, 10", | DIPPED STEEL, GALVANIZED THREAD, COARSE SERIES, IN ACCORDANCE WITH ATTACHED TVA SPEC. 24.026, JOSLYN J-9080 | 85PCB366662 | T V A | | |
| BOLT, 7/8" X 4-3/4" LONG | 19,1981. THE GRADATION REQUIREMENTS ARE AS FOLLOWS: 10780- PROCEDURE FOR | 86KCB74471101 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, 7/8" X 5-1/4" LONG | 19,1981. THE GRADATION REQUIREMENTS ARE AS FOLLOWS: 10780- PROCEDURE FOR | 86KCB74471101 | KNOXVILLE BOLT & SCREW | V | |
| BOLT, 7/8" X 7", HEX HEAD, | CADMIUM PLATED | 85PK3352895 | HENRY A PETTER SUPPLY CO | V | |
| BOLT, 9-1/2" LONG X 1-1/2" GRADE 5 OR BETTER | DIA., 6 THREADS PER INCH, DOUBLE LOCKING, 2.5" L TO BE DELIVERED INSIDE THE SECURITY FENCE | 85PK3353177 | BOLTS & NUTS INC | V | |
| BOLT, 9/16"-12X4", ASME SA-193, | GRADE B7. | 81PK5310498 | CARDINAL INDUSTRIAL PDTS | V | |
| BOLT,CLEVIS THD, TVA SPEC 24.027 | CLEVIS, GALV STL, SQ NUT, 6IN | 83PK3889828 | CHALLENGE SUPPLY INC | V | |
| BOLT,CLEVIS THD, TVA SPEC 24.027 | CLEVIS, GALV STL, SQ NUT, 6IN | 85PK3918512 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,CLEVIS THD, TVA SPEC 24.027 | CLEVIS, GALV STL, SQ NUT, 6IN ONE COMBUSTION P/N MP-10701 AND ONE COMBUSTION P/N GP-1479HUB JACK HOLES, BORE OTHER | 83PM688513804 | T V A | | |
| BOLT,CLEVIS THD, TVA SPEC 24.027 | CLEVIS, GALV STL, SQ NUT, 6IN ONE COMBUSTION P/N MP-10701 AND ONE COMBUSTION P/N GP-1479HUB JACK HOLES, BORE OTHER | 83PM688513804 | T V A | | |
| BOLT,CLEVIS THD, TVA SPEC 24.027 ATTACHED, | CLEVIS, GALV STL, SQ NUT, 6IN 3/4 X 10IN | 88PCD37638C | A. B. CHANCE | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,CLEVIS 0.75 IN X 16 IN, 6 IN THREAD, | GALVANIZED STEEL, HOT DIP, | 85PK3918512 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,CLEVIS 0.75 IN X 16 IN, 6 IN THREAD, | GALVANIZED STEEL, HOT DIP, SQUARE NUT, TVA SPEC 24.027 | 86PCB997212 004.750 TON, FOR WIRE ROPE | TENN VALLEY AUTHORITY AND CHAIN | | |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 IN | HOT DIP GALVANIZED STEEL, SQ | 84P0810853701 | GRAYBAR ELECTRIC COMPANY | V | |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 IN | HOT DIP GALVANIZED STEEL, SQ | 85PK3917824 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 INLONG, TVA SPEC 24.027 | HOT DIP GALVANIZED STEEL, SQ | 88PCE34098B | GRAYBAR | | 0 |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 INLONG, TVA SPEC 24.027 | HOT DIP GALVANIZED STEEL, SQ | 89PEE37929C01 | CHANCE | | 0 |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 INLONG, TVA SPEC 24.027 | HOT DIP GALVANIZED STEEL, SQ | 87PCD80895402 AND ST-200 | M. B. CHANCE TYPE BA, NO 12, 144 PER BOX | | |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 INLONG, TVA SPEC 24.027 | HOT DIP GALVANIZED STEEL, SQ | 88PCE64892A 1-1/8IN6X37STR | 15 KV, 1500/3000/5 AMP | | 0 |
| BOLT,CLEVIS NUT, 6 IN THREADS, 3/4 X 14 INLONG, TVA SPEC 24.027 | HOT DIP GALVANIZED STEEL, SQ | 88PCE37200C02 3/4 X 22IN | A B CHANCE | | 0 |
| BOLT,CLEVIS | 3/4 X 14IN, TVA SPEC. 24.027 | 81PK3863169 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING SPECIFIED), ZINC COATED ASTM A | CARBON STEEL (NOT OTHERWISE | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,DOUBLE ARMING A 153, NOMINAL DIA .625 IN, | CARBON STEEL, ZINC COATED ASTM UNC, 2A, FASTENER LG 14.0 IN, MIN TENSILE STR 124000 PSI, | 87PCE49908A | CAVALIER NUT QTY 4, SQUARE NUT, | | 0 |
| BOLT,DOUBLE ARMING SQ NUTS OR HEX NUTS, FULL | DOUBLE ARMING, GALV STEEL, 4 | 86PCE465711 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT,DOUBLE ARMING SQ NUTS OR HEX NUTS, FULL | DOUBLE ARMING, GALV STEEL, 4 THREAD, COARSE SERIES, TVA | 87PCB33896A SPEC 24.029, 3/4 IN X 24 IN | TENN VALLEY AUTHORITY CAVALIER BOLT | | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 | 83PK3889828 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 | 84PK3897474 | FALCON METAL CORPORATION | V | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 | 84PK3898399 | CHALLENGE SUPPLY INC | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 88PCD37439C02 3/4 X 24 | TENN VALLEY AUTHORITY | | 0 |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 86PCE461497 3/4 X 26 IN | TENN VALLEY AUTHORITY | | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 88PCD37439C02 3/4 X 26 IN | TENN VALLEY AUTHORITY | | 0 |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 89PEE37929C02 3/4 X 28 IN | STEEL CITY BOLT & SCREW | | 0 |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 88PCE64892A 3/4 X 30 IN | 15 KV, 1500/3000/5 AMP | | 0 |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 4 SERIES, TVA SPEC 24.029 | 86PHH80454302 3/4 X 30 IN | JOSLYN 636 KCMIL | | 0 |
| BOLT,DOUBLE ARMING SQ OR HEX NUT, FULL THREAD, | DOUBLE ARMING, GALV STEEL, 4 COARSE SERIES, TVA SPEC | 87PCB42278A 24.029, 3/4 X 30 IN | TENN VALLEY AUTHORITY AIR FLOW SWITCH, INLET GAS | | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | DOUBLE ARMING, GALV STEEL, 6 | 85PK3920145 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING NUTS, FULL THD, COARSE | DOUBLE ARMING, GALV STL, 4 SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING NUTS, FULL THD, COARSE | DOUBLE ARMING, GALV STL, 4 SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING NUTS, FULL THD, COARSE | DOUBLE ARMING, GALV STL, 4 SQ | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING NUTS, FULL THD, COARSE | DOUBLE ARMING, GALV STL, 4 SQ | 85PK5924956 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING OR HEX NUTS, FULL THD, COARSE | DOUBLE ARMING, GALV STL, 4 SQ SERIES, TVA SPEC 24.029 | 86PCF467185 5/8 X 22IN | TENN VALLEY AUTHORITY METAL | | |
| BOLT,DOUBLE ARMING IN LG, W/4 EACH SQ NUTS | GALVANIZED STEEL, 7/8 IN X 30 | 83PK788828402 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING IN LG, W/4 EACH SQ NUTS | GALVANIZED STEEL, 7/8 IN X 32 TVA SPEC 24 029 | 86PCD369858 SERIES, IN ACCORDANCE WITH | UNIQUE INDUSTRIES THE ATTACHED TVA SPEC. | | |
| BOLT,DOUBLE ARMING IN LONG, W/4 EACH SQ NUTS | GALVANIZED STEEL, 7/8 IN X 38 | 84PK3899198 | CHALLENGE SUPPLY INC | V | |
| BOLT DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | HOT DIP GALVANIZED STEEL, 4 | 83PK288715601 | CARL JONES & ASSOC INC | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | HOT DIP GALVANIZED STEEL, 4 | 83PN2888744 | CHALLENGE SUPPLY INC | V | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | HOT DIP GALVANIZED STEEL, 4 SERIES, TVA SPEC 24.029 | 86PCB992691 3/4 X 36 IN | TENN VALLEY AUTHORITY 100 PER BOX | | |
| BOLT,DOUBLE ARMING SQ NUTS, FULL THREAD, COARSE | HOT DIP GALVANIZED STEEL, 4 SERIES, TVA SPEC 24.029 | 88PCE36914C 3/4 X 36 IN | JOSLYN 25 PER CTN | | 0 |
| BOLT,ELEVATOR A, NO 1 HEAD, 0.375-16 UNC X | CARBON STEEL, ASTM A307, GRADE 1 IN LONG, C/W HEX NUT | 87PCE852854 | MAJESTIC | | |
| BOLT,ELEVATOR DIA X 2 IN LONG, C/W NUT AND | CARBON STEEL, FLAT HEAD, 0.375 WASHER | 87PCA51324A DRIVE STYLE SLOT, | VICTORY BOLT 100 PER BOX | V | |
| BOLT,ELEVATOR LONG | CARBON STEEL, 0.375-16 X 2 IN | 88PCE53155B | TAPCO | | 0 |
| BOLT,EYE RDANCE WITH TVA STANDARD SPECI66. | BOLT, EYE, 3/4" X 18", IN ACCO | 83PK710844901 | T V A ION. MODEL NUMBER IS | | |
| BOLT,EYE NOMINAL DIA .5 IN, THREAD 13, | CARBON STEEL, CADMIUM PLATED, UNC, FASTENER LG 6.0 IN, THD | 85PTC98231003 LG 4.0 IN, NUT QTY | CONVEYOR COMPONENTS CO 2, INSIDE EYE DIA 1.0 IN, 1 EA LOCK | | |
| BOLT,EYE .25 IN, FASTENER LG 1.0 IN, | CARBON STEEL, NOMINAL DIA DROP FORGED, HT, | 88NCE62620A CERFICATION REQUIRED | ED W. DANIELS STATING THAT BOLTS HAVE A RATED | | |
| BOLT,EYE .25 IN, FASTENER LG 4.0 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA .5 IN, | 88PCE69158A FORGED, SHOULDER, | EDWARD W DANIEL QUENCHED AND TEMPERED, BLANK | | |
| BOLT,EYE .25 IN, FASTENER LG 4.0 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA .5 IN, | 89PEE60381B FORGED, SHOULDER, | CROSBY QUENCHED AND TEMPERED, BLANK | | 0 |
| BOLT,EYE .312 IN, FASTENER LG 1.125 | CARBON STEEL, NOMINAL DIA IN, DROP FORGED, HT, | 87NCF53245A CERTIFICATION REQUIRED | E. W. DANIEL STATING A SAFETY FACTOR OF | | |
| BOLT,EYE .312 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA | 86PCF800657 | MILLS & LUPTON SUPPLY CO | V | |
| BOLT,EYE .312 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.125 IN, | 88PCE51782B SHOULDER PATTERN | CHICAGO HARDWARE | | |
| BOLT,EYE .312 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.125 IN, | 88PCE56391B SHOULDER PATTERN | CHICAGO HDWE DEG F, SWP 2500 PSIG, STEM | | 0 |
| BOLT,EYE .312 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.125 IN, | 88NEE58701B SHOULDER PATTERN | DANIEL W. POINT OF MANF. FOR | | 0 |
| BOLT,EYE .312 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.125 IN, | 87PCF51893A SHOULDER PATTERN | BUCKEYE WELDLESS | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE .375 IN, FASTENER LG 2.5 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA .75 IN, | 88PCE52986B FORGED, SHOULDER, | OSSCO NUT QUENCHED AND TEMPERED, | BLANK | 0 |
| BOLT,EYE .375 IN, FASTENER LG 2.5 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA .75 IN, | 88PCE55137B FORGED, SHOULDER, | E W DANIEL QUENCHED AND TEMPERED, | BLANK | 0 |
| BOLT,EYE .375 IN, FASTENER LG 2.5 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA .75 IN, | 88PGK65495A FORGED, SHOULDER, | CROSBY GROUP DIV QUENCHED AND TEMPERED, | BLANK | |
| BOLT,EYE .375 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.25 IN | 88PCE63652A | ED W DANIEL #13631 | | |
| BOLT,EYE .375 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.25 IN, INSIDE | 87NJE61107A EYE DIA .875 IN, | EDWARD W DANIEL COMPANY SHOULDER PATTERN | | |
| BOLT,EYE .375 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.25 IN, INSIDE | 87NCE51677A01 EYE DIA .94" SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE .625 IN, THREAD 11, UNC, | CARBON STEEL, NOMINAL DIA | 86PCF800224 | FALCON METALS | V | |
| BOLT,EYE .625 IN, THREAD 11, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 1.75 IN | 89PEE60182B POINT | MOUNTAIN CITY INDL SUPPLY GPH, S/N 481794, 481810 AND | V | 0 |
| BOLT,EYE .75 IN, FASTENER LG 4.5 IN, | CARBON STEEL, NOMINAL DIA | 86PBB802637 | INDL WIRE ROPE & SUPPLY | V | |
| BOLT,EYE .75 IN, FASTENER LG 4.5 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA 1.5 IN, | 87PCE52741A FORGED, SHOULDER, | MOTOR SPECIALTY INC QUENCHED AND TEMPERED, | BLANK | |
| BOLT,EYE .75 IN, FASTENER LG 4.5 IN, | CARBON STEEL, NOMINAL DIA INSIDE EYE DIA 1.5 IN, | 88PCE55137B FORGED, SHOULDER, | E W DANIELI QUENCHED AND TEMPERED, | BLANK | 0 |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 86PCE800818 SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 86PCE806250 SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 86PCE989719 SHOULDER PATTERN | J H WILLIAMS | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 88NCE67950A01 SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 88PCE67293A SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 87NJR58886A01 SHOULDER PATTERN | EDWARD W DANIEL COMPANY C/W TWO KEYS | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 89PEE62533B SHOULDER PATTERN | EDWARD W DANIEL COMPANY OPERATED, BARE KNIFE TYPE, | | 0 |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 87PCB53789A01 SHOULDER PATTERN | EDWARD W DANIEL COMPANY WELDLESS | | |
| BOLT,EYE .75 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.0 IN, | 87PCF851007 SHOULDER PATTERN | EDWARD W DANIEL COMPANY 1 GALLON CAN, FED SPEC | | |
| BOLT,EYE 1.0 IN X 2-1/2 IN LG, THREAD 8UNC, STANDARD LENGTH, SHOULDERPATTERN, WELDLESS | CARBON STEEL, NOMINAL DIA | 88PCE34014B02 | GENERAL SERVICES ADMIN TION FOR WOOD LADDERS | | |
| BOLT,EYE 1.0 IN, THREAD 8, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 2.5 IN, | 88PEE57566B SHOULDER TYPE, UNCOATED. | E & K FASTENERS OPR PRESS 300 PSIG, DISK | V | 0 |
| BOLT,EYE 1.25 IN, THREAD 10, UNC, | CARBON STEEL, NOMINAL DIA FASTENER LG 3.0 IN, | 87NCF53580A01 SHOULDER PATTERN | EDWARD W. DANIELS STATING A SAFETY FACTOR OF | | |
| BOLT,EYE 1.25 IN, UNC, THD 7, FASTENER | CARBON STEEL, NOMINAL DIA LG 3.0 IN, SHOULDER PATTERN | 88PCE65235A | EDWARD W DANIEL CO. | | |
| BOLT,EYE 1.25 IN, UNC, THD 7, FASTENER | CARBON STEEL, NOMINAL DIA LG 3.0 IN, SHOULDER PATTERN | 88PCE65982A | DANIELS | | |
| BOLT,EYE 1.25 IN, UNC, THD 7, FASTENER | CARBON STEEL, NOMINAL DIA LG 3.0 IN, SHOULDER PATTERN | 88PCE39556B PATTERN, WELDLESS | J H WILLIAMS DIV-TRW INC AT LEAST TWO HOLES OR SLOTS | | |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 FASTENER LG 1.0 IN, SHOULDER | 88PCE64244A PATTERN | EDWARD W DANIEL COMPANY 100 PER BOX | | |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 FASTENER LG 1.0 IN, SHOULDER | 88NNR65666A01 PATTERN | DANIELS HARDWARE. COMES WITH MARKER | | 0 |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 87PCE49952A PATTERN, WELDLESS | BUCKEYE FORGE | | |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 88PCE37466C PATTERN, WELDLESS | J H WILLIAMS DIV-TRW INC | | 0 |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 88PCE62079A PATTERN, WELDLESS | ED W DANIELS | | |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 87PCG58185A01 PATTERN, WELDLESS | BUCKEYE FORGE AND CHAIN | | |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 88NEE58701B PATTERN, WELDLESS | DANIEL W. POINT OF MANF. FOR | | 0 |
| BOLT,EYE 5 IN, THREAD 20, UNC, | CARBON STEEL, NOMINAL DIA .2 STANDARD LENGTH, SHOULDER | 89PEE62533B PATTERN, WELDLESS | EDWARD W. DANIELS WELDLESS | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE 12 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE34123B PATTERN, WELDLESS | BUCKEYE 3031 | | 0 |
| BOLT,EYE 12 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE62167A PATTERN, WELDLESS | BUCKEYE FORGE | | |
| BOLT,EYE 12 IN, THREAD 18, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 87PCG47030A01 PATTERN, WELDLESS | COMMON ITEM-SEVERAL MFRS SPANNER WRENCH, DESCRIPTION | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 87PCB42368A PATTERN, VULCAN | BUCKEYE FORGE WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 87PCB53789A01 PATTERN, VULCAN | E.W. DANIEL WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 87PCE59141A PATTERN, VULCAN | EDWARD W DANIEL WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 87PCF51893A PATTERN, VULCAN | BUCKEYE WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE36946C PATTERN, VULCAN | BUCKEYE FORGE WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE50717B PATTERN, VULCAN | CHICAGO HARDWARDE WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE50879B PATTERN, VULCAN | BUCKEYE FORGE WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 88PCE63037A PATTERN, VULCAN | CHICAGO HWDE #23 WELDLESS | | |
| BOLT,EYE 75 IN, THREAD 16, UNC, | CARBON STEEL, NOMINAL DIA .3 STANDARD LENGTH, SHOULDER | 89PEE62533B PATTERN, VULCAN | EDWARD W. DANIELS WELDLESS | | 0 |
| BOLT,EYE 37 IN, THD 14, UNC, FASTENER | CARBON STEEL, NOMINAL DIA .4 LG 1.375 IN, DROP FORGED, | 88PCE65235A SHOULDER PATTERN, THREADED | EDWARD W DANIELS CO. | | |
| BOLT,EYE 37 IN, THD 14, UNC, FASTENER | CARBON STEEL, NOMINAL DIA .4 LG 1.375 IN, DROP FORGED, | 88PCE53123B SHOULDER PATTERN, THREADED | CHICAGO HARDWARE POWER C1 | | 0 |
| BOLT,EYE IN, FASTENER LG 1.5 IN, | CARBON STEEL, NOMINAL DIA .5 | 88NCE66542A | BOLTS & NUTS INC | V | |
| BOLT,EYE IN, THREAD 13, UNC, | CARBON STEEL, NOMINAL DIA .5 FASTENER LG 1.5 IN, INSIDE | 87NCE51677A01 EYE DIA 1.12" SHOULDER PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE IN, THREAD 13, UNC, | CARBON STEEL, NOMINAL DIA .5 STANDARD LENGTH, SHOULDER | 88PCE34123B PATTERN, WELDLESS | BUCKEYE 3050 | | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, THREAD 13, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE55336B | ED W DANIEL | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, THREAD 13, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 89PEE38012C | KEN FORGINGS | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, THREAD 13, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE53276B | J H WILLIAMS DIV-TRW INC (FEDERAL BRAND) | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, THREAD 13, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCB54052A | ED W DANIEL #14641 BINDER, AND FILLER TEMPERATURE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP | 86PCF800224 | FALCON METALS | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERN | 87PCE57445A | MACKSON INDUSTRIAL | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERN | 87PCE58542A | CHICAGO HARDWARE #25 | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERN | 88PCE63366A | BUCKEYE 3050 | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERNPATTERN, VULCAN | 87PCF51893A | BUCKEYE WELDLESS | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERN108802 (4700): 101606, 101607,101633, 101634 (4900): 101639, | RD 986113 | PORTER WALKER INC | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .5 IN, FASTENER LG 1.5 IN, DROP FORGED STEEL, SHOULDER PATTERN4.406 IN CENTERS STARTING 2 INFROM TOP, FOR USE WITH | 86PCB988303 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .6 25 IN, THREAD 11, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCE42588A | CHICAGO HARDWARE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .6 25 IN, THREAD 11, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE65550A | ED W DANIELS | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .6 25 IN, THREAD 11, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE39556B | EDWARD W DANIELS CO. AT LEAST TWO HOLES OR SLOTS | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .6 25 IN, THREAD 11, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCB54052A | ED W. DANIEL 14661 BINDER, AND FILLER TEMPERATURE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP | 86PCB802108 | VICTORY BOLT | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP FORGED, THREADED, SHOULDER PATTERN | 87PCE54466A | EDWARD W DANIEL COMPANY | | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP FORGED, THREADED, SHOULDER PATTERN | 89NNS82756A | EDWARD W DANIEL COMPANY PER BOX | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP FORGED, THREADED, SHOULDER PATTERN | 88PCE51782B | CHICAGO HARDWARE PER BOX | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP FORGED, THREADED, SHOULDER PATTERN | RD 981217 | EDWARD W DANIEL COMPANY 000.500 PCT MAX | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .625 IN, FASTENER LG 1.75 IN, DROP FORGED, THREADED, SHOULDER PATTERN | 87PCE59402A | EDWARD W DANIEL COMPANY 4.00 IN CENTER TO CENTER OF | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCE47297A | J H WILLIAMS DIV-TRW INC | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE67424A | BUCKEYE FORGE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE69670A | BUCKEYE FORGE | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCB54052A | ED W. DANIEL 14672 BINDER, AND FILLER TEMPERATURE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCF52668A01 | BUCKEYE FORGE CANCER AND LUNG DISEASE HAZARD | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .7 5 IN, THREAD 10, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 89PEE60783B | J H WILLIAMS DIV-TRW INC SINGLE POLE SINGLE THROW, | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .75 IN, THREAD 10 UNC, FASTENER LG 2.0 IN, INSIDE EYE DIA 1.5 IN | 87PCE809647 | CHICAGO HDW | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .75 IN, THREAD 10, UNC, FASTENER LG 2.0 IN, INSIDE EYE DIA 1.5 IN | 86PWC805500 | MCNALLY PITTSBURG MFG CO COMP | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .75 IN, THREAD 10, UNC, FASTENER LG 2.0 IN, INSIDE EYE DIA 1.5 IN | 85PCB985264 | DANIEL HH-I-523, TYPE II, CLASS A & B | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .75 IN, THREAD 10, UNC, FASTENER LG 2.0 IN, INSIDE EYE DIA 1.5 IN | 86PCE993105 | MCNALLY PITTSBURG MFG CO NOTE: ATTACHED TERMS | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .8 75 IN, THREAD 9, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 88PCE33907B | BUCKEYE 3087 | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .8 75 IN, THREAD 9, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 89PEE38012C | KEN FORGINGS | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .8 75 IN, THREAD 9, UNC, STANDARD LENGTH, SHOULDER PATTERN, WELDLESS | 87PCB54052A | ED. W DANIEL 14682 BINDER, AND FILLER TEMPERATURE | | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE CARBON STEEL, NOMINAL DIA .8 75 IN, THREAD 9, UNC, STANDARD LENGTH, SHOULDER | 87PCB42368A PATTERN, WELDLESS | BUCKEYE WELDLESS | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .875 IN, FASTENER LG 2.25 IN, DROP FORGED, THREADED, SHOULDER | 87PCE54466A PATTERN | CHICAGO HARDWARE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .875 IN, FASTENER LG 2.25 IN, DROP FORGED, THREADED, SHOULDER | 88PCE51782B PATTERN | CHICAGO HARDWARE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .875 IN, FASTENER LG 2.25 IN, DROP FORGED, THREADED, SHOULDER | 87NBD51842A01 PATTERN | EDWARD W DANIEL COMPANY A-196336 AND A196306 | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .875 IN, FASTENER LG 2.25 IN, DROP FORGED, THREADED, SHOULDER | 87PCE59141A PATTERN | EDWARD W DANIEL COMPANY DEG F, SWP 600 PSIG, SEAT MATL | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA .875 IN, FASTENER LG 2.25 IN, DROP FORGED, THREADED, SHOULDER | 87PCF51893A PATTERN | BUCKEYE WELDLESS | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1. 125 IN, THREAD 7, UNC, FASTENER LG 2.75 IN, DROP | 88PCE69520A FORGED, SHOULDER PATTERN, | ED DANIEL THREADED | | 0 |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.0 IN, FASTENER LG 2.5 IN, DROP | 86PCB802108 | VICTORY BOLT | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.0 IN, FASTENER LG 2.5 IN, DROP FORGED, THREADED, SHOULDER | 87PCE55255A PATTERN | EDWARD W DANIEL COMPANY | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.0 IN, FASTENER LG 2.5 IN, DROP FORGED, THREADED, SHOULDER | 88PCE52362B PATTERN | CHICAGO HARDWARE | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.5 IN, FASTENER LG 3.5 IN, DROP | 86PCB802108 | VICTORY BOLT | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.5 IN, FASTENER LG 3.5 IN, DROP FORGED, THREADED,SHOULDER | 86PCD997168 PATTERN | EDWARD W DANIEL COMPANY BARS ON 1 X 6 IN CENTERS, | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 1.5 IN, FASTENER LG 3.5 IN, DROP FORGED, THREADED,SHOULDER | 87NCD36798A PATTERN | EDWARD W DANIEL COMPANY (NOTE: QUOTING LOAD TESTED | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 2. 0 IN, UNC, DROP FORGED, 4.5 THREADS PER INCH, 4 IN LONG | 88PCG30068B SHANK, SHOULDER PATTERN | J H WILLIAMS DIV-TRW INC BUCKEYE FORGE #3200 | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 2.5 IN, ISO S, FASTENER LG 5.0 IN | 85PK3975482 | PORTER WALKER INC | V | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 2.5 IN, ISO S, FASTENER LG 5.0 INOR CHROME PL, CORNWELL | RD 979881 1-5/16 IN | T R W INC 0.312 IN LG, SHANK DIMENSION, | | |
| BOLT,EYE CARBON STEEL, NOMINAL DIA 2.5 IN, ISO S, FASTENER LG 5.0 IN,STANDARD THREAD | 87PCD33860A STOCK NO. 20-02 | WILLIAMS HAND TOOLS (4 ROLL CARTONS) | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN | 84PK3892352 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN | 85PK3919446 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN | 85PK3921053 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN 24.025 | 87PCE851000 1/2 X 5IN | TENN VALLEY AUTHORITY | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN 24.025 | 88PCD37439C01 3/4 X 10IN | JOSLYN | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN 24.025 | 86PHH80454302 5/8 X 10IN | JOSLYN 636 KCMIL | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN 3/4 X 10IN | 83PN2885609 | A B CHANCE N SIGN | | #964-39 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 4IN 3/4 X 10IN | 83PK3886311 | T V A ONST INSIDE SCREW, | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 24.025 | 88PCE64892A 1 X 16IN | 15 KV, 1500/3000/5 AMP | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 24.025 | 88PCE36698C 5/8 X 12IN | JOSLYN | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 24.025 | 84PK390775302 5/8 X 12IN | JOSLYN FORTLIFTS: | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 24.025 | 89PEE37966C 5/8 X 14IN | JOSLYN | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 24.025 | 84PM689517101 5/8 X 18IN | DANIELS STEEL CO. KEYWAY, SYMBOL PG, FOR RC-120 | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 3/4 X 14IN | 83PN433816001 | JOSLYN SQUARE NUT, | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | EYE, GALV STL, SQ NUT, 6IN 3/4 X 16IN | 83PN433816001 | JOSLYN SQUARE NUT, | | |
| BOLT,EYE DROP FORGED, 3 IN SHANK, | GLASS, NOMINAL DIA 1.25 IN, SHOULDER PATTERN, | 87PCB42368A THREAD | BUCKEYE FORGE WELDLESS | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN | 84PK3895174 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN | 84PK3904259 | SURE LOC INC | V | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 24.025 | 87PCE59226A 3/4 X 8IN | AS SPEC. | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 24.025 | 86PBG80322001 3/4 X 8IN | TENN VALLEY AUTHORITY OAK | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 24.025 | 87PCE42561A01 3/4 X 8IN | TENN VALLEY AUTHORITY TTACHED APPENDIX E, | | 0 |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 24.025 | 86PCB46434601 3/4 X 8IN | JOSLYN WATER, STEAM, OIL, SOLVENTS, | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 3/4 X 8IN | 83PK3885796 | T V A UBLE THROW ON AFF | | |
| BOLT,EYE THD, COARSE SERIES, TVA SPEC | HOT DIP GALV STL, SQ NUT, 4 IN 3/4 X 8IN | 83PK3885797 | T V A UBLE THROW ON AFF | | |
| BOLT,EYE NUT, 6 IN THD, COARSE SERIES, | HOT DIP GALVANIZED STEEL, SQ | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,EYE NUT, 6 IN THD, COARSE SERIES, | HOT DIP GALVANIZED STEEL, SQ | 83PK788828402 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE NUT, 6 IN THD, COARSE SERIES, | HOT DIP GALVANIZED STEEL, SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE NUT, 6 IN THD, COARSE SERIES, | HOT DIP GALVANIZED STEEL, SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, | 85PK397672601 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, | 86PCF801190 | VICTORY BOLT | V | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, | 83PK3886311 | T V A ONST INSIDE SCREW, | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, DEPTH AND MUST BE ABLE TO BE | 88PCE36770C | JOSLYN INSTALLED IN A 12-IN. DIAMETERHOLE. PUMP SHALL HAVE A 10 HP | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 12 IN | 88PCE34097B | JOSLYN | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 12 IN | 88PCE37329C | JOSLYN | | 0 |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 12 IN 3/4 X 8IN | 86PCB46434601 | JOSLYN WATER, STEAM, OIL, SOLVENTS, | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 14 IN | 88PCE37486C | JOSLYN (TVA CODES: SL5DA/N | | 0 |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 14 IN (48" X 48") | 86PCB991998 | TENN VALLEY AUTHORITY C/W TWO KEYS | | 0 |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 14 IN 3/4 X 8IN | 86PCB46434601 | JOSLYN WATER, STEAM, OIL, SOLVENTS, | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THD, COARSE SERIES, TVA SPEC 24.025, 3/4 X 24 IN 7/8 X 20IN | 86PCE80574201 | TENN VALLEY AUTHORITY | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THREAD, COARSE | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THREAD, COARSE SERIES, TVA SPEC 24.025, 3/4 X16 IN | 86PCE80574202 | JOSLYN | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THREAD, COARSE SERIES, TVA SPEC 24.025, 3/4 X16 IN | 88PCE40388B | JOSLYN | | 0 |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THREAD, COARSE SERIES, TVA SPEC 24.025, 3/4 X16 IN J9516 | 86PBG464395 | TENN VALLEY AUTHORITY DIXIE D-6461, TVA SPEC 54.016 | | |
| BOLT,EYE HOT DIP GALVANIZED STEEL, SQ NUT, 6 IN THREAD, COARSE 16 IN | 83PK3886314 | T V A ED, SERIES 1200 | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,EYE .312 IN, THREAD 18, UNC, | STAINLESS STEEL, NOMINAL DIA | 86PCE80136401 | BASIC PIPE & SUPPLY CO | V | |
| BOLT,EYE .312 IN, THREAD 18, UNC, | STAINLESS STEEL, NOMINAL DIA FASTENER LG 2.25 IN, | 88NCE68292A01 SHOULDER PATTERN | SCHNITZER ALLOY | | |
| BOLT,EYE .312 IN, THREAD 18, UNC, | STAINLESS STEEL, NOMINAL DIA FASTENER LG 2.25 IN, | 89NNT60958B SHOULDER PATTERN | WEBSTER PIPING & SUPPLY CLASS A, STYLE 1 | V | 0 |
| BOLT,EYE .375 IN, THREAD 16, UNC, | STAINLESS STEEL, NOMINAL DIA FASTENER LG 2.5 IN, | 87NCE51230A SHOULDER PATTERN | STAINLESS PRODUCTS | | |
| BOLT,EYE .375 IN, THREAD 16, UNC, | STAINLESS STEEL, NOMINAL DIA FASTENER LG 2.5 IN, | 88NCE68292A01 SHOULDER PATTERN | SCHNITZER ALLOY | | |
| BOLT,EYE .375 IN, THREAD 16, UNC, | STAINLESS STEEL, NOMINAL DIA FASTENER LG 2.5 IN, | 87NJR851252 SHOULDER PATTERN | MOUNTAIN CITY INDL SUPPLY 6 IN ID X 10 FT LGTH | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDL | 000.250-20 UNC IN STD LG, EQUAL TO AMERICAN BAG CO. | 87PCD33860A STOCK NO. 20-02 | BUCKEYE FORGE (4 ROLL CARTONS) | | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.250-20 UNC IN STD LG, | RD 911338 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.250-20 UNC IN STD LG, | RD 933326 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.250-20 UNC IN STD LG, | 85PK2916225 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.250-20 UNC IN STD LG, | 85PK3915344 | CHICAGO | | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.250-20 UNC IN STD LG, | 83PK3B8454601 | COMMON ITEM-SEVERAL MFRS S A COIL, MAXIMUM | | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESSPT | 000.250-20 UNC IN STD LG, | RD 973335 7/16 AND 1/2 IN | WILLIAMS 6503 | | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.312-18 UNC IN STD LG, | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.312-18 UNC IN STD LG, | 85PK3920145 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.375-16 UNC IN STD LG, | RD 911338 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE SHOULDER PATT, VULCAN WELDLESS | 000.375-16 UNC IN STD LG, | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE 000.375-16 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS | 85PK3917932 | VICTORY BOLT | V | |
| BOLT,EYE 000.375-16 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS3/8IN NC STD LG | 86PCE806991 | J H WILLIAMS DIV-TRW INC | | |
| BOLT,EYE 000.375-16 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS3/8IN NC STD LG | RD 973258 MISER | WILLIAMS COLLAR, TO BE STENCILED ON | | |
| BOLT,EYE 000.500-13 UNC STD LG, SHOULDER PATT, VULCAN WELDL | 87PCE471985 | J H WILLIAMS DIV-TRW INC | | |
| BOLT,EYE 000.500-13 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 000.500-13 UNC STD LG, SHOULDER PATT, VULCAN WELDLESSEQUIPMENT | RD 973258 MISER | WILLIAMS COLLAR, TO BE STENCILED ON | | |
| BOLT,EYE 000.500-13 UNC STD LG, SHOULDER PATT, VULCAN WELDLESSMOORE-HANDLEY K-2 | RD 907860 2-1/8X3-1/2IN | ARMSTRONG SPEC 12.001 | | |
| BOLT,EYE 000.500-13 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS3/8 IN SQ DRIVE | RD 900644 | ARMSTRONG E GROUND JOINT | | |
| BOLT,EYE 000.625-11 UNC STD LG, SHOULDER PATT, VULCAN WELDL HOSE X 50-FT LONG, 3/8-INCH | 87PCF471864 MPT OUTLET, 1/2-INCH FPT | CHICAGO HARDWARE REEL INLET, SPEEDAIRE 2Z864 OR | | |
| BOLT,EYE 000.625-11 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 911466 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 000.625-11 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 000.625-11 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | 85PK391760402 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE 000.625-11 UNC STD LG, SHOULDER PATT, VULCAN WELDLESSLENGTH 340 MM | RD 900728 24 MM | ARMSTRONG TWO CYLINDER, 4 STAGE, 3700 | | |
| BOLT,EYE 000.750-10 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 907792 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 000.750-10 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 000.750-10 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | 85PK3920145 | CHALLENGE SUPPLY INC | V | |
| BOLT,EYE 000.875-9 UNC STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,EYE 000.875-9 UNC STD LG, SHOULDER PATT, VULCAN WELDLESSEQUIPMENT | RD 973258 MISER | WILLIAMS COLLAR, TO BE STENCILED ON | | |
| BOLT,EYE 001.000-8 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 907792 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 001.000-8 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS | RD 942471 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 001.000-8 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS | 85PK3975160 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT,EYE 001.000-8 UNC IN STD LG, SHOULDER PATT, VULCAN WELDLESS1IN NC STD LG | RD 926750 BOOK, NM425A, FOR ACB, TYPE | ARMSTRONG PK8C, 500.000 KV, 2000.000 | | |
| BOLT,EYE 001.250 X 003.000 IN SHANK,THD DF, SHOULDER PATT MOORE-HANDLEY K-2 | RD 907860 2-1/8X3-1/2IN | ARMSTRONG SPEC 12.001 | | |
| BOLT,EYE 001.250 X 003.000 IN SHANK,THD DF, SHOULDER PATT 1-1/4X3IN | 85PK391760401 | SURE-LOC | | 0 |
| BOLT,EYE 001.250 X 003.000 IN SHANK,THD DF, SHOULDER PATT 1-1/4X3IN | RD 926750 BOOK, NM425A, FOR ACB, TYPE | ARMSTRONG PK8C, 500.000 KV, 2000.000 | | |
| BOLT,EYE 001.500 X 003.500 IN SHANK, THD, DF, SHOULDER PATT 1-1/2X3-1/2IN | RD 979900 SOCKETS AND SIX DRIVE TOOLS, | WILLIAMS INCLUDING RATCHET | | |
| BOLT,EYE 001.500 X 003.500 IN SHANK, THD, DF, SHOULDER PATT 1-1/2X3-1/2IN | RD 926888 12 IN | ARMSTRONG 21 MM | | |
| BOLT,EYE 002.000 X 004.000 IN SHANK, THD, DF, SHOULDER PATTERN | RD 938686 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 002.000 X 004.000 IN SHANK, THD, DF, SHOULDER PATTERN | 85PK3917932 | VICTORY BOLT | V | |
| BOLT,EYE 002.000 X 004.000 IN SHANK, THD, DF, SHOULDER PATTERN NO. EB-36, DROP FORGED | RD 926888 12 IN | ARMSTRONG 21 MM | | |
| BOLT,EYE 1.125 X 2.75 IN, THREADED, DROP FORGED, 3 IN SHANK, | RD 911465 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 1.125 X 2.75 IN, THREADED, DROP FORGED, 3 IN SHANK, | RD 933934 | TAYLOR INDUSTRIAL SUPPLY | V | |
| BOLT,EYE 1.125 X 2.75 IN, THREADED, DROP FORGED, 3 IN SHANK, EB-31, REF 6112-L | 87PCB42368A PATTERN, WELDLESS | BUCKEYE WELDLESS | | |
| BOLT,EYE 1.125 X 2.75 IN, THREADED, DROP FORGED, 3 IN SHANK, EB-31, REF 6112-L | 88PCG30068B SHOULDER PATTERN | ARMSTRONG BROS TOOL CO BUCKEYE FORGE #3112 | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,HEAT TREATED,STUD,FULL LGTH THREAD,NC,HI-TEMP,SPEC.A-19 3-49T,W/2 EA HEX NUTS,GR B-7 | | 83PK3929058 | B & B BOLT & SCREW CO INC | V | |
| BOLT,HEAVY HEX HEAD, 1-1/2" AND TWO FLAT HARDENED WASHERS | -6 X 1'5', WITH ONE HEX NUT ASTM A-490. (NUT TO BE A194 2H) | 87KCB06518A | METAL FASTENER SUPPLY CO WIDTH -73", OVERALL HEIGHT | V | |
| BOLT,KEY HEAD PLOW, 60 DEGREE COUNTERSUNK | CARBON STEEL, BLACK, LESS KEY, HEAD, HEAD DIAMETER 1.063 IN,2HEAD HEIGHT 0.380 IN, C/W | 88PCE63540A | KNOXVILLE BOLT & SCREW HEX NUT AND LOCKWASHER | V | |
| BOLT,KEY HEAD KEY, 0.625-11 UNC X 2.25 IN | CARBON STEEL, PLOW, NO 7 LESS LONG, 60 DEGREE COUNTERSUNK HEAD, DIAMETER 1.063 IN, | 88PCE65111A02 | KNOXVILLE BOLT & SCREW HEAD HEIGHT 0.380 IN, C/W | V | |
| BOLT,KEY HEAD KEY, 0.625-11 UNC X 2.25 IN | CARBON STEEL, PLOW, NO 7, LESS LONG, 60 DEGREE COUNTERSUNK HEAD, DIAMETER 1.063 IN, | 88PCE69975A | KNOXVILLE BOLT & SCREW HEAD HEIGHT 0.380 IN, C/W | V | 0 |
| BOLT,KEY HEAD KEY, 0.625-11 UNC X 2.75 IN | CARBON STEEL, PLOW, NO 7, LESS LONG 60 DEGREE HEAD, 1.063 IN HEAD DIAMETER, 0.38 MINIMUM | 88PCE53880B | KNOXVILLE BOLT & SCREW HEAD HEIGHT, WITH HEAVY HEX | V | 0 |
| BOLT,LAG 1-1/2 INCH LONG,GIMLET POINT | BLACK STEEL,SQUARE HEAD,1/4 X | 85PK391505002 | CHALLENGE SUPPLY INC | V | |
| BOLT,LAG 1-1/2 INCH LONG,GIMLET POINT | BLACK STEEL,SQUARE HEAD,1/4 X TO 3:00 PM MONDAY THRU FRIDAY. | 89PEE38041C02 | UNKNOWN TRACY A. BARKER | | 0 |
| BOLT,LAG FETTER DRIVE, SQ. HD. TVA | BOLT, LAG HOT DIP GALV STEEL, 4/20/66, 1/2 X 4 IN TO POLE | 83PK3886024 | JOSLYN 2 | | |
| BOLT,LAG NOMINAL DIA .375 IN, | CARBON STEEL, FASTENER LG 2.0 IN, | 87PCE56211A | MAJESTIC GIMLET POINT, 50 PER BOX | | |
| BOLT,LAG STEEL, 000.375 X 001.500 IN | HEX HEAD, GALVANIZED LG, 100 PER BOX | 87PCE60321A | MABELTON | | |
| BOLT,LAG ASTM A 307 GR A, NOMINAL DIA | HEXAGON HEAD, CARBON STEEL | 86PCF998019 | A & C SALES | V | |
| BOLT,LAG BLACK, NOMINAL DIA .25 IN, | HEXAGON HEAD, CARBON STEEL, FASTENER LG 1.0 IN LONG | 86PCE802311 | VICTORY BOLT | V | |
| BOLT,LAG NOMINAL DIA .25 IN, FASTENER | HEXAGON HEAD, CARBON STEEL, LG 1.5 IN, | 88PCE56319B | ACE BOLT ZINC CHROMATE, 100 PER BOX | | 0 |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER | 84PK3908896 | CHALLENGE SUPPLY INC | V | |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER | 84P0810852701 | POWER DISTRIBUTORS SUPPLY | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER 54.055, ITEM A, REV 4/20/66, 1/2 X 4 IN | 85PK2921511 | T V A 250 PER BOX | | 0 |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER 54.055, ITEM A, REV 4/20/66, 1/2 X 4 IN | 85PK3981780 | T V A 250 PER BOX | | |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER 54.055, ITEM A, REV 4/20/66, 1/2 X 4 IN | 87PCF33974A | JOSLYN MFG. COMPANY 250 PER BOX | | |
| BOLT,LAG DRIVE, SQ HD, TVA SPEC | HOT DIP GALV STEEL, FETTER 54.055, ITEM A, REV 6/1/81, 1/2 X 4 IN | 88PCE36698C | JOSLYN 250 PER BOX | | 0 |
| BOLT,LAG IN DIA X 3 IN LONG, FETTER | HOT DIP GALV STEEL, SQ HD, 3/8 | 84PK3906910 | CHALLENGE SUPPLY INC | V | |
| BOLT,LAG IN DIA X 3 IN LONG, FETTER | HOT DIP GALV STEEL, SQ HD, 3/8 | 85PK3918283 | CHALLENGE SUPPLY INC | V | |
| BOLT,LAG IN DIA X 3 IN LONG, FETTER | HOT DIP GALV STEEL, SQ HD, 3/8 DRIVE | 84PM1893498 WITH INSERT SW-090/095 | MC GRAW EDISON IN | | |
| BOLT,LAG BLACK, NOMINAL DIA .25 IN, | SQUARE HEAD, CARBON STEEL, | 89PGR61492B | QUAD CITIES BOLT & SCREW | V | 0 |
| BOLT,LAG BLACK, NOMINAL DIA .5 IN, | SQUARE HEAD, CARBON STEEL, FASTENER LG 3.0 IN, GIMLET | 88PCE66406A POINT | | | |
| BOLT,LAG NOMINAL DIA .25 IN, FASTENER | SQUARE HEAD, CARBON STEEL, | 86PCF455774 | SURE LOC INC | V | |
| BOLT,LAG NOMINAL DIA .25 IN, FASTENER | SQUARE HEAD, CARBON STEEL, LG 1.0 IN, | 86PCD805434 GIMLET POINT | HEADS & THREADS 100 PER BOX | | |
| BOLT,LAG NOMINAL DIA .25 IN, FASTENER | SQUARE HEAD, CARBON STEEL, LG 2.0 IN, GALVANIZED, | 89PEE59152B02 GIMLET POINT | PORTER WALKER INC EACH 1 IN HOLES PUNCHED, REF | V | 0 |
| BOLT,LAG NOMINAL DIA .25 IN, FASTENER | SQUARE HEAD, CARBON STEEL, LG 2.5 IN, GALVANIZED, GIMLET | 88PCE65745A POINT | WHITESELL MFG. INC. | | |
| BOLT,LAG NOMINAL DIA .375 IN, FASTENER | SQUARE HEAD, CARBON STEEL, LG 2.0 IN, GIMLET POINT, 50 | 86PBG990975 PER BOX | PIPING SUPPLY COMPANY FACE, STANDARD MILL FINISH | V | |
| BOLT,LAG NOMINAL DIA .375 IN, FASTENER | SQUARE HEAD, CARBON STEEL, LG 4.0 IN, BLACK | 86PCE802311 LONG | VICTORY BOLT | V | |
| BOLT,LAG STEEL, 000.375 X 001.500 IN | SQUARE HEAD, GALVANIZED LG, 100 PER BOX | 88PCE50328B | ESCO FASTENERS | | 0 |
| BOLT,LAG STEEL, 000.375 X 002.500 IN | SQUARE HEAD, GALVANIZED LG, FETTER DRIVE | 84PM1893498 WITH INSERT SW-090/095 | MC GRAW IN | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,LAG 1/2 X 3 IN, FETTER DRIVE, | SQUARE HEAD, GALVANIZED STEEL, | 83PM889142401 | GENERAL INDUSTRY SUPPLY | V | |
| BOLT,LAG 1/2 X 3 IN, FETTER DRIVE, | SQUARE HEAD, GALVANIZED STEEL, JOSLYN J8753 | 88PCE51173B 090.000,PSIG AT 400 DEG F, | JOSLYN MFG & SUPPLY CO 003.281 IN E TO E, 000.562 IN | | 0 |
| BOLT,MACHINE FREE, CLASS 2A, FREE FIT, | AL, ALLOY 2024-T4, CORONA MIN THD LGTH 1-1/4 IN, | 88PCE40412B W/NO 205 ALUMILITE FINISH, | BELL FASTENERS NO-OX-ID COATED, ALC QA TYPE | | |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, | 87PCE58393A 0.5-13 UNC X 2 IN LONG, 50 | ALUMINUM FASTENERS PER BOX | | |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, | 88PCE63026A 0.5-13 UNC X 2 IN LONG, 50 | ALUMINUM FASTENERS PER BOX | | |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, W/O | 87PCE59988A NUT AND WASHERS, 1/2X2-1/2 IN | PAWTUCKET FASTENERS | | |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, W/O | 88PCE54839B02 NUT AND WASHERS, 1/2X2-1/2 IN | ALUMINUM FASTNER | | 0 |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, W/O | 87PCE58393A NUT AND WASHERS, 1/2X3 IN NC | ALUMINUM FASTENERS 100 PER BOX | | |
| BOLT,MACHINE ALLOY 2024-T4, W/205 ALUMILITEFINISH, | AL, HEX HD, HEAVY SERIES, NO-OX-ID COATED, W/O | 88PCE62359A NUT AND WASHERS, 1/2X3 IN NC | ALUMINUM FAST. 100 PER BOX | | 0 |
| BOLT,MACHINE B7 G41400, NOMINAL DIA 1.0 | ALLOY STEEL ASME SA 193 GR IN, THREAD 8, UNC, 2A, | 87NNR379157 FASTENER LG 3.25 IN, | WESTINGHOUSE ELEC CORP SECONDARY HANDHOLE, FOR | | |
| BOLT,MACHINE NOMINAL DIA .875 IN, THD 9, | ALLOY STEEL SAE GRADE 8, UNC, THD LG 8.0 IN | 88PCE50107B01 | JOS DYSON INC. | | 0 |
| BOLT,MACHINE NOMINAL DIA .875 IN, THD 9, | ALLOY STEEL SAE GRADE 8, UNC, THD LG 8.0 IN | 88PCE54839B01 | DARLING BOLT | | 0 |
| BOLT,MACHINE NOMINAL DIA .5 IN, THD 13, | ALUMINUM 2024 T4 A92024, UNC, 2A, FASTENER LG 2.5 IN, | 88PCE37619C CORONA FREE, FREE FIT, MIN | ALUMINUM FASTNER THP LGTH 1.25 IN, W/NO 205 | | 0 |
| BOLT,MACHINE HEXAGON HEAD, HEAVY SERIES, | ALUMINUM, ALLOY 2024-T4, 5/8-11-UNC X 2 IN LONG, WITH | 86PCB806726 205 ALUMILITE FINISH, NO-OX-IDCOATED, | COMMON ITEM-SEVERAL MFRS WITHOUT NUTS AND | | |
| BOLT,MACHINE HEXAGON HEAD, HEAVY SERIES, | ALUMINUM, ALLOY 2024-T4, 5/8-11-UNC X 2 IN LONG, WITH | 87PCB53705A 205 ALUMILITE FINISH, NO-OX-IDCOATED, | COMMON ITEM-SEVERAL MFRS WITHOUT NUTS AND | | |
| BOLT,MACHINE SERIES ALLOY 2024-T4, 5/8-11 | ALUMINUM, HEXAGON HEAD, HEAVY UNC X 5-1/4 INCHES | 89PEE59152B01 WIDE X 28 IN LONG OD, WITH 16 EACH 1 IN HOLES PUNCHED, REF | NON FERROUS | | 0 |
| BOLT,MACHINE 0.375-16 UNC X 3.5 IN LONG, | BLACK STEEL, SQUARE HEAD | 85PK391760402 | CHALLENGE SUPPLY INC | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE 0.25-20 UNC X 0.75 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | RD 911464 | SURE LOC INC<br>125 VOLTS AC FOR BALL MILL JOYAIR COMPRESSORS | V | |
| BOLT,MACHINE 0.25-20 UNC X 3 IN LONG, W/HEX | BLACK STEEL, SQUARE HEAD, | 86PCB988031 | VICTORY BOLT | V | |
| BOLT,MACHINE 0.25-20 UNC X 3 IN LONG, W/HEXNUT | BLACK STEEL, SQUARE HEAD, | RD 933856 | SURE LOC INC<br>BENT-TO-FIT, UNIVERSAL BRIDGE 6 IN SPATULA, CLEAR | V | |
| BOLT,MACHINE 0.25-20 UNC X 3 IN LONG, W/HEXNUT, 50 EA PER BOX | BLACK STEEL, SQUARE HEAD, | 86PCB988031 | VICTORY BOLT<br>1 X 24 X 48 TEMPERATURE TO 1200 DEG F, FED | V | |
| BOLT,MACHINE 0.25-20 UNC X 3.5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 85PK3913642 | SURE LOC INC | V | |
| BOLT,MACHINE 0.25-20 UNC X 4 IN LONG, W/HEXNUT | BLACK STEEL, SQUARE HEAD, | 86PTC80456001 | GENERAL INDUSTRY SUPPLY<br>MODEL CB4C, MEDIUM MASTER CUT SIZE OR POSSIBLE DEGRADATION, | V | 0 |
| BOLT,MACHINE 0.312-18 UNC X 1 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT AND LOCKWASHER | 86PCF992416 | CHALLENGE SUPPLY INC<br>003.000 X 024.000 X 048.000 IN 100 PER BOX | V | |
| BOLT,MACHINE 0.375-16 UNC X 1.25 IN LONG, | BLACK STEEL, SQUARE HEAD, | RD 911390 | SURE LOC INC | V | |
| BOLT,MACHINE 0.375-16 UNC X 2.5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK6903660 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE 0.375-16 UNC X 2.5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 86PCB800233 | SOUTHEASTERN BOLT & SCREW | V | |
| BOLT,MACHINE 0.375-16 UNC X 5 IN LONG, | BLACK STEEL, SQUARE HEAD, LENGTH 340 MM | RD 900739 | SURE LOC INC<br>24 MM TWO CYLINDER, 4 STAGE, 3700 | V | |
| BOLT,MACHINE 0.375-16 UNC X 5 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | 86PCF803079 | GENERAL INDUSTRY SUPPLY | V | |
| BOLT,MACHINE 0.375-16 UNC X 6 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | RD 933856 | SURE LOC INC<br>BENT-TO-FIT, UNIVERSAL BRIDGE 6 IN SPATULA, CLEAR | V | |
| BOLT,MACHINE 0.5-13 UNC X 1 IN LONG, | BLACK STEEL, SQUARE HEAD, 8440 | RD 900606 | COMMON ITEM-SEVERAL MFRS<br>, FOR ABRASIVE BLAST | | |
| BOLT,MACHINE 0.5-13 UNC X 1.5 IN LONG, | BLACK STEEL, SQUARE HEAD, DEVILBISS AIRLESS PAINT SPRAY GUN | RD 907866 | COMMON ITEM-SEVERAL MFRS<br>I DROP, BENCH SET 6 TO 35 PSI, | | |
| BOLT,MACHINE 0.5-13 UNC X 1.5 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT, 25 PER BOX | 86PCB991499 | COMMON ITEM-SEVERAL MFRS<br>1.375 IN-6 THD #3102 (1-3/8-6)WITH HYDRAULIC EXTENSION | | 0 |
| BOLT,MACHINE 0.5-13 UNC X 2.5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 85PK3913642 | SURE LOC INC | V | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE 0.5-13 UNC X 2.5 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | RD 926824 VALVE, MODEL RVL | COMMON ITEM-SEVERAL MFRS THREADED EXTERNAL, END TYPE | | |
| BOLT,MACHINE 0.5-13 UNC X 5 IN LONG, | BLACK STEEL, SQUARE HEAD, LENGTH 340 MM | RD 900739 24 MM | COMMON ITEM-SEVERAL MFRS TWO CYLINDER, 4 STAGE, 3700 | | |
| BOLT,MACHINE 0.513 UNC X 1.5 IN LONG, | BLACK STEEL, SQUARE HEAD, IN, END TYPE THREADED | RD 886707 INTERNAL, NPT | COMMON ITEM-SEVERAL MFRS , SECOND END THREADED | | |
| BOLT,MACHINE 0.625-11 UNC X 1.25 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | 85PK3912714 | STEEL CITY BOLT & SCREW | | |
| BOLT,MACHINE 0.625-11 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK6903660 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE 0.625-11 UNC X 8 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK3909141 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE 0.75-10 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, | 85PK391505001 | SURE LOC INC | V | 0 |
| BOLT,MACHINE 0.75-10 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | 86PCF998473 APPROX 100 PER BOX | COMMON ITEM-SEVERAL MFRS A533, BINDER TO BE FIBERGLASS | | |
| BOLT,MACHINE 0.75-10 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | 85PCE987769 INDEPENDENT WIRE ROPE CENTER, 364 FT LONG, FROM CENTER OF | COMMON ITEM-SEVERAL MFRS | | |
| BOLT,MACHINE 0.75-10 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEAVY HEX NUT | 85PCF984251 OPTO-MATIC | COMMON ITEM-SEVERAL MFRS MODEL M-6001-AL | | 0 |
| BOLT,MACHINE 0.75-10 UNC X 3.5 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCE806819 INSULATION MATERIAL | COMMON ITEM-SEVERAL MFRS | | |
| BOLT,MACHINE 0.75-10 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, | 86PCF802636 | VICTORY BOLT | V | |
| BOLT,MACHINE 0.75-10 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 87PCF809884 TELESCOPING COVER 1-1/2" DIA, W/4-6 CARD HOLD AND 1 STRAP, | COMMON ITEM-SEVERAL MFRS | | |
| BOLT,MACHINE 0.75-10 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT, 25 PER BOX | 87PCF50249A BUSHINGS ARBOR TO CONVERT 3" TOP; 4" FLARE 1/2 X 1-1/4 | GAFFNEY BOLT | | |
| BOLT,MACHINE 0.75-10 UNC X 4.5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK3902875 | SURE LOC INC | V | |
| BOLT,MACHINE 0.75-10 UNC X 5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK3902875 | SURE LOC INC | V | |
| BOLT,MACHINE 0.875-9 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCB801228 LONG, ROLL .30 ROLLS | COMMON ITEM-SEVERAL MFRS II | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE 0.875-9 UNC X 3 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCF99246 | COMMON ITEM-SEVERAL MFRS 003.000 X 024.000 X 048.000 IN 100 PER BOX | | |
| BOLT,MACHINE 0.875-9 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCE807005 | GAFFNEY | | |
| BOLT,MACHINE 0.875-9 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCE992537 | COMMON ITEM-SEVERAL MFRS SOCKETWELD, FIRST/IDENT END NOM SIZE 1.5 IN | | 0 |
| BOLT,MACHINE 0.875-9 UNC X 5 IN LONG | BLACK STEEL, SQUARE HEAD, | 84PK3902875 | SURE LOC INC | V | |
| BOLT,MACHINE 0.875-9 UNC X 6 IN LONG, | BLACK STEEL, SQUARE HEAD, | 84PK3902875 | SURE LOC INC | V | |
| BOLT,MACHINE 1-8 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 86PCF80444201 | COMMON ITEM-SEVERAL MFRS GAGE GAGE, FILL NO S-275 | | |
| BOLT,MACHINE 1-8 UNC X 4 IN LONG, | BLACK STEEL, SQUARE HEAD, W/HEX NUT | 87PCF808469 | COMMON ITEM-SEVERAL MFRS X 036.000 IN LG, 004.000 IN PIPE | | |
| BOLT,MACHINE 1-8 UNC X 5 IN LONG, | BLACK STEEL, SQUARE HEAD, | 86PCD80558401 | BOLTS & NUTS INC | V | |
| BOLT,MACHINE X 5 IN LONG, W/HEAVY HEX NUT | BLACK STEEL, SQUARE HEAD, 5/8 (2) EACH SIDE PINION GEARS | RD 907731 | COMMON ITEM-SEVERAL MFRS NO. 10736 FOR CLARK FORKLIFT MODEL 10024, SERIAL NO. | | |
| BOLT,MACHINE X 5 IN LONG, W/HEAVY HEX NUT | BLACK STEEL, SQUARE HEAD, 5/8 5/8X5IN NC | 87PCE807281 | HEADS & THREADS | | |
| BOLT,MACHINE X 5 IN LONG, W/HEAVY HEX NUT | BLACK STEEL, SQUARE HEAD, 5/8 5/8X5IN NC | 88PCE69158A | GAFNEY BOLT FORGED, SHOULDER, QUENCHED AND TEMPERED, BLANK | | |
| BOLT,MACHINE X 5 IN LONG, W/HEAVY HEX NUT | BLACK STEEL, SQUARE HEAD, 5/8 5/8X5IN NC | 88PCE66146A | KNOXVILLE BOLT & SCREW CENTERS, 000.312 IN ROUND CROSS RODS FORGED INTO BEARING | V | |
| BOLT,MACHINE ACCORDANCE WITH TVA STANDARD S-24-75, EXCEPT A 6" MINIMUM THREAD LENGTH WILL BE ACCEPTABLE ON BOLTS 15" OR LONGER. | BOLT, MACHINE, 3/4" X 18", IN | 83PK710844901 | STOKES ELECTRIC CO | V | |
| BOLT,MACHINE DIPPED GALVANIZED STEEL, SQUAR | BOLT, 1/4" X 6", MACHINE, HOT | 83PK333808003 | GRAYBAR ELECTRIC COMPANY | V | |
| BOLT,MACHINE .875 IN, FASTENER LG 2.0 IN, | BUTTON HEAD, NOMINAL DIA CARBON STEEL, ASTM A325, | 88PGK66342A | KNOXVILLE BOLT & SCREW BEARING, INTERFERENCE BODY, WITH HEAVY HEX NUT, | V | 0 |
| BOLT,MACHINE .875 IN, FASTENER LG 2.0 IN, | BUTTON HEAD, NOMINAL DIA CARBON STEEL, ASTM A325, | 89PEE60093B | BRIGHTON-BEST SOCKET BEARING, INTERFERENCE BODY, WITH HEAVY HEX NUT, | | 0 |
| BOLT,MACHINE DIA .5 IN, FASTENER LG 6.0 | CARBON STEEL, PLAIN, NOMINAL | 89PGR61492B | QUAD CITIES BOLT & SCREW | V | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE 0.312-18 UNC X 1.5 IN LONG | CARBON STEEL, SQUARE HEAD, EA PER BOX | 86PCF988077 PER BOX | INFASCO BOX | | |
| BOLT,MACHINE 0.312-18 UNC X 1.5 IN LONG | CARBON STEEL, SQUARE HEAD, 25 PER BOX | 87PCF809842 HEXAGON, HEAT TREATED | VICTORY BOLT FOR PENBERTHY TYPE ST | V | |
| BOLT,MACHINE UNC X 6 IN LONG, WITH | CARBON STEEL, SQUARE HEAD, 1-8 | 86PCD80558401 | BOLTS & NUTS INC | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN THD 20 UNC | FLAT HEAD CARBON STEEL 2A FASTENER LG 1.25 IN STOVE, | 88PCE56221B ZINC CHROMATE FINISH, WITH | ACE BOLT SQUARE NUTS | | 0 |
| BOLT,MACHINE CADMIUM PLATED, NOMINAL DIA | FLAT HEAD, CARBON STEEL, .312 IN, THREAD 18, UNC, | 86PCE807005 FASTENER LG 2.0 IN, | MAJESTIC C/W SQUARE NUT, 100 PER BOX | | |
| BOLT,MACHINE CADMIUM PLATED, NOMINAL DIA | FLAT HEAD, CARBON STEEL, .312 IN, THREAD 18, UNC, | 88PCG59276A02 FASTENER LG 2.0 IN, | B & B BOLT & SCREW CO INC C/W SQUARE NUT, 100 PER BOX | V | |
| BOLT,MACHINE NOMINAL DIA .187 IN, FASTENER | FLAT HEAD, CARBON STEEL, LG 2.0 IN, ZINC CHROME | 88PCE53658B02 PLATED,, STOVE, WITH SQUARE | ACE BOLT CO. NUT | | 0 |
| BOLT,MACHINE NOMINAL DIA .187 IN, THREAD | FLAT HEAD, CARBON STEEL, 24, UNC, FASTENER LG 2.0 IN, | 86PCB806607 STOVE, C/W SQ NUTS, 100 EA | VICTORY BOLT PER BOX | V | |
| BOLT,MACHINE NOMINAL DIA .19 IN, THREAD 24, | FLAT HEAD, CARBON STEEL, | 85PK3924362 | VICTORY BOLT | V | |
| BOLT,MACHINE NOMINAL DIA .19 IN THREAD 24, | FLAT HEAD, CARBON STEEL, UNC, FASTENER LG .75 IN, | 88PCE55316B STOVE | HAYWARD BOLT & SPECIALTY LETTERS. | V | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, FASTENER | FLAT HEAD, CARBON STEEL, LG .75 IN, | 86PCB806548 STOVE, W/SQUARE NUT | MOUNTAIN CITY INDL SUPPLY 100 PER BOX | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, FASTENER | FLAT HEAD, CARBON STEEL, LG 1.25 IN, STOVE, W/SQUARE | 87PCF51004A NUT, 100 PER BOX | MAJESTIC BINDER, AND FILLER TEMPERATURE | | |
| BOLT,MACHINE NOMINAL DIA .25 IN FASTENER | FLAT HEAD, CARBON STEEL, LG 1.25 IN, STOVE, W/SQUARE | 86PCE80444201 NUT, 100 PER BOX | FASTENER HOUSE INC GAGE, FILL NO S-275 | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, FASTENER | FLAT HEAD, CARBON STEEL, LG .5 IN, STOVE, W/SQUARE NUT | 86PCF802572 INTENDED USE: INSTRUMENT PIPING FOR VARIOUS NON-SAFETY | SURE LOC INC | V | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, FASTENER | FLAT HEAD, CARBON STEEL, LG 1.5 IN, STOVE,W/SQUARE NUT | 87PCE58296A | BOLTS & NUTS INC | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | FLAT HEAD, CARBON STEEL, 20, UNC, FASTENER LG .75 IN, | 87PCE809385 PLATED, 100 PER BOX, W/SQ | MAJESTIC NUT | | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | FLAT HEAD, CARBON STEEL, 20, UNC, FASTENER LG .75 IN, | 88PCE67839A PLATED, 100 PER BOX, W/SQ | CONTINENTAL BOLT NUT | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | FLAT HEAD, CARBON STEEL, 20, UNC, FASTENER LG .75 IN, | 88PCE50430B | IMPORT SLOTTED, STOVE, 100 PER BOX | | 0 |
| BOLT,MACHINE NOMINAL DIA .375 IN, THD 16, | FLAT HEAD, CARBON STEEL, | 88PCE62557A | KNOXVILLE BOLT & SCREW | V | |
| BOLT,MACHINE NOMINAL DIA .375 IN, THREAD 16 | FLAT HEAD, CARBON STEEL, | 86PCE803338 | VICTORY BOLT | V | |
| BOLT,MACHINE NOMINAL DIA .375 IN, THREAD 16 | FLAT HEAD, CARBON STEEL, UNC, FASTENER LG 1.0 IN, | 86PCE803338 | MAJESTIC PLATED, STOVE, W/NUT | | |
| BOLT,MACHINE NOMINAL DIA .5 IN, THREAD 13, | FLAT HEAD, CARBON STEEL, | 86PCF800874 | VICTORY BOLT | V | |
| BOLT,MACHINE NOMINAL DIA .5 IN, THREAD 13, | FLAT HEAD, CARBON STEEL, UNC, FASTENER LG 1.25 IN, | 88PCE56337B | BRIGHTON-BEST SLOTTED, STOVE C/W NUT | | 0 |
| BOLT,MACHINE NOMINAL DIA .5 IN, THREAD 13, | FLAT HEAD, CARBON STEEL, UNC, THD LG 1.5 IN, | 88PCE55968B | WAYNE BOLT SLOTTED, STOVE | | 0 |
| BOLT,MACHINE ZINC PLATED, NOMINAL DIA. | FLAT HEAD, CARBON STEEL, .312 IN, THREAD 18, UNC, | 86PCE998225 | SOUTHEASTERN BOLT & SCREW FASTENER LG 2.0 IN, C/W SQUARE NUT, 100 PER BOX | V | |
| BOLT,MACHINE FASTENER LG 1.25 IN, STOVE, | FLAT HEAD, NOMINAL DIA .25 IN, W/SQUARE NUT | 87PCE808445 | FASTENER HOUSE INC | V | |
| BOLT,MACHINE HEX NUT, FULL THREAD, 000.500 | GALVANIZED STEEL, HEX HEAD, | 85PK310854103 | MILLS & LUPTON SUPPLY CO | V | |
| BOLT,MACHINE HEX NUT, FULL THREAD, 000.500 | GALVANIZED STEEL, HEX HEAD, IN DIA X 004.000 IN LG | 84PK310854102 | T V A | | 0 |
| BOLT,MACHINE SQUARE NUT, OR HEX NUT, | GALVANIZED STEEL, SQUARE HEAD, 3 INCH THREAD, COARSE SERIES, 1/2 X 7 INCH, TVA SPEC 24.026 50 EACH PER BOX | 86PCE465779 | GAFFNEY BOLT | | |
| BOLT,MACHINE SQUARE NUT, 3 INCH THREAD, | GALVANIZED STEEL, SQUARE HEAD, | 84PK3904807 | BOLTS & NUTS INC | V | |
| BOLT,MACHINE SQUARE NUT, 3 INCH THREAD, | GALVANIZED STEEL, SQUARE HEAD, | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE SQUARE NUT, 3 INCH THREAD, | GALVANIZED STEEL, SQUARE HEAD, COARSE SERIES, 1/2 X 7 INCH, TVA SPEC 24.026 | 88PCE36889C | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE SQUARE NUT, 3 INCH THREAD, | GALVANIZED STEEL, SQUARE HEAD, COARSE SERIES, 1/2 X 7 INCH, TVA SPEC 24.026 | 88PCE37486C | STEEL CITY BOLT (TVA CODES: SL5DA/N | | 0 |
| BOLT,MACHINE SQUARE NUT, 3 INCH THREAD, | GALVANIZED STEEL, SQUARE HEAD, COARSE SERIES, 1/2 X 7 INCH, TVA SPEC 24.026 | 86PCF802911 | MID SOUTH BOLT LITERATURE ENCLOSED. | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL, SQUARE HEAD, | 84PK3906012 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL, SQUARE HEAD, | 85PK3914206 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE AND NUT,3 IN THREAD,1/2X4-1/2 | GALVANIZED STEEL,SQUARE HEAD | 85PM4981808 | ROGERS BAILEY & BROWNING | V | |
| BOLT,MACHINE OR HEX HEAD, SQUARE NUT, FULL | GALVANIZED STEEL,SQUARE HEAD, THREAD, COARSE SERIES, | 86PCE467053 | TENN VALLEY AUTHORITY 5/8 X 1-1/2 IN, 50-EACH PER PACKAGE, TVA SPEC 24.026 | | |
| BOLT,MACHINE SQUARE NUT OR HEX NUT, FULL | GALVANIZED STEEL,SQUARE HEAD, THREAD COARSE SERIES, 1/2 IN X2-1/2 IN, TVA SPEC 24.026 | 87PCB33896A | TENN VALLEY AUTHORITY GAFFNEY BOLT | | |
| BOLT,MACHINE SQUARE NUT OR HEX NUT, 10-IN | GALVANIZED STEEL,SQUARE HEAD, THREAD, COARSE SERIES, 3/4 IN X 18 IN, TVA SPEC 24.026 | 87PCE42345A | STEEL CITY | | |
| BOLT,MACHINE SQUARE NUT, FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, | 85PK3921033 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE SQUARE NUT, FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,5/8X1-1/2 IN,TVA SPEC 24.026 | 87PCE47086A01 | STANDARD NUT & BOLT | | |
| BOLT,MACHINE SQUARE NUT, FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,5/8X1-1/2 IN,TVA SPEC 24.026 | 88PCE36640C | HUGHES BORTHERS | | 0 |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES, 0.375 DIA X 1.5 IN LONG, TVA SPEC 24.026 | 88PCE37539C | STEEL CITY | | 0 |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES, 3/4 X 1-1/2 INCH,TVA SPEC 24.026 | 87PCE54758A | TENN VALLEY AUTHORITY 100 PER BOX | | |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,1/2X3 IN, TVA SPEC 24.026 | 84PK310854101 | T V A | | |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,3/8X1-1/2 IN TVA SPECIFICATION 24.026 | 88PCE36640C | HUGHES BROTHERS | | 0 |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,5/8X3 IN,TVA SPEC 24.026 | 88PCE37711C | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,5/8X3 IN,TVA SPEC 24.026 | 87PCF804867 | GAFFNEY BOLT IN, NPT, LG 2.0 IN | | |
| BOLT,MACHINE SQUARE NUT,FULL THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,5/8X3 IN,TVA SPEC 24.026 | 87PCE47086A02 | GAFFNEY 1/2" UNTHREADED. | | |
| BOLT,MACHINE SQUARE NUT,FULLTHREAD,1/2X2 | GALVANIZED STEEL,SQUARE HEAD, IN,COARSE SERIES,TVA SPEC 24.026 | 88PCE36914C | JOSLYN | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE SQUARE NUT,10IN THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,3/4X18 IN,TVA SPEC 24.026 | 87PCE49992A01 | STEEL CITY BOLT | | |
| BOLT,MACHINE SQUARE NUT,10IN THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, SERIES,3/4X18 IN,TVA SPEC 24.026 | 86PCB46434602 | GAFFNEYMFG & SUPPLY CO II | | |
| BOLT,MACHINE SQUARE NUT,10IN THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, 24.026 | 83PK3885357 | JOSLYN MFG & SUPPLY CO | | |
| BOLT,MACHINE SQUARE NUT,10IN THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, 24.026 | 83PK3886311 | JOSLYN MFG & SUPPLY CO ONST INSIDE SCREW, | | |
| BOLT,MACHINE SQUARE NUT,3 IN THREAD,COARSE | GALVANIZED STEEL,SQUARE HEAD, 24.026 | 83PN433816001 | JOSLYN SQUARE NUT, | | |
| BOLT,MACHINE SQUARE NUT,3 IN THREAD,1/2X5 | GALVANIZED STEEL,SQUARE HEAD, IN,COARSE SERIES, TVA SPEC 24.026 | 87PCE49908A | GAFFNEY BOLT | | 0 |
| BOLT,MACHINE 000.625 X 006.000 IN, | HEX HEAD, GALVANIZED STEEL, | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, | 86PBB802379 | PIPING SUPPLY COMPANY | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, | 86PCE801363 | VICTORY BOLT | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 1.0 IN, | 87NNQ80832001 ZINC PLATED, C/W HEX NUTS, 100 PER BOX | PEACH STATE | | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 1.0 IN, | 87NNS55069A ZINC PLATED, C/W HEX NUTS, 100 PER BOX | ADVENT INDUSTRIES | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 1.0 IN, | 88NCE68292A01 ZINC PLATED, C/W HEX NUTS, 100 PER BOX | IFC FASTENERS | | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 3.0 IN, 100 PER BOX | 87NCE51230A | STAR FASTENER | | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 3.0 IN, 100 PER BOX | 87NBF80781902 | VICTORY BOLT (APPROXIMATE-APPLIES TO | V | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | HEXAGON HEAD, CARBON STEEL, 20, UNC, FASTENER LG 4.0 IN, | 87NBD51842A01 ZINC PLATED, C/W HEX NUTS, 100 PER BOX | FASTENER HOUSE INC | V | |
| BOLT,MACHINE NOMINAL DIA .312 IN, FASTENER | HEXAGON HEAD, CARBON STEEL, | 85PK3921926 | VICTORY BOLT | V | 0 |
| BOLT,MACHINE NOMINAL DIA .312 IN, FASTENER | HEXAGON HEAD, CARBON STEEL, LG 2.5 IN, BRIGHT STEEL, C/W | 87NCE52609A HEX NUTS | MAJESTIC | | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, FASTENER LG 2.5 IN, BRIGHT STEEL, C/W HEX NUTS | 85PCB986528 | CHALLENGE SUPPLY INC A, 100 PER BOX | V | 0 |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, FASTENER LG 2.5 IN, BRIGHT STEEL, C/W HEX NUTS | 89NEE61326B | SQUAW SUPPLY INC IN, NPT, LG 4.0 IN | V | 0 |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, FASTENER LG 2.5 IN, BRIGHT STEEL, C/W HEX NUTS | 86PCB805936 | VICTORY BOLT TEMPERATURE TO 1200 DEG F | V | |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD | 86PCE801363 | VICTORY BOLT | V | |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD 18, UNC, FASTENER LG 1.0 IN, ZINC PLATED, C/W HEX NUTS, 100 PER BOX | 87NCE85193302 | MAJESTIC | | |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD 18, UNC, FASTENER LG 4.0 IN, ZINC PLATED, C/W HEX NUTS, 100 PER BOX | 87PCE808699 | GENERAL INDUSTRY SUPPLY | V | |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD 18, UNC, FASTENER LG 6.0 IN, ZINC PLATED, C/W HEX NUTS, 50 PER BOX | 89NNS82756A | ACE BOLT & SCREW | | 0 |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, FASTENER LG 2.0 IN, ZINC PLATED, C/W HEX NUTS, 100 PER BOX | 89NNS82756A | ACE BOLT & SCREW | | 0 |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, METAL FASTNER LG 1.5 IN, ZINC PLATED, C/W HEX NUTS,100 PER BOX | 86PNQ802142 | WEBSTER PIPING & SUPPLY | V | |
| BOLT,MACHINE HEXAGON HEAD, CARBON STEEL, NOMINAL DIA 1.0 IN, THD 8, UNC, 2A, FASTENER LG 4.5 IN STOVE, ZINC CHROMATE FINISH, WITH SQUARE NUTS | 88PCE56221B | HEADS & THREADS | | 0 |
| BOLT,MACHINE HEXAGON HEAD, NOMINAL DIA .625 IN, THREAD 11, UNC, 2A, FASTENER LG 3.0 IN, CARBON STEEL, ASTM A325, C/W HEAVY AMERICAN | 88NNT63438A | INFASCO | | |
| BOLT,MACHINE HEXAGON HEAD, PLAIN, NOMINAL DIA .875 IN, THREAD 9, UNC, 2A, FASTENER LG 4.5 IN, CARBON STEEL, ASTM A325, HEAVY, STRUCTURAL, HIGH | 88PCE55561B01 | BOLTS & NUTS INC | V | 0 |
| BOLT,MACHINE HEXAGON HEAD, SILICON BRONZE, NON-FERROUS, 0.25 DIA X 1.5 INLONG, WITH HEX NUT, 100 EA PERBOX | 87PCE57963A | TROY COMPANY | | 0 |
| BOLT,MACHINE HEXAGON HEAD, SILICON BRONZE, NON-FERROUS, 0.25 DIA X 1.5 INLONG, WITH HEX NUT, 100 EA PERBOX | 87PCE807281 | BELL FASTENERS | | |
| BOLT,MACHINE HEXAGON HEAD, SILICON BRONZE, NON-FERROUS, 0.25 DIA X 1.5 INLONG, WITH HEX NUT, 100 EA PERBOX | 88PCE68962A01 | BELL FASTENERS | | |
| BOLT,MACHINE HEXAGON HEAD, STAINLESS STEEL ASTM A 276 TY 304 S30400, NOMINAL DIA .25 IN, THD 20, UNC, FASTENER LG 1.0 IN PER ANSI B18.2.1 | 88NNT80854A | CARDINAL INDUSTRIAL PDTS | | 3 |
| BOLT,MACHINE HEXAGON HEAD,ALUMINUM, HEAVY SERIES,ALLOY 2024-T4, WITH 205ALUMILITE FINISH, NO-OX-ID COATED,WITHOUT NUT AND WASHERS5/8X2-1/2 INCH NC | 87PCE60689A02 | COMMON ITEM-SEVERAL MFRS | | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES, | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES, | 85PK391760401 | SURE LOC INC | V | 0 |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,TVA SPEC 24.026 | 86PCE80574201 7/8 X 24IN | TENN VALLEY AUTHORITY | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,TVA SPEC 24.026 | 87PCE49908A 7/8 X 24IN | GAFFNEY BOLT | | 0 |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,TVA SPEC 24.026 | 83PM889142402 7/8 X 24IN | T V A MOTOR MOUNTING BRACKET | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,TVA SPEC 24.026 | 88PCE64892A 7/8 X 24IN | . 15 KV, 1500/3000/5 AMP | | 0 |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,7/8 X 24IN | 83PK388454601 | T V A S A COIL, MAXIMUM | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HD, SQ NUT, 10 IN THD, COARSE SERIES,7/8 X 24IN | 83PK288715602 | T V A 4, SQUARE NUT, | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HEAD, 4 IN THD, COARSE SERIES, SQUARE NUT, TVA SPEC 24.026, | 88PCE33914B 3/4 X 8 IN | JOSLYN | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HEAD, 4 IN THD, COARSE SERIES, 3/4 X 8 IN | 83PK3886311 | T V A ONST INSIDE SCREW, | | |
| BOLT,MACHINE HOT DIP GALV STL, SQ HEAD, 4 IN THD, COARSE SERIES, 3/4 X 8 IN | 83PK288715602 | T V A 4, SQUARE NUT, | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN | 83PK3887141 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN | 84PK3904475 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN | 85PK391760401 | SURE LOC INC | V | 0 |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN | 86PCE461500 | VICTORY BOLT | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN | 86PCF801190 | VICTORY BOLT | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 INTHREAD, COARSE SERIES, 7/8 X 18 IN, TVA SPEC 24.026 | 87PCE47086A02 | GAFFNEY | | |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 INTHREAD, COARSE SERIES, 7/8 X 18 IN, TVA SPEC 24.026 | 88PCE30129B | STEEL CITY BOLT | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 INTHREAD, COARSE SERIES, 7/8 X 18 IN, TVA SPEC 24.026 | 88PCE39510B | STEEL CITY | | 0 |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQUARE HEAD, SQUARE NUT, 10 IN18 IN, TVA SPEC 24.026 | 83PK3885347 | T V A 0 PSIG | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, | 84PK3900328 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, | 86PCE464306 | BOLTS & NUTS DIVISION | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, COARSE SERIES, TVA SPEC 24.0267/8 X 26 IN | 88PCE36889C | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, COARSE SERIES, TVA SPEC 24.0267/8 X 26 IN | 85PK3981780 | T V A 250 PER BOX | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, 7/8 X 26 IN | 83PK288499101 | T V A QUOTING 3/16" THICK, 1 | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 10 IN THD, 7/8 X 26 IN | 83PK3883827 | T V A STAINLESS STEEL, | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD, SQ NUT, 6 IN THREAD, 5/8 X 14 IN | 83PK3885347 | T V A 0 PSIG | | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD,SQUARE NUT,6 IN THREAD, | 84PK3899538 | FALCON METAL CORPORATION | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD,SQUARE NUT,6 IN THREAD, | 84PK7910010 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD,SQUARE NUT,6 IN THREAD, | 84P0810852701 | POWER DISTRIBUTORS SUPPLY | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD,SQUARE NUT,6 IN THREAD, | 86PCE80574201 | KNOXVILLE BOLT & SCREW | V | |
| BOLT,MACHINE HOT DIP GALVANIZED STEEL, SQ HEAD,SQUARE NUT,6 IN THREAD, COARSE SERIES,7/8 X 14 INCH TVA SPEC 24.026 | 86PCE30574201 | TENN VALLEY AUTHORITY | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE HEAD,SQUARE NUT,3 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES,5/8 X 5 INCH | 87PCE47086A02 TVA SPEC 24.026 | GAFFNEY | | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ | 83PK289094602 | MILLS & LUPTON SUPPLY CO | V | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ | 84PK3909141 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ | 85PK3914013 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES, 5/8 X 14 INCH | 87PCE49908A TVA SPEC 24.026 | GAFFNEY BOLT | | 0 |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES, 5/8 X 14 INCH | 88PCE34058A TVA SPEC 24.026 | JOSLYN | | |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES, 5/8 X 14 INCH | 88PCE37539C TVA SPEC 24.026 | STEEL CITY | | 0 |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES, 5/8 X 14 INCH | 88PCE40388B TVA SPEC 24.026 | JOSLYN | | 0 |
| BOLT,MACHINE HEAD,SQUARE NUT,6 INCH THREAD | HOT DIP GALVANIZED STEEL,SQ COARSE SERIES, 5/8 X 14 INCH | 87PE3808349 TVA SPEC 24.026 | TENN VALLEY AUTHORITY SIZE OR POSSIBLE DEGRADATION, | | 0 |
| BOLT,MACHINE STANDARD SPECIFICATION 24.026, | IN ACCORDANCE WITH TVA REVISED 9-10-81, EXCEPT A 6" | 85PRD10862001 MINIMUM THREAD LENGTH WILL BE ACCEPTABLE ON BOLT 15" OR | T V A | | |
| BOLT,MACHINE NUT OR HEX NUT, 10-IN THREAD, | MACH, GALV STL, SQ HD, SQ COARSE SERIES, 3/4 IN X 16 IN, | 87PCE42345A TVA SPEC 24.026 | STEEL CITY | | |
| BOLT,MACHINE NUT OR HEX NUT, 10-IN THREAD, | MACH, GALV STL, SQ HD, SQ COARSE SERIES, 3/4 IN X 22 IN, | 87PCE42345A TVA SPEC 24.026 | STEEL CITY | | |
| BOLT,MACHINE NUT OR HEX NUT, 3 IN THD, | MACH, GALV STL, SQ HD, SQ COARSE SERIES, TVA SPEC 24.0265/8 X 6 IN, JOSLYN | 87PCB471979 J-8806 | JOSLYN | | 0 |
| BOLT,MACHINE NUT, OR HEX NUT, 10 IN THREAD, | MACH, GALV STL, SQ HD, SQ COARSE SERIES, TVA SPEC 24.0265/8 X 16IN | 86PCE465779 | GAFFNEY BOLT | | |
| BOLT,MACHINE NUT, 10IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 83PK2889162 | CHALLENGE SUPPLY INC | V | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 83PK289094601 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 84PK2900659 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK3914206 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK3921033 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK3921053 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK3924491 | SURE LOC INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 85PK7922697 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, | 86PCF464219 | KNOXVILLE BOLT & SCREW | V | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TV SPEC 24.026 | 86PCE80574201 7/8 X 30IN | TENN VALLEY AUTHORITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 85PK3912714 3/4 X 16IN | STEEL CITY BOLT & SCREW | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCE465612 3/4 X 16IN | STEEL CITY BOLT & SCREW | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCF995893 3/4 X 16IN | TENN VALLEY AUTHORITY AND HBM,ON FLUID COUPLING,NO | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 87PCE42561A02 3/4 X 20IN | STEEL CITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE37200C01 3/4 X 22IN | TENN VALLEY AUTHORITY | | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCB46434602 3/4 X 22IN | GAFFNEY II | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCE461497 3/4 X 26IN | TENN VALLEY AUTHORITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE37486C 3/4 X 26IN | STEEL CITY BOLT | (TVA CODES: SL5DA/N | 0 |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 89PEE37966C 3/4 X 28IN | STEEL CITY BOLT | | 0 |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCB46434602 3/4 X 28IN | GAFFNEYLLEY AUTHORITY II | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 87PCE42561A02 3/4 X 30IN | STEEL CITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE37213C 5/8 X 16IN | STEEL CITY BOLT | | 0 |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE37711C 5/8 X 16IN | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE39510B 5/8 X 18IN | STEEL CITY | | 0 |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCE80574201 7/8 X 20IN | TENN VALLEY AUTHORITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE40358B01 7/8 X 20IN | TENN VALLEY AUTHORITY METER PLUS A COLOR MODULE | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 88PCE37167C 7/8 X 22IN | STEEL CITY | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, TVA SPEC 24.026 | 86PCB46434602 7/8 X 22IN | GAFFNEYLLEY AUTHORITY II | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, 3/4 X 16IN | 83PK3886311 | T V A | ONST INSIDE SCREW, | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, 3/4 X 16IN | 83PN1108499 (JOSLYN J8916) | T V A | | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, 7/8 X 22IN | 83PK288715602 | T V A | 4, SQUARE NUT, | |
| BOLT,MACHINE MACH, GALV STL, SQ HD, SQ NUT, 10IN THD, COARSE SERIES, 7/8 X 30IN | 83PK288499101 | T V A | QUOTING 3/16" THICK, 1 | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 83PK2889162 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 83PK3889828 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK3905556 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK3906420 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3921053 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 88PCE37200C01 1/2 X 6IN | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 87PCE851000 5/8 X 6IN | TENN VALLEY AUTHORITY | | |
| BOLT,MACHINE NUT, 3IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 87PCE56503A 5/8 X 6IN | TENN VALLEY AUTHORITY 100 PER BOX | | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK7899775 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3923575 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 85PK3912714 3/4 X 10IN | STEEL CITY BOLT & SCREW | | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 87PCE42345A 5/8 X 10IN | STEEL CITY | | |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 89PEE37966C 5/8 X 10IN | STEEL CITY BOLT | | 0 |
| BOLT,MACHINE NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ TVA SPEC 24.026 | 87PBG808349 5/8 X 10IN | TENN VALLEY AUTHORITY SIZE OR POSSIBLE DEGRADATION, | | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE<br>NUT, 4IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 89PEE37966C<br>5/8 X 8IN | STEEL CITY BOLT | | 0 |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE | MACH, GALV STL, SQ HD, SQ<br>3/4 X 12IN | 83PN1108499<br>(JOSLYN J8912) | T V A | | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 83PK288715601 | CARL JONES & ASSOC INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 83PK3887141 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PB489544401 | ORION INDUSTRIAL SUPPLY | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK289695502 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK3897250 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 84PK3899538 | FALCON METAL CORPORATION | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3913015 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ | 85PK3914013 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 87PCE47086A01<br>3/4 X 14IN | VA FASTENERS | | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 88PCE36698C<br>3/4 X 14IN | JOSLYN<br>250 PER BOX | | 0 |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 85PK3912714<br>5/8 X 12IN | STEEL CITY BOLT & SCREW | | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 88PCE33914B<br>5/8 X 12IN | JOSLYN | | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 88PCE37711C<br>5/8 X 12IN | TENN VALLEY AUTHORITY | | 0 |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 85PK3981780<br>5/8 X 12IN | T V A<br>250 PER BOX | | |
| BOLT,MACHINE<br>NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ<br>TVA SPEC 24.026 | 87PCF33974A<br>5/8 X 12IN, OR HEX NUT | JOSLYN MFG. COMPANY<br>HARDWARE AND BRACKETS, | | |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ 5/8 X 12IN | 83PN1108499 (JOSLYN J8812) | T V A | | |
| BOLT,MACHINE NUT, 6IN THD, COARSE SERIES, | MACH, GALV STL, SQ HD, SQ 7/8 X 14IN | 83PN433816002 | HUGHES BROTHERS TO INCLUDE A DB4058 D | | |
| BOLT,MACHINE OR HEX NUT, 10 IN THD, COARSE | MACH, GALV STL, SQ HD, SQ SERIES, TVA SPEC 24.026 | 86PCF467185 7/8 X 30IN | TENN VALLEY AUTHORITY METAL | | |
| BOLT,MACHINE OR HEX NUT, 10 IN THD, COARSE | MACH, GALV STL, SQ HD, SQ SERIES, TVA SPEC 24.026, | 87PCB42278A 7/8 X 20IN | TENN VALLEY AUTHORITY AIR FLOW SWITCH, INLET GAS | | |
| BOLT,MACHINE HEX NUT, 10 IN THD, COARSE | MACH, GALV STL, SQ HD, SQ OR SERIES, TVA SPEC 24.026, | 86PCF467185 3/4 X 24IN | TENN VALLEY AUTHORITY METAL | | |
| BOLT,MACHINE 0.75-10 UNC X 5 IN LONG, | PLAIN STEEL, SQUARE HEAD, W/HEX NUT | 87PCF851342 125000 PSI | U. S. FASTENER CSL SILCON LTO, 502 | | |
| BOLT,MACHINE NOMINAL DIA .187 IN THD 24 | ROUND HEAD CARBON STEEL UNC 2A FASTENER LG .5 IN | 88PCE56221B STOVE, ZINC CHROMATE FINISH, | ACE BOLT & SCREW WITH SQUARE NUTS | | 0 |
| BOLT,MACHINE .19 IN, THREAD 24, UNC, | ROUND HEAD, BRASS, NOMINAL FASTENER LG 1.0 IN, ANSI | 85PCF36643201 B18.6.2-1973 | TROY TREATED | | 3 |
| BOLT,MACHINE NOMINAL DIA .125 IN, THD 40, | ROUND HEAD, CARBON STEEL, UNC, 2A, FASTENER LG .5 IN, | 88PCE56221B STOVE, ZINC CHROMATE FINISH, | HI TEN WITH SQUARE NUTS | | 0 |
| BOLT,MACHINE NOMINAL DIA .187 IN, THREAD 24 | ROUND HEAD, CARBON STEEL, | 88PCE62557A | KNOXVILLE BOLT & SCREW | V | |
| BOLT,MACHINE NOMINAL DIA .187 IN, THREAD 24 | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG .75 IN, | 87PCB54095A STOVE, WITH HEX NUT | BOLTS & NUTS INC 10/32 | V | 0 |
| BOLT,MACHINE NOMINAL DIA .19 IN, THREAD 24, | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG .5 IN, STOVE | 85PCE987240 | MAJESTIC | | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD | ROUND HEAD, CARBON STEEL, 20, UNC, FASTENER LG .75 IN, | 88PEE58259B 100 EA PER BOX, C/W SQ NUTS | ACE BOLT CORD DIA 0.875 IN TO 1.218 IN | | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD 20, | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG .75 IN, | 87PCE808988 STOVE, WITH HEX NUT | MAJESTIC | | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD 20, | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG .75 IN, | 88PCE55790B STOVE, WITH HEX NUT | ACE BOLT & SCREW | | 0 |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD 20, | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG 1.25 IN, | 88PCE51367B STOVE, WITH HEX NUT | ACE BOLT & SCREW | | |
| BOLT,MACHINE NOMINAL DIA .25 IN, THREAD 20, | ROUND HEAD, CARBON STEEL, UNC, FASTENER LG 1.25 IN, | 88PCE55152B STOVE, WITH HEX NUT | MAJESTIC SCREW & BOLT | | 0 |

| DESCRIPTION | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD 18 UNC, FASTENER LG 1.5 IN, STOVE, WITH HEX NUT | 86PCE802311 | VICTORY BOLT | V | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .312 IN, THREAD 18 UNC, FASTENER LG 1.5 IN, STOVE, WITH HEX NUT | 87PCE60712A | MAJESTIC | | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD | 88PCE63310A | VICTORY BOLT | V | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, FASTENER LG 3.0 IN, SLOTTED, STOVE, WITH HEX NUT | 86PCB991248 | VICTORY BOLT | V | 0 |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, FASTENER LG 3.0 IN, SLOTTED, STOVE, WITH HEX NUT | 86PCF99800201 | MAJESTIC SCREW & BOLT | | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, FASTENER LG 3.0 IN, SLOTTED, STOVE, WITH SQUARE NUT | 87PCE55524A | MAJESTIC | | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16, UNC, FASTENER LG 3.0 IN, SLOTTED, STOVE, WITH SQUARE NUT | 88PCE56823B | STAR | | 0 |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 | 86PCF804779 | MOUNTAIN CITY INDL SUPPLY | V | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 1.0 IN, STOVE, WITH HEX NUT | 86PCE802311 | VICTORY BOLT | V | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 1.0 IN, STOVE, WITH HEX NUT | 87PCE60712A | MAJESTIC | | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 1.0 IN, STOVE, WITH HEX NUT IN, FORGED | 89PEE59647B | PORTER WALKER INC | V | 0 |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 1.0 IN, STOVE, WITH HEX NUT NUT | 87PCE55524A | MAJESTIC | | |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 1.0 IN, STOVE, WITH HEX NUT POINT, 100 PER BOX | 88PEE57868B | ACE BOLT & SCREW | | 0 |
| BOLT,MACHINE ROUND HEAD, CARBON STEEL, NOMINAL DIA .375 IN, THREAD 16 UNC, FASTENER LG 2.0 IN, STOVE, WITH HEX NUT | 87PCE60712A | MAJESTIC | | |
| BOLT,MACHINE SILICON BRONZE, BH, OVAL NECK, NON-FERROUS, WITH HEX NUT, 3/8X1-1/4 IN START, BALL BEARING, CAST IRONENDBELLS, FOOT MOUNTED | 87PRF85221501 | DOSSERT CORP | | |
| BOLT,MACHINE SILICON BRONZE, BUTTON HEAD, 0.375 X 2 IN LONG, OVAL NECK, NON-FERROUS, FULL THREAD, W/ HEX NUT, TVA SPEC 24.023 25 PER BOX | 87PCF50886A02 | BELL FASTENERS | | |
| BOLT,MACHINE SILICON BRONZE, HEX HEAD, NON-FERROUS, WITH HEX NUT, 1/2 X | 84PK3907553 | CHALLENGE SUPPLY INC | V | 0 |

| DESCRIPTION | | CONTRACT | MANUFACTURER | VENDOR FLAG | QA LVL |
|---|---|---|---|---|---|
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- | 85PK391760401 | SURE LOC INC | V | 0 |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- | 85PK3918512 | CHALLENGE SUPPLY INC | V | 0 |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- | 85PK3918919 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 1-1/2 IN | 88PCE34069B | STAR STAINLESS | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 1-1/2 IN | 86PCD801029 FIBERS, BINDER, AND FILLER | TENN VALLEY AUTHORITY TEMPERATURE TO 1200 DEG F | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 1-3/4 IN | 88PCE34101B | STAR STAINLESS | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 1-3/4 IN | 87PCF851881 COLOR 98 | TENN VALLEY AUTHORITY CSL SILCON LTO, 502 | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 2-1/2 IN | 85PK3361972 | T V A | | 0 |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 2-1/2 IN | 88PCE37579C | BELL FASTENERS | | 0 |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 2-1/2 IN | 88PCE69364A | STAR STAINLESS | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2 X | SILICON BRONZE, HEX HEAD, NON- 2-1/4 IN | 88PCE66867A | STAR STAINLESS | | 0 |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X1 | SILICON BRONZE, HEX HEAD, NON- | 85PK3363528 | FALCON METAL CORPORATION | V | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X1 | SILICON BRONZE, HEX HEAD, NON- | RD 886708 | T V A , SECOND END THREADED | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X1 | SILICON BRONZE, HEX HEAD, NON- IN, 50 PER BOX | 88PCE34101B | STAR STAINLESS | | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X2 | SILICON BRONZE, HEX HEAD, NON- | 84PK3905661 | CHALLENGE SUPPLY INC | V | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X2 | SILICON BRONZE, HEX HEAD, NON- | 85PK3913642 | SURE LOC INC | V | |
| BOLT,MACHINE FERROUS, WITH HEX NUT, 1/2X2 | SILICON BRONZE, HEX HEAD, NON- | RD 886708 | T V A , SECOND END THREADED | | |