

FSAR Tables

1.0 Introduction and General Description of the Plant

Table 1.1-1—{Acronyms Used in this Document}	1-10
Table 1.6-1—Reports Referenced	1-32
Table 1.7-1—{I&C Functional and Electrical One Line Diagrams}	1-34
Table 1.7-2—{Piping and Instrumentation Diagrams}	1-35
Table 1.8-1—FSAR Sections that Demonstrate Conformance to U.S. EPR FSAR Interface Requirements . 1-37	
Table 1.8-2—{FSAR Sections that Address COL Items}	1-38
Table 1.9-1—{Conformance with Regulatory Guides}	1-54

2.0 Site Characteristics

Table 2.0-1—U.S. EPR Site Design Envelope Comparison	2-5
Table 2.0-2—Comparison of Inventory of Radionuclides Which Could Potentially Seep Into the Groundwater	2-9
Table 2.1-1— {Callaway Plant Unit 1 and 2 and Midpoint Coordinates}	2-23
Table 2.1-2—{Population Projections Within 10 mi (16 km) Radius}	2-24
Table 2.1-3—{Population Projections Within 50 mi (80 km) Radius}	2-25
Table 2.1-4—{Transient Population Facilities - Major Employers Within the 10 mi (16 km) Zone} . . .	2-26
Table 2.1-5—{Transient Population Facilities - Major Recreational Areas and Attractions Within the 10 mi (16 km) Zone}	2-27
Table 2.1-6—{Transient Population Distribution for the 10 mi (16 km) Radius (2000)}	2-28
Table 2.1-7—{County to County Work Flows (2000)}	2-29
Table 2.1-8—{Population Projections Within the LPZ}	2-30
Table 2.1-9—{Special Facilities – Schools Within the 10 mi (16 km) Zone}	2-31
Table 2.1-10—{Other Special Facilities Within the 10 mi (16 km) Zone}	2-32
Table 2.1-11—{Population of Cities, Towns, and Villages within 50 Miles of the Site}	2-33
Table 2.2-1—{Description of Facilities, Products and Materials}	2-94
Table 2.2-2—{Callaway Plant Unit 1 and Callaway Plant Unit 2, Onsite Chemical Storage}	2-95
Table 2.2-3— {Mertens Quarry, Onsite Hazardous Materials Storage}	2-99
Table 2.2-4—{Hazardous Chemical Waterway Freight, Missouri River}	2-100
Table 2.2-5—{State (SR) and County (CR) Routes and Distances from the Callaway Site}	2-101
Table 2.2-6—{Aircraft Operations – Significance Factors}	2-102
Table 2.2-7—{Onsite Chemicals Disposition}	2-103
Table 2.2-8— {Hazardous Material, Roadway Transportation, Disposition}	2-105
Table 2.2-9— {Hazardous Material, Navigable Waterway Transportation, Disposition}	2-106
Table 2.2-10—{Explosion Event Analysis}	2-107
Table 2.2-11—{Flammable Vapor Cloud Events (Delayed Ignition) and Vapor Cloud Explosion Analysis} 2-108	
Table 2.2-12—{Toxic Vapor Cloud Analysis}	2-109
Table 2.3-1—{National Ambient Air Quality Standards}	2-157
Table 2.3-2—{Monthly Mean Number of Days with Thunderstorms}	2-158
Table 2.3-3—{Maximum Monthly Wind Speed (mph) at Columbia, Missouri 1950-2006}	2-159

FSAR Tables

Table 2.3-4—{Probable Maximum Winter Precipitation (PMWP) Values}	2-160
Table 2.3-5—{Design Basis Tornado Characteristics for Callaway Plant Unit 2}	2-161
Table 2.3-6—{Annual Heating and Humidification Design Conditions for Columbia, Missouri (1972-2001)}	2-162
Table 2.3-7—{Annual Cooling, Dehumidification, and Enthalpy Design Conditions for Columbia, Missouri (1972-2001)}	2-163
Table 2.3-8—{Extreme Annual Design Conditions for Columbia, Missouri (1972-2001)}	2-164
Table 2.3-9—{Monthly Design Dry Bulb and Mean Coincident Wet Bulb Temperature Values for Columbia, Missouri (1972-2001)}	2-165
Table 2.3-10— {Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Columbia, Missouri (1972-2001)}	2-166
Table 2.3-11—{Monthly Mean /Daily Temperature Range for Columbia, Missouri (1972-2001)}	2-167
Table 2.3-12—{Callaway Plant Joint Frequency Distribution - 2004-2006}	2-168
Table 2.3-13—{Callaway Plant Joint Frequency Distribution - 2004-2006}	2-176
Table 2.3-14—{Callaway Plant Joint Frequency Distribution - January}	2-184
Table 2.3-15—{Callaway Plant Joint Frequency Distribution - February}	2-192
Table 2.3-16—{Callaway Plant Joint Frequency Distribution - March}	2-200
Table 2.3-17—{Callaway Plant Joint Frequency Distribution - April}	2-208
Table 2.3-18—{Callaway Plant Joint Frequency Distribution - May}	2-216
Table 2.3-19—{Callaway Plant Joint Frequency Distribution - June}	2-224
Table 2.3-20—{Callaway Plant Joint Frequency Distribution - July}	2-232
Table 2.3-21—{Callaway Plant Joint Frequency Distribution - August}	2-240
Table 2.3-22—{Callaway Plant Joint Frequency Distribution - September}	2-248
Table 2.3-23— {Callaway Plant Joint Frequency Distribution - October}	2-256
Table 2.3-24—{Callaway Plant Joint Frequency Distribution - November}	2-264
Table 2.3-25—{Callaway Plant Joint Frequency Distribution - December}	2-272
Table 2.3-26—{Callaway Plant Joint Frequency Distribution - January}	2-280
Table 2.3-27— {Callaway Plant Joint Frequency Distribution - February}	2-288
Table 2.3-28—{Callaway Plant Joint Frequency Distribution - March}	2-296
Table 2.3-29—{Callaway Plant Joint Frequency Distribution - April}	2-304
Table 2.3-30—{Callaway Plant Joint Frequency Distribution - May}	2-312
Table 2.3-31— {Callaway Plant Joint Frequency Distribution - June}	2-320
Table 2.3-32—{Callaway Plant Joint Frequency Distribution - July}	2-328
Table 2.3-33—{Callaway Plant Joint Frequency Distribution - August}	2-336
Table 2.3-34—{Callaway Plant Joint Frequency Distribution - September}	2-344
Table 2.3-35—{Callaway Plant Joint Frequency Distribution - October}	2-352
Table 2.3-36—{Callaway Plant Joint Frequency Distribution - November}	2-360
Table 2.3-37—{Callaway Plant Joint Frequency Distribution - December}	2-368
Table 2.3-38—{Callaway Plant Meteorological Persistence (2004), 10 m, 1 sector}	2-376
Table 2.3-39—{Callaway Plant Meteorological Persistence (2005), 10 m, 1 sector}	2-377
Table 2.3-40—{Callaway Plant Meteorological Persistence (2006), 10 m, 1 sector}	2-378
Table 2.3-41—{Callaway Plant Meteorological Persistence (2004-2006), 10 m, 1 sector}	2-379

FSAR Tables

Table 2.3-42—{Callaway Plant Meteorological Persistence (2004), 60 m, 1 sector}.....	2-380
Table 2.3-43— {Callaway Plant Meteorological Persistence (2005), 60 m, 1 sector}	2-381
Table 2.3-44—{Callaway Plant Meteorological Persistence (2006), 60 m, 1 sector}.....	2-382
Table 2.3-45—{Callaway Plant Meteorological Persistence (2004-2006), 60 m, 1 sector}	2-383
Table 2.3-46—{Callaway Plant Monthly Mean Temperatures (degrees F) (2004-2006)}	2-384
Table 2.3-47—{Callaway Plant Mean Monthly Diurnal Temperature Range (2004 – 2006)}.....	2-385
Table 2.3-48—{Callaway Plant Monthly Mean Daily Maximum Temperatures (2004-2006)}	2-386
Table 2.3-49—{Callaway Plant Monthly Mean Daily Minimum Temperatures (2004-2006)}	2-387
Table 2.3-50—{Callaway Plant Maximum Hourly Temperatures (2004-2006)}	2-388
Table 2.3-51—{Callaway Plant Minimum Hourly Temperatures (2004-2006)}.....	2-389
Table 2.3-52—{Callaway Plant Number of Hourly Temperature Values Greater Than or Less Than Indicated Value (2004-2006)}.....	2-390
Table 2.3-53—{Monthly Mean Temperatures at Sites Around Callaway Plant}.....	2-391
Table 2.3-54— {Monthly Mean Maximum Temperatures at Sites Around Callaway Plant}.....	2-392
Table 2.3-55—{Monthly Mean Minimum Temperatures at Sites Around Callaway Plant}	2-393
Table 2.3-56—{Monthly Mean Wet Bulb Temperatures (1984-2006) at Sites Around Callaway Plant}....	2-394
Table 2.3-57—{Monthly Mean Dew Point Temperatures (1984-2006) at Sites Around Callaway Plant}...	2-395
Table 2.3-58—{Number of Days with Maximum Hourly Temperature Value Greater Than or Equal to 90°F at Sites Around Callaway Plant}.....	2-396
Table 2.3-59—{Number of Days with Maximum Hourly Temperature Value Less Than or Equal to 32°F at Sites Around Callaway Plant}	2-397
Table 2.3-60—{Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 32°F at Sites Around Callaway Plant}	2-398
Table 2.3-61—{Number of Days with Minimum Hourly Temperature Value Less Than or Equal to 0°F at Sites Around Callaway Plant}	2-399
Table 2.3-62—{Monthly Mean Relative Humidity at Sites Around Callaway Plant}.....	2-400
Table 2.3-63— {Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Columbia, Missouri (1972-2001)}	2-401
Table 2.3-64—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for St. Louis, Missouri (1972-2001)}.....	2-402
Table 2.3-65—{Monthly Design Wet Bulb and Mean Coincident Dry Bulb Temperature Values for Kansas City, Missouri (1972-2001)}	2-403
Table 2.3-66—{Callaway Nuclear Plant Monthly and Annual Precipitation Summaries (2004 - 2006)} ...	2-404
Table 2.3-67—{Callaway Nuclear Plant Monthly and Annual Percent Frequency of Precipitation Occurrence (2004 - 2006)}	2-405
Table 2.3-68—{Callaway Nuclear Plant Rainfall Rate Distribution (2004-2006)}.....	2-406
Table 2.3-69—{Callaway Nuclear Plant Measured Extreme Precipitation Hourly Values (2004-2006)} ...	2-407
Table 2.3-70—{Mean Monthly and Annual Precipitation At Sites Around Callaway Plant}	2-408
Table 2.3-71—{Mean Monthly and Annual Snowfall (1971-2000) Around Callaway Plant}	2-409

FSAR Tables

Table 2.3-72—{Monthly Mean Number of Days with Precipitation (1971-2000) Around Callaway Plant}	2-410
Table 2.3-73—{Monthly Mean Number of Days with Heavy Fog (1971-2000) Around Callaway Plant}...	2-411
Table 2.3-74—{Callaway Plant 33 ft (10m) Annual Stability Persistence Summary for Year 2004}...	2-412
Table 2.3-75—{Callaway Plant 33 ft (10m) Annual Stability Persistence Summary for Year 2005}...	2-413
Table 2.3-76—{Callaway Plant 33 ft (10m) Annual Stability Persistence Summary for Year 2006}...	2-414
Table 2.3-77—{Callaway Plant 33 ft (10m) Annual Stability Persistence Summary for Years 2004-2006} .	2-415
Table 2.3-78—{Callaway Plant 197 ft (60m) Annual Stability Persistence Summary for Year 2004}..	2-416
Table 2.3-79— {Callaway Plant 197 ft (60m) Annual Stability Persistence Summary for Year 2005} ..	2-417
Table 2.3-80—{Callaway Plant 197 ft (60m) Annual Stability Persistence Summary for Year 2006}..	2-418
Table 2.3-81—{Callaway Plant 197 ft (60m) Annual Stability Persistence Summary for Years 2004-2006}	2-419
Table 2.3-82—{Monthly and Annual Average Mixing Height Values}	2-420
Table 2.3-83—{Temperature Inversion Frequency and Persistence, Year 2004}.....	2-421
Table 2.3-84—{Temperature Inversion Frequency and Persistence, Year 2005}.....	2-422
Table 2.3-85—{Temperature Inversion Frequency and Persistence, Year 2006}.....	2-423
Table 2.3-86—{National Ambient Air Quality Standards}.....	2-424
Table 2.3-87—{Tower Instrument Specifications and Accuracies for Meteorological Monitoring Program (Pre-application, Preoperational, and Operational)}	2-425
Table 2.3-88—{AEOLUS3 and ARCON96 Input}	2-426
Table 2.3-89—{EAB/LPZ Accident c/Q Values for Ground Level Release Using Callaway 2003-2007 Meteorological Data}	2-427
Table 2.3-90—{Control Room/TSC c/Q Values for Stack Release Using Callaway 2003-2007 Meteorological Data}	2-428
Table 2.3-91—{Control Room/TSC c/Q Values for Silencer Release Using Callaway 2003-2007 Meteorological Data}	2-429
Table 2.3-92—{Control Room/TSC c/Q Values for Canopy Release Using Callaway 2003-2007 Meteorological Data}	2-430
Table 2.3-93—{Control Room/TSC c/Q Values for Equipment Hatch Release Using Callaway 2003-2007 Meteorological Data}	2-431
Table 2.3-94—{Control Room/TSC c/Q Values for Depressurization Shaft Release Using Callaway 2003-2007 Meteorological Data}	2-432
Table 2.3-95—{50th Percentile Accident Atmospheric Dispersion Factors (sec/m3)}.....	2-433
Table 2.3-96—{Normal Effluent Annual Average, Undecayed, Undepleted c/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}.....	2-434
Table 2.3-97—{Normal Effluent Annual Average, Undecayed Undepleted c/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}.....	2-435
Table 2.3-98—{Normal Effluent Annual Average, Depleted c/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}.....	2-436
Table 2.3-99—{Normal Effluent Annual Average, Depleted c/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}	2-437

FSAR Tables

Table 2.3-100—{Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Grid Receptors}	2-438
Table 2.3-101—{Normal Effluent Annual Average, D/Q Values for Mixed Mode Release Using 242,458 cfm Flow Rate for Special Receptors}	2-439
Table 2.3-102—{Specific Locations of Receptors of Interest}	2-440
Table 2.3-103—{Meteorological Data for Maximum Evaporation Conditions for ESWEMS Retention Pond}	2-442
Table 2.4-1— {Monthly Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-648
Table 2.4-2—{Mean Daily Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-650
Table 2.4-3—{Maximum Daily Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-651
Table 2.4-4—{Minimum Daily Streamflow for Hermann, MO USGS Station No. 06934500, (1957 through 2006)}	2-652
Table 2.4-5—{Monthly Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-653
Table 2.4-6—{Mean Daily Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-655
Table 2.4-7—{Maximum Daily Streamflow for Boonville, MO, USGS Station No. 06909000, 1957 through 2007)}	2-656
Table 2.4-8—{Minimum Daily Streamflow for Boonville, MO, USGS Station No. 06909000, (1957 through 2007)}	2-657
Table 2.4-9—{Details of Harry Truman and Bagnell Dams}	2-658
Table 2.4-10— {Permitted Surface Water Withdrawals in Callaway & Osage Counties}	2-659
Table 2.4-11— {Callaway Plant Unit 1 Cooling Tower Blowdown Discharge Permit No. MO-0098001}	2-660
Table 2.4-12— {Probable Maximum Precipitation (PMP) Depths}	2-661
Table 2.4-13—{Sub-Basin Drainage Areas for Callaway Plant Unit 2 (Site Drainage)}	2-662
Table 2.4-14—{HEC-HMS Sub-Basin Site PMP Peak Discharges for Callaway Plant Unit 2 (Site Drainage)}	2-663
Table 2.4-15—{Safety-Related Facility Entrance Elevation Summary}	2-664
Table 2.4-16—{Approximate Length and Average Gradient of Creeks Located near Callaway Plant Unit 2}	2-665
Table 2.4-17—{Auxvasse Creek Sub-Basin Delineation}	2-666
Table 2.4-18—{Reservoirs within Auxvasse Creek Watershed}	2-667
Table 2.4-19—{Reservoirs Simulated in HEC-HMS Model}	2-669
Table 2.4-20—{PMP Peak Flow Rates for Auxvasse Creek Watershed}	2-670
Table 2.4-21— {Auxvasse Creek PMF Flow Rates and Water Surface Elevations}	2-673
Table 2.4-22—{Dams within 10-miles (16 Km) Radius of Callaway Plant Unit 2}	2-674
Table 2.4-23—{Details of Harry Truman and Bagnell Dams}	2-675
Table 2.4-24—{Bagnell Dam Break Analysis at Missouri River Mile 110.7}	2-676
Table 2.4-25—{Harry Truman Dam Break Analysis at Missouri River Mile 118}	2-677
Table 2.4-26—{Costliest Hurricanes to Strike the U.S. Mainland from 1900-2006}	2-678

FSAR Tables

Table 2.4-27—{Historical Tsunamis Affecting the East Coast of the U.S. and Canada}.....	2-679
Table 2.4-28—{Historical Tsunamis Affecting the Gulf of Mexico}	2-680
Table 2.4-29—{Historical Tsunamis Affecting U.S.A. Territories in the Pacific Basin}.....	2-681
Table 2.4-30—{Estimated Monthly Average Ice Thickness, Missouri River 1970-2006}.....	2-684
Table 2.4-31—{Estimated Monthly Average Ice Thickness, ESW Emergency Makeup Retention Pond 1970-2006}	2-685
Table 2.4-32— {10 mi ² Probable Maximum Precipitation Depths at the ESWEMS}.....	2-686
Table 2.4-33—{Data Input for Wave Runup Calculations}	2-687
Table 2.4-34—{Wave Runup Results}.....	2-688
Table 2.4-35—{Fastest Mile Quantities Using Fisher-Tippet Type I (Frechet) Distribution (Interpolated for Callaway County Plant Site)}.....	2-689
Table 2.4-36—{Extreme Wind Speeds Columbia, Missouri (Periods of Record: 1931-2006)}	2-690
Table 2.4-37—{Summary of Information of the Stations and Range of Data Used}	2-691
Table 2.4-38—{Annual Minimum Water Levels at Hermann, MO Station}	2-692
Table 2.4-39—{Annual Minimum Water Levels at Boonville, MO Station}	2-693
Table 2.4-40— {Annual Low Flow Statistics for Hermann (1929-2007) and Boonville (1926-2007) Stations}.....	2-694
Table 2.4-41—{Listing of U.S. Environmental Protection Agency (US EPA) SDWIS Community, Non-Transient Non-Community, and Transient Non-Community Water Systems in Callaway and Osage Counties, Missouri}	2-695
Table 2.4-42—{Listing of Missouri Department of Natural Resources Public Water Use for Callaway and Osage Counties, Missouri}.....	2-698
Table 2.4-43—{Listing of Local, Public and Private Groundwater Monitoring Wells for Callaway and Osage Counties, Missouri}.....	2-700
Table 2.4-44—{Listing of MDNR Monitoring Well Network}	2-706
Table 2.4-45—{Callaway Plant Unit 2 Monitoring Well Construction Details}.....	2-710
Table 2.4-46—{Callaway Plant Unit 2 Formation Depths and Thicknesses }	2-712
Table 2.4-47—{Callaway Plant Unit 2 Monitoring Well Water Level Depths and Elevations}.....	2-717
Table 2.4-48— {Callaway Plant Unit 2 Groundwater Water Quality Data}.....	2-721
Table 2.4-49—{Callaway Plant Unit 2 Surface Water Gauge Elevations}.....	2-724
Table 2.4-50—{Callaway Plant Unit 2 Estimated Average Flow Rates, Velocities and Depths of Streams} 2-730	2-730
Table 2.4-51—{Callaway Plant Unit 2 Surface Water Quality Data}	2-732
Table 2.4-52—{Callaway Plant Unit 2 Aquifer Hydraulic Gradients}	2-735
Table 2.4-53—{Callaway Plant Unit 2 Monitoring Well Slug Test Results}.....	2-736
Table 2.4-54—{Callaway Plant Unit 2 Pumping Test Results}	2-737
Table 2.4-55—{Callaway Plant Unit 2 Aquifer Unit Geotechnical Parameters}	2-738
Table 2.4-56—{Callaway Plant Unit 2 Grain Size Distribution}	2-739
Table 2.4-57—{Callaway Plant Unit 2 Groundwater Flow Velocities and Travel Times}	2-740
Table 2.4-58—{Reactor Coolant Storage Tank Radionuclide Inventory}.....	2-741
Table 2.4-59—{Transport Analysis Considering Advection and Radioactive Decay – Equation Inputs} .. 2-742	2-742
Table 2.4-60—{Transport Analysis Considering Advection and Radioactive Decay – Results}	2-745

FSAR Tables

Table 2.4-61—{Callaway Plant Unit 2 Radionuclide Adsorption (Kd) Values}	2-748
Table 2.4-62—{Transport Analysis Considering Advection, Radioactive Decay, and Retardation – Equation Inputs}	2-749
Table 2.4-63—{Transport Analysis Considering Advection, Radioactive Decay, and Retardation – Results} 2-750	
Table 2.4-64—{Transport Analysis Considering Advection, Radioactive Decay, Retardation, and Dilution} 2-751	
Table 2.4-65—{Compliance with 10 CFR Part 20, Appendix B, Table 2}	2-752
Table 2.5.1-1—{Devonian Formations in Missouri Regions}	2-958
Table 2.5.1-2—{Mississippian Formations in Missouri Regions}	2-959
Table 2.5.1-3—{Structures within the Illinois Basin and within a 200 mile (320 km) radius of Callaway Plant Unit 2}	2-960
Table 2.5.1-4—{A Summary of the Structures of the Mississippi Embayment Tectonic Region}	2-961
Table 2.5.1-5—{A Summary of the Structures of the Ozark Uplift Region}	2-962
Table 2.5.1-6—{A Summary of the Structures of the Forest City Basin Tectonic Region}	2-968
Table 2.5.1-7— {A Summary of the Structures of the Lincoln Fold Tectonic Region}	2-971
Table 2.5.1-8—{A Summary of the Structures of The North-Central Missouri Tectonic Region}	2-972
Table 2.5.1-9—{Callaway Plant Unit 2, Site Vicinity Formation Thicknesses (ft)}	2-974
Table 2.5.2-1—{USGS Earthquake Catalog for the CEUS with $m_b \geq 3.0$ }	2-1072
Table 2.5.2-2—{USGS and ANSS 2002-2007 Catalog Update}	2-1132
Table 2.5.2-3—{Conversion Between Body-Wave (m_b) and Moment (M) Magnitude}	2-1133
Table 2.5.2-4—{Summary of Bechtel Group Seismic Sources}	2-1134
Table 2.5.2-5—{Summary of Dames & Moore Seismic Sources}	2-1135
Table 2.5.2-6—{Summary of Law Engineering Seismic Sources}	2-1136
Table 2.5.2-7—{Summary of Rondout Associates Seismic Sources}	2-1137
Table 2.5.2-8—{Summary of Weston Geophysical Seismic Sources}	2-1138
Table 2.5.2-9—{Summary of Woodward-Clyde Consultants Seismic Sources}	2-1139
Table 2.5.2-10—{Alternative New Madrid Fault Locations}	2-1140
Table 2.5.2-11—{Earthquake Frequencies for Repeating New Madrid Earthquake Sequences} ..	2-1141
Table 2.5.2-12—{Controlling Earthquakes for Callaway Plant Unit 2 Site}	2-1142
Table 2.5.2-13—{Amplification Factors for 1E-4 HF and LF Input Motions}	2-1143
Table 2.5.2-14—{Amplification Factors for 1E-5 HF and LF Input Motions}	2-1144
Table 2.5.2-15—{Uniform Hazard Response Spectra (Hard Rock Conditions)}	2-1145
Table 2.5.2-16—{Earthquake Frequencies for Repeating New Madrid Earthquake}	2-1146
Table 2.5.2-17—{USGS 2008 Seismicity Smoothing Models}	2-1147
Table 2.5.2-18—{Selected Controlling Rock Motion Time Histories}	2-1148
Table 2.5.2-19—{Smooth Uniform Hazard Response Spectra at Hard Rock}	2-1150
Table 2.5.2-20—{Recommended Horizontal and Vertical GMRS Amplitudes, Design Factor and V/H Ratio}	2-1151
Table 2.5.4-1—{Summary of Thicknesses and Termination Elevations for Various Strata (English Units) 2-1252	
Table 2.5.4-2—{Summary Of Callaway Plant Unit 2 Geotechnical Field Tests}	2-1253

FSAR Tables

Table 2.5.4-3—{Boring Locations and Surface Elevations}	2-1254
Table 2.5.4-4—{Summary of Hammer-Rod Energy Measurements}	2-1256
Table 2.5.4-5—{Summary of Field-Measured Standard Penetration Test (SPT) N-Values}	2-1257
Table 2.5.4-6—{Summary of Adjusted SPT N-Values Based on Energy Measurements}	2-1258
Table 2.5.4-7—{Summary of Borehole Pressuremeter Test Results (English Units)}	2-1259
Table 2.5.4-8—{Summary of Laboratory Tests}	2-1260
Table 2.5.4-9—{Summary of Unit Weights (Special Care Rock Samples and Undisturbed Samples) (English Units)}	2-1261
Table 2.5.4-10—{Unit Weight of Rock Samples (English Units)}	2-1263
Table 2.5.4-11—{Specific Gravity of Rock Samples (English Units)}	2-1265
Table 2.5.4-12—{Chemical Test Results (English and SI Units)}	2-1266
Table 2.5.4-13—{Consolidation Properties (Undisturbed Samples) (English Units)}	2-1267
Table 2.5.4-14—{Strength Parameters Based on Consolidated-Undrained Triaxial Test Results With Pore Pressure Measurements (Undisturbed Samples) (English Units)}	2-1268
Table 2.5.4-15—{Unconfined Compression of Rock Samples (English Units)}	2-1270
Table 2.5.4-16—{URCS Classification of Rock Samples (English Units)}	2-1272
Table 2.5.4-17—{Permeability Test Results (English Units)}	2-1274
Table 2.5.4-18—{Resonant Column Torsional Shear Test Samples (English and SI Units)}	2-1275
Table 2.5.4-19—{Resonant Column Low Strain Results (English Units)}	2-1276
Table 2.5.4-20—{"Free-Free" Test Samples (English and SI Units)}	2-1277
Table 2.5.4-21—{"Free-Free" Test Results (English Units)}	2-1279
Table 2.5.4-22—{Category 1 Structural Fill and Backfill Properties (English Units)}	2-1280
Table 2.5.4-23—{Recommended Values of Index Properties (English Units)}	2-1282
Table 2.5.4-24—{Undrained Shear Strength From Pressuremeter (English Units)}	2-1284
Table 2.5.4-25—{Recommended Values for Strength Properties (English Units)}	2-1285
Table 2.5.4-26—{Recommended Values For Permeability And Consolidation (English Units)}	2-1286
Table 2.5.4-27—{Recommended Values For Elastic Modulus (English Units)}	2-1287
Table 2.5.4-28—{Recommended Values For Static Elastic Properties (English Units)}	2-1289
Table 2.5.4-29—{Recommended Values For Dynamic Elastic Properties (English Units)}	2-1290
Table 2.5.4-30—{Soil Conditions For the U.S. EPR Standard Plant (English Units)}	2-1292
Table 2.5.4-31—{Site Classification (English Units)}	2-1293
Table 2.5.4-32—{Foundation Elevations (English Units)}	2-1294
Table 2.5.4-33—{Recommended Earth Pressure Coefficients}	2-1296
Table 2.5.4-34—{Bearing Capacity (Failure Controlled)}	2-1297
Table 2.5.4-35—{Elastic Settlement Analysis By Simplified Approximations (English Units)}	2-1299
Table 2.5.4-36—{Detailed Elastic Settlement Analysis (English Units)}	2-1300
Table 2.5.5-1—{Undrained Shear Strength From Pressuremeter (English Units)}	2-1358
Table 2.5.5-2—{Recommended Values for Strength Properties (English Units)}	2-1359
Table 2.5.5-3—{Factor of Safety Against Sliding}	2-1360

3.0 Design of Structures, Components, Equipment and Systems

FSAR Tables

Table 3.2-1—{Classification Summary for Site-Specific SSCs}.....	3-14
Table 3.7-1—{Best Estimate Soil (Callaway Plant Unit 2 Strain Compatible Profile)}.....	3-51
Table 3.7-2—{Lower Bound Soil (Callaway Plant Unit 2 Strain-Compatible Profile)}.....	3-52
Table 3.7-3—{Upper Bound Soil (Callaway Plant Unit 2 Strain-Compatible Profile)}	3-53
Table 3.7-4—{Comparison of Worst Case Maximum Accelerations in EPGB}	3-54
Table 3.7-5—{Comparison of Worst Case Maximum Accelerations in ESWB}	3-55
Table 3.7-6—{Comparison of Worst Case Maximum Accelerations in EPGB}	3-56
Table 3.7-7—{Comparison of Worst Case Maximum Accelerations in ESWB}	3-57
Table 3.7-8—{Comparison of SRSS Combined Maximum Nodal Accelerations between the Response Spectra Analysis (GT-Strudl) and the Time History Analysis (SASSI)}	3-58
Table 3.8-1—{ESWEMS Pumphouse Basemat & Pump Well Foundation Summary Table on the Building Stability}.....	3-188
Table 3.9-1—{Site-Specific Inservice Pump Testing Program Requirements}	3-202
Table 3.9-2—{Site-Specific Inservice Valve Testing Program Requirements}.....	3-203
Table 3.10-1—{Seismically and Dynamically Qualified Mechanical and Electrical Equipment for Site Specific ESWEMS Pumphouse}	3-209
Table 3.10-2—Seismic Qualification Implementation Program.....	3-218
Table 3.11-1—{Environmentally Qualified Electrical/I&C Equipment for Site Specific ESWEMS Pumphouse}.....	3-221
Table 3E.4-1—{Design Load Combinations for ESWEMS Pumphouse Structure}	3-233
Table 3E.4-2—{Required Factor of Safety for ESWEMS Pumphouse Stability}.	3-234
Table 3E.4-3—{Demand Table for the ESWEMS Pumphouse Basemat Resultant Membrane Forces and Moments}	3-235
Table 3E.4-4—{Demand Table for the ESWEMS Pump Well Foundation Group Resultant Membrane Forces and Moments}	3-236
Table 3E.4-5—{Demand Table for the ESWEMS Shear Keys Reaction Forces and Moments}	3-237
Table 3E.4-6—{Demand Table ESWEMS Pumphouse Walls Resultant Membrane Forces and Moments}.	3-238

4.0 Reactor

5.0 Reactor Coolant System and Connected Systems

6.0 Engineered Safety Features

Table 6.6-1— {Inservice Inspection Requirements for Class 3 Essential Service Water Emergency Makeup System}	6-14
--	------

7.0 Instrumentation and Controls

8.0 Electric Power

Table 8.1-1—{Site Specific Division 1 Emergency Diesel Generator AC Loads}	8-6
Table 8.1-2—{Site Specific Division 2 Emergency Diesel Generator AC Loads}	8-7

FSAR Tables

Table 8.1-3—{Site Specific Division 3 Emergency Diesel Generator AC Loads}	8-8
Table 8.1-4—{Site Specific Division 4 Emergency Diesel Generator AC Loads}	8-9
Table 8.2-1— {AmerenUE Transmission System Circuits Connected to the Callaway Site}.....	8-25
Table 8.3-1—{Onsite AC Power System Component Data Nominal Values}	8-31
Table 8.3-2—{EPSS Switchgear, Load Center, and Motor Control Center Numbering and Nominal Voltage}	8-32
Table 8.3-3—{NPSS Switchgear and Load Center Numbering and Nominal Voltage}	8-33

9.0 Auxiliary Systems

Table 9.5-1—Fire Protection Program Compliance with Regulatory Guide 1.189.....	9-55
---	------

9B Fire Protection Analysis - Plant Specific Supplement

Table 9B-1—Predefined Severities for Common Plant Ignition Source Fires.....	9B-25
Table 9B-2—Fire Area Parameters	9B-26

10.0 Steam and Power Conversion System

Table 10.4-1—{Circulating Water System Cooling Tower Design Specifications}	10-16
---	-------

11.0 Radioactive Waste Management

12.0 Radiation Protection

Table 12.3-1—{Historical Gaseous Releases for Callaway Plant Unit 1 2001 through 2006}.	12-15
Table 12.3-2—{Average Unit 1 Effluent Release Rates in 2004 Used to Estimate Conservative Dose to Workers}.....	12-17
Table 12.3-3—{Projected Gamma Air Dose Rates from Plant Vent Effluent for all Areas Around Callaway Plant Unit 1 (mrem per 2200 hours per year)}	12-18
Table 12.3-4—{Projected TEDE Dose Rates from All Sources in Construction Areas (Maximum Dose Rate mrem/year (mSv/year) Assuming Full Time Occupancy}	12-19
Table 12.3-5— {Annual Average TEDE Dose Rates for 2200 Hour Per Year Occupation Includes Direct Dose of 0.1 mrem/year}	12-20
Table 12.3-6—{Projected Construction Worker Census 2012 to 2017 and Estimated Collective Dose}... 12-21	

13.0 Conduct of Operations

Table 13.1-1—{Generic Position/Site Specific Position Cross Reference}	13-22
Table 13.1-2—{Minimum Shift Crew Composition ⁽⁵⁾⁽⁶⁾ }	13-24
Table 13.4-1—Operational Programs Required by NRC Regulations and Program Implementation	13-32

14.0 Verification Programs

Table 14.3-1—{Site Specific Analyses (Safety Significant Features)}.....	14-19
Table 14.3-2—{Site Specific SSC ITAAC Screening Summary}.....	14-20

FSAR Tables

Table 14.3-3—Interface Requirements Screening Summary	14-21
---	-------

15.0 Transient and Accident Analysis

16.0 Introduction

17.0 Quality Assurance and Reliability Assurance

Table 17.4-1—Definitions of Component Failure Modes	17-15
Table 17.4-2—Risk Significant SSCs Ranked by FV for “At Power” Events, All Components with FV Greater Than or Equal to 0.005	17-16
Table 17.4-3—Risk Significant SSCs Ranked by RAW for “At Power” Events, All Components with RAW Greater Than or Equal to 2	17-20
Table 17.4-4—Risk Significant SSCs Common Cause Failure (CCF) Ranked by RAW for “At Power” Events, All CCFs with RAW Greater Than or Equal to 20.....	17-29
Table 17.4-5—Risk Significant SSCs Ranked by FV for “Shutdown” Events, All Components with FV Greater Than or Equal to 0.005	17-32
Table 17.4-6—Risk Significant SSCs Ranked by RAW for “Shutdown” Events, All Components with RAW Greater Than or Equal to 2	17-35
Table 17.4-7—Risk Significant SSCs Common Cause Failure (CCF) Ranked by RAW for “Shutdown” Events, All CCFs with RAW Greater Than or Equal to 20.....	17-42

18.0 Human Factors Engineering

19.0 Probabilistic Risk Assessment and Severe Accident Evaluation

Table 19.1-1—{Summary of External Events Evaluated for Callaway Plant Unit 2}	19-23
---	-------