

823

NRC FORM 314 (4-2008) 10 CFR 30.36(j)(1); 40.42(j)(1); 70.38(j)(1); and 72.54(k)(5)(1)(1)	U.S. NUCLEAR REGULATORY COMMISSION		APPROVED BY OMB: NO. 3150-0028	EXPIRES: 08/31/2010
	CERTIFICATE OF DISPOSITION OF MATERIALS			

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the Records and FOIA/Privacy Services Branch (T-5 F52), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocollects@nrc.gov, and to the Desk Officer Office of Information and Regulatory Affairs, NEOB-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor it, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS SMH Construction Co., Inc. PO Box 1912 Beckley, WV 25802	LICENSE NUMBER 47-25336-01	DOCKET NUMBER 030-33864
	LICENSE EXPIRATION DATE May 31, 2015	

This license has expired. **A. LICENSE STATUS (Check the appropriate box)** This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- No radioactive materials have ever been procured or possessed by the licensee under this license.
- All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner:
 - Transfer of radioactive materials to the licensee listed below:
 Alliance Consulting, Inc. License No. 47-24836-01
 Raleigh County Airport Industrial Park, 124 Philpott Lane, Beaver WV 25813
 - Disposal of radioactive materials:
 - Directly by the licensee:
 - By licensed disposal site:
 - By waste contractor:
- All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

- A radiation survey was conducted by the licensee. The survey confirms:
 - the absence of licensed radioactive materials
 - that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- A copy of the radiation survey results:
 - is attached; or
 - is not attached (Provide explanation); or
 - was forwarded to NRC on: _____ Date
- A radiation survey is not required as only sealed sources were ever possessed under this license, and
 - The results of the latest leak test are attached; and/or
 - No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME Sumith Hapuarachy	TITLE President	TELEPHONE (include Area Code) 304-877-6451	E-MAIL ADDRESS sh1912beck@aol.com
---------------------------	--------------------	---	--------------------------------------

Mail all future correspondence regarding this license to:
PO Box 1912, Beckley WV 25802

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE Sumith P. Hapuarachy, President	SIGNATURE <i>Sumith Hapuarachy</i>	DATE 11/19/08
---	---------------------------------------	------------------

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

NRC FORM 374

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 1 OF 4 PAGES
Amendment No. 01

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. SMH Construction Co., Inc.</p> <p>2. P. O. Box 1912 Beckley, West Virginia 25802-1912</p>	<p>In accordance with the application dated April 5, 2005,</p> <p>3. License number 47-25336-01 is amended in its entirety to read as follows:</p> <hr/> <p>4. Expiration date <u>May 31, 2015</u></p> <hr/> <p>5. Docket No. <u>030-33866</u> Reference No.</p>
---	--

<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p> <p>B. Americium 241</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed Sources (AEA Technology Models CDCW556; Isotope Products Laboratories Models HEG-137)</p> <p>B. Sealed Sources (AEA Technology Model AMNV.997; Isotope Products Laboratories Models Am-1, NO2, 3021, 3027)</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p> <p>B. No single source to exceed the maximum activity specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission or an Agreement State</p>
---	---	---

9. Authorized use:

A. and B. In Troxler Electronic Laboratories Model 3400 series portable gauging devices for measuring physical properties of materials.

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 2 of 4 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-25336-01Docket or Reference Number
030-33866

Amendment No. 01

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at 6513 Robert C. Byrd Drive, Bradley, West Virginia, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material, including areas of exclusive Federal jurisdiction within Agreement States.

If the jurisdiction status of a Federal facility within an Agreement State is unknown, the licensee should contact the Federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive Federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive Federal jurisdiction shall be obtained from the appropriate state regulatory agency.

11. Licensed material shall be used by or under the supervision and in the physical presence of, individuals who have received the training described in the application dated April 5, 2005, and the facsimile received on May 5, 2005.
12. The Radiation Safety Officer for this license is Sumith P. Hapuarachy.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.
14. Sealed sources or source rods containing licensed material shall not be opened or sources removed or detached from source rods or gauges by the licensee, except as specifically authorized.
15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 5 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
16. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months or at the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 3 of 4 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
47-25336-01Docket or Reference Number
030-33866

Amendment No. 01

- C. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Tests for leakage and/or contamination, limited to leak test sample collection, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is not authorized to perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
- F. Records of leak test results shall be kept in units of microcuries and shall be maintained for 5 years.
17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
18. Any cleaning, maintenance, or repair of the gauges that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.
19. A. If the licensee uses unshielded sealed sources extended more than 3 feet below the surface, the licensee shall use surface casing that extends from the lowest depth to 12 inches above the surface and other appropriate procedures to reduce the probability of the source or probe becoming lodged below the surface. If it is not feasible to extend the casing 12 inches above the surface, the licensee shall implement procedures to ensure that the cased hole is free of obstruction before making measurements.
- B. If a sealed source or a probe containing sealed sources becomes lodged below the surface and it becomes apparent that efforts to recover the sealed source or probe may not be successful, the licensee shall notify the U.S. Nuclear Regulatory Commission and submit the report required by 10 CFR 30.50(b)(2) and (c). The licensee shall not abandon the sealed source or probe without obtaining the Commission's prior written consent.
20. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

NRC FORM 374A

U.S. NUCLEAR REGULATORY COMMISSION

PAGE 4 of 4 PAGES

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
47-25336-01

Docket or Reference Number
030-33866

Amendment No. 01

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated April 5, 2005 (ML051180398)
- B. Facsimile received on May 5, 2005



For the U.S. Nuclear Regulatory Commission

Date May 17, 2005

By Original signed by Sattar Lodhi, Ph.D.
 Sattar Lodhi, Ph.D.
 Security and Industrial Branch
 Division of Nuclear Materials Safety
 Region I
 King of Prussia, Pennsylvania 19406

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-433), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. Alliance Consulting, Inc.</p> <p>2. Raleigh County Airport Industrial Park 124 Philpott Lane Beaver, West Virginia 25813-9502</p>	<p>In accordance with the letter dated January 30, 2003</p> <p>3. License No. 47-24836-01</p> <p>is amended in its entirety to read as follows:</p> <p>4. Expiration Date: December 31, 2011</p> <p>5. Docket No: 030-29160</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Cesium 137</p> <p>B. Americium 241</p>	<p>7. Chemical and/or physical form</p> <p>A. Sealed source registered pursuant to 10 CFR 32.210 or an equivalent Agreement State regulation</p> <p>B. Sealed neutron source registered pursuant to 10 CFR 32.210 or an equivalent Agreement State regulation</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. No single source to exceed 370 megabecquerels (MBq) (10 millicuries)</p> <p>B. No single source to exceed 1850 MBq (50 millicuries)</p>
<p>9. Authorized Use:</p> <p>A. and B. Sealed source(s) contained in compatible portable gauging devices registered pursuant to 10 CFR 32.210 or an equivalent Agreement State regulation for measuring properties of materials.</p>		

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License No.
47-24836-01Docket No.
030-29160

Amendment No.

7

CONDITIONS

10. Licensed material may be stored at the licensee's facilities at Raleigh County Airport Industrial Park, 124 Philpott Lane, Beaver, West Virginia, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

If the jurisdictional status of a federal facility within an Agreement State is unknown, the licensee should contact the federal agency controlling the job site in question to determine whether the proposed job site is an area of exclusive federal jurisdiction. Authorization for use of radioactive materials at job sites in Agreement States not under exclusive federal jurisdiction shall be obtained from the appropriate Agreement State regulatory agency.

11. The Radiation Protection Officer for the activities authorized by this license is **David Irle**.
12. Licensed material shall be used by, or under the supervision and in the physical presence of **David Irle**, or individuals who have satisfactorily completed the device manufacturer's training program for safe use of portable gauging devices and have been trained in the licensee's operating and emergency procedures. The licensee shall maintain records of persons designated as users.
13. Sealed sources containing licensed material shall not be opened or removed from the gauging device by the licensee.
14. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.
- B. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- C. Sealed sources need not be leak tested if they contain not more than 3.7 MBq (100 microcuries) of beta and/or gamma emitting material or are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- D. The test shall be capable of detecting the presence of 185 becquerels (Bq) (0.005 microcurie) of radioactive material on the test sample. If the test reveals the presence of 185 Bq or more of removable contamination, the source shall be removed from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall specify the source involved, the test results, and corrective action taken.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.
47-24836-01

Docket No.
030-29160

Amendment No.
7

14. E. Tests of leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis; analysis of leak test samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
15. The licensee may transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under this license.
17. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum specified 10 CFR 30.35(d) for establishing decommissioning financial assurance.
18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.
19. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Application dated July 17, 2001
- B. Letters (with attachments) dated:
- 1) November 21, 2001 [inventory of gauges, commitment on audit program results].
 - 2) January 30, 2003 [change of RSO]

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

APR 16 2003

DATE _____

BY

José M. Díaz Vélez

José M. Díaz Vélez, Health Physicist
Region II, Division of Nuclear Materials Safety
61 Forsyth Street, SW, Suite 23T85
Atlanta, Georgia 30303-8931

SMH CONSTRUCTION CO., INC.

P.O. Box 1912
Phone 304-877-6451 Beckley, WV 25802 Fax 304-877-5789

July 25, 2008

Proposal For the Purchase of Troxler Density Gauges
By Alliance Consulting, Inc. (Purchaser)


Dear Sirs:

It is agreed that upon taking possession of SMH Construction's Model 3430 (Series Nos. 24863 and 28002) Nuclear Density Gauges, Alliance Consulting, Inc. (Alliance) agrees to pay the sum of \$3,000 to SMH Construction and to pay whatever fees or cost necessary, and to take whatever action necessary, to transfer and take possession of said instruments. Further, Alliance agrees to hold harmless SMH Construction, or any other entity which may have previously held claim to said instruments, from any fines or penalties which may arise in the future from the operation or possession of the same.


Please indicate your acceptance of this proposal by signing below:

Accepted by:

Alliance Consulting, Inc. - Purchaser




Name




Date

SMH Construction, Inc. - Seller



Name



Date

Nuclear Gauge Transfer Statement

By accepting the nuclear gauge listed below, we agree:

1. That our Radioactive Materials License is current,
2. That receipt of this gauge is in compliance with our Radioactive Materials License; and,
3. That the maximum inventory allowed by our license has not been exceeded.

Gauge Manufacturer Troxler
Model 3430
Serial Number 24863
.30 GBq (8 mCi \pm 10%) Cs-137
1.48 GBQ (40 mCi \pm 10%) Am-241:Be

Gauge Manufacturer Troxler
Model 3430
Serial Number 28002
.30 GBq (8 mCi \pm 10%) Cs-137
1.48 GBQ (40 mCi \pm 10%) Am-241:Be



Signature



Print Name



Company Name



Title


BILL OF SALE

July 28, 2008

Sold to Alliance Consulting, Inc. by SMH Construction, two (2) Nuclear Density Gauges (Model 3430—Series Nos. 24863 and 28002) in the amount of \$3,00.00 on this 29th day of July, 2008.



Charles B. Gillian, CFO
Purchaser



SMH Construction, Inc.
Seller



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (919) 485-2250
License: NC 032-0182-1

CHARLIE PARKULO
ALLIANCE CONSULTING, INC.
124 PHILPOT LANE
BEAVER, WV 25813

*ALLIANCE'S FIRST LEAK TEST
OF THE GAUGE PRIOR TO
PURCHASE.
CP*

LEAK TEST CERTIFICATE

DEVICE:

Model: 3430 **Serial No:** 28002

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
750-1942	07/30/1997	CS-137	0.296	8
47-24705	04/10/1997	AM-241:BE	1.48	40

LEAK TEST ANALYSIS:

Sample collected on: 07/14/2008
Sample analyzed on: 07/16/2008 at 9:16:00 AM
Analyzed by: Douglas Kjos

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	2.01E+01
Background measurement (cpm)	1	26
Sample measurement (cpm)	0	31
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	5.1E-01	1.3E+00

This certifies that the leak test results are:

Less than 185 Bq (0.005 uCi) **Greater than 185 Bq (0.005 uCi)**

SMH LAST LEAK TEST OK FILE



Troxler Electronic Laboratories, Inc.
3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (919) 549-8661 Fax: (919) 485-2250

License: NC 032-0182-1

LEAK TEST CERTIFICATE

3/2/04

Model: 3430 Serial No: 28002 Sample Date:

SEALED SOURCES:

SERIAL NO.	MEASURE DATE	NUCLIDE	ACTIVITY (GBq)	ACTIVITY (mCi)
67-24706	4/10/97	AM-241:BE	1.48	40
740-1942	7/30/97	CS-137	0.296	8

LEAK TEST ANALYSIS:

Sample measured on: 3/9/04 at 10:23:16 AM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/hq)	1.31E-01	2.11E+01
Background measurement (cpm)	1	27
Sample measurement (cpm)	1	31
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	5.6E-01	1.3E+00

This certifies that the above leak test results are:

Less than 185 Bq (0.005 uCi)

Greater than 185 Bq (0.005 uCi)

Certified by: Harry Pendleton

If greater than 185 Bq (0.005 uCi):

Person Notified: _____ Date: _____

Phone: _____ and/or Fax: _____



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (919) 485-2250
License: NC 032-0182-1

CHARLIE PARKULO
ALLIANCE CONSULTING, INC.
124 PHILPOT LANE
BEAVER, WV 25813

*ALLIANCE'S FIRST LEAK TEST
OF THE GAUGE PRIOR TO
PURCHASE.*

CP

LEAK TEST CERTIFICATE

DEVICE:

Model: 3430 **Serial No:** 24863

SEALED SOURCES:

Serial No.	Measure Date	Nuclide	GBq	mCi
75-6999	03/07/1995	CS-137	0.296	8
47-21048	01/04/1995	AM-241:BE	1.48	40

LEAK TEST ANALYSIS:

Sample collected on: 07/14/2008
Sample analyzed on: 07/16/2008 at 9:17:00 AM
Analyzed by: Douglas Kjos

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.24E+01	2.01E+01
Background measurement (cpm)	1	26
Sample measurement (cpm)	0	21
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	5.1E-01	1.3E+00

This certifies that the leak test results are:

- Less than 185 Bq (0.005 uCi)** **Greater than 185 Bq (0.005 uCi)**

SMH LAST LEAK TEST ON FILE



Troxler Electronic Laboratories, Inc.

3008 Cornwallis Rd., P.O. Box 12057
Research Triangle Park, NC 27709
Tel: (877) 876-9537 Fax: (919) 485-2250

License: NC 032-0182-1

LEAK TEST CERTIFICATE

DEVICE:

Model: 3430

Serial No: 24863

Sample Date: 5/21/04

SEALED SOURCES:

SERIAL NO.	MEASURE DATE	NUCLIDE	ACTIVITY	
			(GBq)	(mCi)
47-21048	1/4/95	AM-241:BE	1.48	40
75-6999	3/7/95	CS-137	0.296	8

LEAK TEST ANALYSIS:

Sample measured on: 6/2/04 at 1:39:20 PM

	ALPHA	BETA-GAMMA
Conversion factor (cpm/Bq)	1.31E+01	2.11E+01
Background measurement (cpm)	1	24
Sample measurement (cpm)	1	26
Activity (Bq)	< MDA	< MDA
Min. Detectable Activity (Bq)	5.6E-01	1.2E+00

This certifies that the above leak test results are:

Less than 185 Bq (0.005 uCi) Greater than 185 Bq (0.005 uCi)

Certified by: Harry Pendleton

If greater than 185 Bq (0.005 uCi):

Person Notified _____ Date _____

Phone _____ and/or Fax _____

***S M H* Construction Co., Inc.**

P.O. Box 1912
Beckley, West Virginia 25802-1912

To: Licensing Assistant Section
Nuclear Materials Safety Branch
U.S. Nuclear Reg Comm, Region 1
475 Allendale Road
King of Prussia, PA 19406-1415

143032

This is to acknowledge the receipt of your letter/application dated

11/19/2002, and to inform you that the initial processing which includes an administrative review has been performed.

TERMINATION 47-25336-01
There were no administrative omissions. Your application was assigned to a technical reviewer. Please note that the technical review may identify additional omissions or require additional information.

Please provide to this office within 30 days of your receipt of this card

A copy of your action has been forwarded to our License Fee & Accounts Receivable Branch, who will contact you separately if there is a fee issue involved.

Your action has been assigned **Mail Control Number** 143032.
When calling to inquire about this action, please refer to this control number.
You may call us on (610) 337-5398, or 337-5260.