


HUDSON RIVER



# 2000 YEAR CLASS REPORT

for the  
Hudson River Estuary  
Monitoring Program

*Prepared on behalf of*

Dynegy Roseton L.L.C.  
Entergy Nuclear Indian Point 2 L.L.C.  
Entergy Nuclear Indian Point 3 L.L.C.  
Mirant Bowline L.L.C.

*Prepared by*

**ASA** ASA Analysis & Communication  
Solutions through Science

# **2000 Year Class Report for the Hudson River Estuary Monitoring Program**

*Prepared by*

ASA Analysis & Communication  
New Hampton, New York

*Prepared for*

Dynegy Roseton L.L.C.  
Newburgh, New York

*Prepared on behalf of*

Dynegy Roseton L.L.C.  
Entergy Nuclear Indian Point 2 L.L.C.  
Entergy Nuclear Indian Point 3 L.L.C.  
Mirant Bowline L.L.C.

*April 2003*

# CONTENTS

	<u>Page</u>
LIST OF FIGURES .....	iii
LIST OF TABLES.....	x
1. INTRODUCTION.....	1-1
2. MATERIALS AND METHODS .....	2-1
2.1 Sampling Design.....	2-1
2.2 Longitudinal River Ichthyoplankton Survey.....	2-2
2.2.1 Field Methods .....	2-2
2.2.2 Laboratory Methods .....	2-4
2.3 Fall Shoals Survey.....	2-6
2.3.1 Field Methods .....	2-6
2.3.2 Laboratory Methods .....	2-8
2.4 Beach Seine Survey .....	2-8
2.4.1 Field Methods .....	2-8
2.4.2 Laboratory Methods .....	2-9
2.5 Analytical Methods.....	2-9
2.5.1 Physical/Chemical Parameters .....	2-9
2.5.2 Spatiotemporal Distribution Indices .....	2-10
3. PHYSICAL/CHEMICAL PARAMETERS .....	3-1
3.1 Green Island Dam Flows .....	3-1
3.2 Poughkeepsie Waterworks Temperatures.....	3-1
3.3 Hudson River Surveys .....	3-1
3.3.1 Spatiotemporal Pattern in Temperature.....	3-1
3.3.2 Spatiotemporal Pattern in Salinity.....	3-2
3.3.3 Spatiotemporal Pattern in Dissolved Oxygen.....	3-2

## CONTENTS (Continued)

	<u>Page</u>
4. SPATIOTEMPORAL DISTRIBUTION OF SELECTED SPECIES OF HUDSON RIVER ESTUARY FISHES.....	4-1
4.1 Fish Community.....	4-1
4.1.1 General Description of the Fish Community .....	4-1
4.1.2 Species Occurrence Through Time .....	4-2
4.1.3 Species Collected in 2000 .....	4-4
4.2 Striped Bass .....	4-5
4.3 White Perch .....	4-7
4.4 Atlantic Tomcod .....	4-8
4.5 Bay Anchovy.....	4-10
4.6 American Shad .....	4-11
4.7 River Herrings.....	4-13
4.8 Alewife .....	4-14
4.9 Blueback Herring .....	4-15
4.10 Gizzard Shad.....	4-15
4.11 Rainbow Smelt.....	4-16
4.12 Hogchoker .....	4-18
4.13 Spottail Shiner .....	4-18
4.14 Atlantic Sturgeon .....	4-19
4.15 Shortnose Sturgeon.....	4-21
4.16 White Catfish .....	4-23
4.17 Weakfish.....	4-24
4.18 Bluefish.....	4-25
REFERENCES .....	R-1
APPENDIX A: QUALITY CONTROL REPORT FOR THE 2000 HUDSON RIVER ICHTHYOPLANKTON LABORATORY PROGRAM AND 2000 FALL JUVENILE SURVEY	
APPENDIX B: PHYSICAL/CHEMICAL PARAMETERS	
APPENDIX C: NUMBERS OF FISH COLLECTED IN THE LONG RIVER (1988-2000), FALL SHOALS (1985-2000), AND BEACH SEINE (1985-2000) SURVEYS	
APPENDIX D: DENSITY AND STANDING CROP ESTIMATES	
APPENDIX E: LENGTH FREQUENCY DISTRIBUTION	
APPENDIX F: SUMMARY OF ATLANTIC TOMCOD FOOD HABITS STUDY	
APPENDIX G: ANNUAL ABUNDANCE INDICES	

## LIST OF FIGURES

<u>Number</u>	<u>Title</u>
2-1	Location of 13 geographic regions (with river mile boundaries) sampled during the 2000 biological monitoring program in the Hudson River estuary.
2-2	Cross sections of the Hudson River estuary showing locations and typical proportional relationships of the shoal, bottom, and channel strata.
2-3	Completed sampling schedule for 2000.
2-4	Design and dimensions of 1.0-m <sup>2</sup> Tucker trawl.
2-5	Design and dimensions of 1.0-m <sup>2</sup> Tucker trawl mounted on an epibenthic sled.
2-6	Conceptual diagram of the splitting process.
2-7	Inspection plan for evaluation of splitting precision.
2-8	Design and dimensions of the 3.0-m beam trawl.
3-1	Hudson River daily average flow rate in 2000 and monthly average flow rates from 1947 to 2000, Green Island, New York.
3-2	Seasonal variations in water temperature from 1951 to 2000 as measured at Poughkeepsie Waterworks.
3-3	Seasonal variations in water temperature from the Hudson River surveys, 1974-2000.
3-4	Seasonal variations in average weekly salinity from the 2000 Long River/Fall Shoals surveys.
3-5	Seasonal variations in dissolved oxygen from the Hudson River surveys, 1974-2000.
4-1	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval striped bass in the Hudson River estuary based on the 2000 Long River Survey.
4-2	Spatiotemporal distribution of young-of-year striped bass in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-3	Spatiotemporal distribution of yearling striped bass in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.

## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-4	Spatiotemporal distribution of older-than-yearling striped bass in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-5	Temporal distribution indices for striped bass collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-6	Geographical distribution indices for striped bass collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-7	Geographical distribution indices for striped bass collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-8	Weekly length statistics for young-of-year striped bass in the Hudson River estuary, 2000.
4-9	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval white perch in the Hudson River estuary based on the 2000 Long River Survey.
4-10	Spatiotemporal distribution of young-of-year white perch in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-11	Spatiotemporal distribution of yearling white perch in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-12	Spatiotemporal distribution of older-than-yearling white perch in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-13	Temporal distribution indices for white perch collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-14	Geographical distribution indices for white perch collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-15	Geographical distribution indices for white perch collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-16	Weekly length statistics for young-of-year white perch in the Hudson River estuary, 2000.
4-17	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval Atlantic tomcod in the Hudson River estuary based on the 2000 Long River Survey.

## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-18	Spatiotemporal distribution of young-of-year Atlantic tomcod in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-19	Spatiotemporal distribution of yearling and older Atlantic tomcod in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-20	Temporal distribution indices for Atlantic tomcod collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-21	Geographical distribution indices for Atlantic tomcod collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-22	Geographical distribution indices for Atlantic tomcod collected during Fall Shoals surveys of the Hudson River estuary, 1979-2000.
4-23	Weekly length statistics for young-of-year Atlantic tomcod in the Hudson River estuary, 2000.
4-24	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval bay anchovy in the Hudson River estuary based on the 2000 Long River Survey.
4-25	Spatiotemporal distribution of young-of-year bay anchovy in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-26	Spatiotemporal distribution of yearling and older bay anchovy in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-27	Temporal distribution indices for bay anchovy collected during Long River surveys of the Hudson River estuary, 1988-2000.
4-28	Geographical distribution indices for bay anchovy collected during Long River surveys of the Hudson River estuary, 1988-2000.
4-29	Geographical distribution indices for bay anchovy collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-30	Weekly length statistics for young-of-year bay anchovy in the Hudson River estuary, 2000.
4-31	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval American shad in the Hudson River estuary based on the 2000 Long River Survey.

## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-32	Spatiotemporal distribution of young-of-year American shad in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-33	Spatiotemporal distribution of yearling and older American shad in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-34	Temporal distribution indices for American shad collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-35	Geographical distribution indices for American shad collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-36	Geographical distribution indices for American shad collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-37	Weekly length statistics for young-of-year American shad in the Hudson River estuary, 2000.
4-38	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval <i>Alosa</i> spp. in the Hudson River estuary based on the 2000 Long River Survey.
4-39	Spatiotemporal distribution of young-of-year <i>Alosa</i> spp. in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-40	Temporal distribution indices for <i>Alosa</i> spp. collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-41	Geographical distribution indices for <i>Alosa</i> spp. collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-42	Geographical distribution indices for <i>Alosa</i> spp. collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-43	Spatiotemporal distribution of young-of-year alewife in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-44	Spatiotemporal distribution of yearling and older alewife in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-45	Geographical distribution indices for alewife collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.



## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-46	Weekly length statistics for young-of-year alewife in the Hudson River estuary, 2000.
4-47	Spatiotemporal distribution of young-of-year blueback herring in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-48	Spatiotemporal distribution of yearling and older blueback herring in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-49	Geographical distribution indices for blueback herring collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-50	Weekly length statistics for young-of-year blueback herring in the Hudson River estuary, 2000.
4-51	Spatiotemporal distribution of young-of-year gizzard shad in the Hudson River estuary based on the 2000 Fall Shoals and Beach Seine surveys.
4-52	Spatiotemporal distribution of yearling and older gizzard shad in the Hudson River estuary based on the 2000 Fall Shoals and Beach Seine surveys.
4-53	Geographical distribution indices for gizzard shad collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-54	Spatiotemporal distribution of yearling and older rainbow smelt in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-55	Temporal distribution indices for rainbow smelt collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-56	Geographical distribution indices for rainbow smelt collected during Long River surveys of the Hudson River estuary, 1974-2000.
4-57	Geographical distribution indices for rainbow smelt collected during Fall Shoals surveys of the Hudson River estuary, 1979-2000.
4-58	Spatiotemporal distribution of eggs, yolk-sac, and post yolk-sac larval hogchoker in the Hudson River estuary based on the 2000 Long River Survey.
4-59	Spatiotemporal distribution of young-of-year hogchoker in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.

## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-60	Spatiotemporal distribution of yearling and older hogchoker in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-61	Geographical distribution indices for hogchoker collected during Fall Shoals surveys of the Hudson River estuary, 1979-2000.
4-62	Spatiotemporal distribution of young-of-year spottail shiner in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-63	Spatiotemporal distribution of yearling and older spottail shiner in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-64	Geographical distribution indices for spottail shiner collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.
4-65	Weekly length statistics for young-of-year spottail shiner in the Hudson River estuary, 2000.
4-66	Spatiotemporal distribution of yearling and older Atlantic sturgeon in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-67	Spatiotemporal distribution of post yolk-sac larval and young-of-year shortnose sturgeon in the Hudson River estuary based on the 2000 Long River and Fall Shoals surveys.
4-68	Spatiotemporal distribution of yearling and older shortnose sturgeon in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-69	Spatiotemporal distribution of young-of-year white catfish in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-70	Spatiotemporal distribution of yearling and older white catfish in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-71	Geographical distribution indices for white catfish collected during Fall Shoals surveys of the Hudson River estuary, 1979-2000.
4-72	Weekly length statistics for young-of-year white catfish in the Hudson River estuary, 2000.

## LIST OF FIGURES (Continued)

<u>Number</u>	<u>Title</u>
4-73	Spatiotemporal distribution of young-of-year weakfish in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-74	Geographical distribution indices for weakfish collected during Fall Shoals surveys of the Hudson River estuary, 1979-2000.
4-75	Weekly length statistics for young-of-year weakfish in the Hudson River estuary, 2000.
4-76	Spatiotemporal distribution of young-of-year bluefish in the Hudson River estuary based on the 2000 Long River, Fall Shoals, and Beach Seine surveys.
4-77	Geographical distribution indices for bluefish collected during Beach Seine surveys of the Hudson River estuary, 1974-2000.

## LIST OF TABLES

<u>Number</u>	<u>Title</u>
1-1	Fish species treated in depth in the 2000 Year Class Report.
2-1	Strata sampled within the 13 geographic regions of the Hudson River estuary during 2000.
2-2	Summary of 2000 Hudson River surveys.
2-3	Summary of 2000 sample collection information by river region and stratum for the Longitudinal River Ichthyoplankton Survey.
2-4	Specifications of sampling gear used during the 2000 Longitudinal River Ichthyoplankton Survey.
2-5	Water quality sampling locations during the 2000 Longitudinal River Ichthyoplankton and Fall Shoals surveys.
2-6	Summary of 2000 sample analysis information by river region and stratum for the Longitudinal River Ichthyoplankton Survey.
2-7	Summary of 2000 sample collection by river region and stratum for the Fall Shoals Survey.
2-8	Specifications of sampling gear used during the 2000 Fall Shoals Survey.
2-9	Specifications of sampling gear used during the 2000 Beach Seine Survey.
2-10	Summary of 2000 sample collection by river region for the Beach Seine Survey.
2-11	Stratum and region volumes (m <sup>3</sup> ) and surface areas (m <sup>2</sup> ) used in analysis of 2000 Hudson River estuary data.
4-1	Species composition of fish collected during Hudson River studies from 1974 to 2000.
4-2	Species composition of fish collected in each of the Hudson River surveys during 2000.
4-3	Collections of Atlantic sturgeon during the 2000 Hudson River surveys.
4-4	Collections of shortnose sturgeon during the 2000 Hudson River surveys.

[Link to Chapter 1](#)