

70-90

100-1-1086

Distribution:

Doc. Rm.
Formal
Compl., w/cy ltr dtd 8-10-61
Suppl.
Br. & Div. Rdgs.

Engelhard Industries, Inc.
113 Astor Street
Newark 2, New Jersey

Attention: Mr. Lawrence C. Burman, Manager
Atomic Energy Development

Gentlemen:

Reference is made to your letter of August 10, 1961, which requests authorization to use enriched uranium isotopic standards at your Spectrograph Laboratory, at 113 Astor Street, Newark, New Jersey. Before we may complete our review of your request we require that you advise us of the maximum quantity of contained U-235 you will possess at any one time at that address, of the maximum amount of U-235 contained in each sample, and the procedures, facilities, and equipment at the Spectrograph Laboratory for performing surveys for airborne contamination in the laboratory and to assure that concentrations in effluents from the spectrograph arc stand do not exceed 10 CFR 20 limits.

Very truly yours,

Donald A. Nussbaumer, Chief
Source & Special Nuclear Materials Branch
Division of Licensing and Regulation

Enclosure:
10 CFR 20

B/106

OFFICE ▶	I&R	I&R				
SURNAME ▶	JCDeLANEY:med	DANussbaumer				
DATE ▶	8-23-61	8-23-61				