Figure 2.5-76—{G/G_{max} Curves Representing Uncertainty in Shear Stiffness for Layer 4 (Chesapeake Clay/Silt}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED
FSAR Section 2.5

Figure 2.5-77—{Damping Curves Representing Uncertainty in Damping for Layer 4 (Chesapeake Clay/Silt)}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED
FSAR Section 2.5

Figure 2.5-78—{Logarithmic Mean Site Amplification Factor and Standard Deviation at 41′ Depth for 10^{-4} HF Input Motion}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED
FSAR Section 2.5

Figure 2.5-79—{Maximum Strains vs. Depth for 10^{-4} HF Input Motion}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED
FSAR Section 2.5

Figure 2.5-80—{Logarithmic Mean Site Amplification Factor and Standard Deviation at 41′ Depth for 10^{-4} LF Input Motion}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED
FSAR Section 2.5

Figure 2.5-81—{Maximum Strains vs. Depth for 10^{-4} LF Input Motion}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED

Figure 2.5-82—{Logarithmic Mean Site Amplification Factor and Standard Deviation at 41′ Depth for 10^{-5} LF Input Motion}



© 2007 UniStar Nuclear Development, LLC. All rights reserved.
COPYRIGHT PROTECTED

FSAR Section 2.5