

## Attachment 1

### Summary of Changes

## Summary of Changes

This License Amendment Request includes revisions to the CE Windsor Site Decommissioning Plan. The changes include the following:

### Attachment 2 - License Amendment Application Change Pages

- General Incorporates revisions to the January 2008 Application for “Fissile Exempt” waste associated with decommissioning activities.
- Title Page updated.
- List of Effective Pages updated.
- Page 2, Section 2.0: Updated to include the current address for the applicant.
  - Page 3, Section 5.0: Revised the table to include new line item E for “Fissile Exempt” waste.
  - Page 3, Section 6.0: Revised to include purpose of use for “Fissile Exempt” waste included in Section 5.0.
  - Page 13, Section 9.0: Updated Figure 9-1 to reflect actual property boundary.

### Attachment 3 – Justification of Application for License Amendment

This document provides technical justification and approach for “Fissile Exempt” waste and intentional mixing of waste associated with decommissioning activities in the License Amendment Application and Decommissioning Plan Revision 1.

### Attachment 4 - CE Windsor Site Decommissioning Plan Revision 1

The Decommissioning Plan Revision 1 is re-submitted in its entirety and replaces Revision 1 dated January 2008. The Site DP has been revised to reflect changes based upon an NRC Request for Additional Information (RAI). In addition, changes have been made to include site-specific building DCGLs (Attachment 5), “Fissile Exempt” waste (Attachment 3), and intentional mixing of waste to meet waste acceptance criteria (Attachment 3).

Title Page updated.

Table of Contents updated.

List of Effective Pages updated.

References updated.

- Section 1 This section is revised to include the site-specific building DCGLs.
- Section 2 No significant changes.
- Section 3 No significant changes.
- Section 4 This section has been revised to include the radiological groundwater monitoring program, as previously provided in the response to RAIs.
- Section 5 This section is revised to include the site-specific building DCGLs.
- Section 6 No significant changes.
- Section 7 This section is revised to include building remedial actions.
- Section 8 No significant changes.
- Section 9 No significant changes.
- Section 10 This section is revised to include “Fissile Exempt” waste.
- Section 11 No significant changes
- Section 12 This section is revised to include intentional mixing of waste to meet waste acceptance criteria.
- Section 13 No significant changes
- Section 14 No significant changes.
- Section 15 This section is revised to indicate that the Decommissioning Funding Plan has been accepted and that financial assurance instruments are being revised.

## Figures

- Figure 3-2: Update Site property boundary.
- Figure 3-5: Update Site property boundary.
- Figure 3-6: Update Site property boundary
- Figure 3-7: Update Site property boundary.
- Figure 4-8: Update Site property boundary.
- Figure 4-11: Update Site property boundary.
- Figure 4-31: Update Site property boundary.
- Figure 4-44: New figure for radiological groundwater monitoring program.

## Attachment 5 – Development of Building DCGLs

This report provides the basis and modeling results for proposed site-specific building DCGLs in support of radiologically impacted building surfaces at the Site.