

Westinghouse Electric Company Nuclear Power Plants P.O. Box 355 Pittsburgh, Pennsylvania 15230-0355 USA

U.S. Nuclear Regulatory Commission ATTENTION: Document Control Desk

Washington, D.C. 20555

Direct tel: 412-374-6206 Direct fax: 412-374-5005

e-mail: sisk1rb@westinghouse.com

Your ref: Docket No. 52-006 Our ref: DCP/NRC2363

January 28, 2009

Subject: AP1000 Responses to Requests for Additional Information (SRP 6)

Westinghouse is submitting a response to the NRC request for additional information (RAI) on SRP Section 6. This RAI response is submitted in support of the AP1000 Design Certification Amendment Application (Docket No. 52-006). The information included in the response is generic and is expected to apply to all COL applications referencing the AP1000 Design Certification and the AP1000 Design Certification Amendment Application.

Enclosure 1 provides the response for the following RAI:

RAI-SRP6.2.2-SPCV-04 Rev 2

Questions or requests for additional information related to the content and preparation of this response should be directed to Westinghouse. Please send copies of such questions or requests to the prospective applicants for combined licenses referencing the AP1000 Design Certification. A representative for each applicant is included on the cc: list of this letter.

Very truly yours,

Robert Sisk, Manager

Licensing and Customer Interface Regulatory Affairs and Standardization

/Enclosure

1. Response to Request for Additional Information on SRP Section 6

DOG3 NRO

cc:	D. Jaffe	-	U.S. NRC	1E
	E. McKenna	-	U.S. NRC	1E
	B. Gleaves	-	U.S. NRC	1E
	T. Spink	-	TVA	1E
	P. Hastings	-	Duke Power	1E
	R. Kitchen	-	Progress Energy	1E
	A. Monroe	-	SCANA	1E ·
	P. Jacobs	-	Florida Power & Light	1E
	C. Pierce	-	Southern Company	1E
	E. Schmiech	-	Westinghouse	1E
	G. Zinke	-	NuStart/Entergy	1E
	R. Grumbir	-	NuStart	1E
	D. Lindgren	-	Westinghouse	1E

ENCLOSURE 1

Response to Request for Additional Information on SRP Section 6

Response to Request For Additional Information (RAI)

RAI Response Number:

RAI-SRP6.2.2-SPCV-04

Revision: 2

Question:

In DCD Tier 1 Table 2.2.2-2, the Line Numbers identified for the last two rows are not consistent with the changes made to Figure 6.2.2-1. Describe any corrections, if necessary, to Table 2.2.2-2.

Westinghouse Response:

The line number for PCS makeup to the spent fuel pool is incorrectly numbered as shown in Figure 6.2.2-1 (Sheet 1 of 2). A DCD revision is required to replace the line PCS-PL-L018 with PCS-PL-L017 in Figure 6.2.2-1 (Sheet 1 of 2). The physical line itself remains the same only the numbering changes. The revision to the DCD is occurring in Tier 2 information NOT Tier 1 information.

Additional Question:

In response to RAI-SRP6.2.2-SPCV-04, Westinghouse states Tier 1 Table 2.2.2-2 does not have to be changed to reflect changes made to the PCS P&ID (Figure 6.2.2-1 Sh 1 of 2). From Figure 6.2.2-1, it appears that PCS-PL-L048 should be included in Tier 1 Table 2.2.2-2, "Post 72 hr PCCWST Makeup Supply lines," and PCS-PL-L011 should be included in Tier 1 Table 2.2.2-2, "Post 72 hr SFS Makeup Line." For each of these lines, provide an explanation why they should not be included.

Addition to Westinghouse Response (Rev 1):

After review of the ITAACs in DCD Tier 1 Table 2.2.2-2, and PCS P&ID (APP-PCS-M6-001/002), it has been determined that there are several lines in addition to PCS-PL-L011 and -L048 that need to be added to Table 2.2.2-2. Also, the pipeline names describing the lines in Table 2.2.2-2 are reworded to enhance clarity.

The revised Table 2.2.2-2 is presented below.



Response to Request For Additional Information (RAI)

Addition to Westinghouse Response (Rev 2):

A single additional PCS line, PCS-PL-L008, is added to Table 2.2.2-2. This additional line is qualified to protect system integrity. It is added to the group of lines titled "Post-72-hour PCCWST Makeup From Supply Line Connections".

Table 2.2.2-2					
Pipeline Name	Line Number	ASME Code Section III	Functional Capability Required		
PCCWST Discharge Lines	PCS-PL-L001A/B/C/D	Yes	Yes		
PCCWST Discharge Cross-connect Line	PCS-PL-L002	Yes	Yes		
PCCWST Discharge Header Lines	PCS-PL-L003A/B PCS-PL-L005	Yes	Yes		
Post-72-hour Supply Line Connection	PCS-PL-L051				
	PCS-PL-L054 PCS-PL-L065	Yes	Yes		
Post-72-hour PCCWST Makeup From	PCS-PL-L004				
Supply Line Connections	PCS-PL-L008	Yes	Yes		
	PCS-PL-L023				
Post-72-hour SFS Makeup From	PCS-PL-L011				
PCCWST	PCS-PL-L017				
	PCS-PL-L018	Yes	Yes		
	PCS-PL-L030 *				
	PCS-PL-L073				
Post-72-Hour SFS Makeup From	PCS-PL-L025				
Supply Line Connection	PCS-PL-L029				
	PCS-PL-L030 *	Yes	Yes		
	PCS-PL-L048				
	PCS-PL-L049				
* Line PCS-PL-L030	is a common makeup line fro	om both sources			

DCD changes are provided with this RAI response.



Response to Request For Additional Information (RAI)

Design Control Document (DCD) Revision:

PCS-PL-L018 is replaced by PCS-PL-L017 on the attached PCS P&ID and detail (Figure 6.2.2-1 Sh 1 of 2).

Tier 1 ITAAC Table 2.2.2-2 will be revised as shown:

	Table 2.2.2-2		
Pipeline Name	Line Number	ASME Code Section III	Functional Capability Required
PCCWST Discharge Lines	PCS-PL-L001A/B/C/D	Yes	Yes
PCCWST Discharge Cross-connect Line	PCS-PL-L002	Yes	Yes
PCCWST Discharge Header Lines	PCS-PL-L003A/B PCS-PL-L005	Yes	Yes
Post-72-hour Supply Line Connection	PCS-PL-L051 PCS-PL-L054 PCS-PL-L065	Yes	<u>Yes</u>
Post-72-hour PCCWST Makeup <u>From</u> Supply Line Connections	PCS-PL-L004 PCS-PL-L008 PCS-PL-L023	Yes	Yes
Post-72-hour SFS Makeup From PCCWST	PCS-PL-L011 PCS-PL-L017 PCS-PL-L018 PCS-PL-L030	Yes	Yes
Post-72-Hour SFS Makeup From Supply Line Connection	PCS-PL-L025 PCS-PL-L029 PCS-PL-L030 PCS-PL-L048 PCS-PL-L049	Yes	Yes
* Line PCS-PL-L03	30 is a common makeup line fron	n both sources	

PRA Revision:

None

Technical Report (TR) Revision:

None



Response to Request For Additional Information (RAI)





Figure 6.2.2-1 (Sheet 1 of 2)

Passive Containment Cooling System Piping and Instrumentation Diagram (REF) PCS 001



Response to Request For Additional Information (RAI)



Circled area shows the markup to occur on Figure 6.2.2-1 (Sheet 1 of 2).